

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020723\
 Data File : BG056575.D
 Acq On : 7 Feb 2023 20:06
 Operator : CG/JU
 Sample : 01445-03 10X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 JPP-26-020323

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 02/08/2023
 Supervised By : Jagrut Upadhyay 02/08/2023

Quant Time: Feb 08 03:07:36 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG012723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 08 03:02:11 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.267	152	48916	20.000	ng	0.00
21) Naphthalene-d8	11.105	136	176650	20.000	ng	0.00
39) Acenaphthene-d10	14.889	164	127588	20.000	ng	0.00
64) Phenanthrene-d10	17.633	188	283481	20.000	ng	0.00
76) Chrysene-d12	21.922	240	256269	20.000	ng	# 0.00
86) Perylene-d12	25.353	264	287338	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.800	112	28492	10.715	ng	0.00
7) Phenol-d6	7.421	99	39323	9.981	ng	0.00
23) Nitrobenzene-d5	9.448	82	21605	6.945	ng	0.00
42) 2,4,6-Tribromophenol	16.375	330	14781	8.714	ng	0.00
45) 2-Fluorobiphenyl	13.514	172	68681	7.463	ng	0.00
79) Terphenyl-d14	20.206	244	108127	7.411	ng	0.00
Target Compounds						
						Qvalue
71) Phenanthrene	17.674	178	277251	18.687	ng	98
72) Anthracene	17.762	178	60571	3.977	ng	99
75) Fluoranthene	19.666	202	625446	33.400	ng	100
78) Pyrene	20.030	202	636545	34.924	ng	99
81) Benzo(a)anthracene	21.904	228	286652	16.000	ng	100
83) Chrysene	21.969	228	271392m	16.124	ng	
87) Indeno(1,2,3-cd)pyrene	29.290	276	186249	8.855	ng	# 87
88) Benzo(b)fluoranthene	24.249	252	394432	22.116	ng	100
89) Benzo(k)fluoranthene	24.319	252	124068m	6.890	ng	
90) Benzo(a)pyrene	25.183	252	325367	18.520	ng	99
92) Benzo(g,h,i)perylene	30.547	276	197200	11.576	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020723\
Data File : BG056575.D
Acq On : 7 Feb 2023 20:06
Operator : CG/JU
Sample : 01445-03 10X
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
JPP-26-020323

Quant Time: Feb 08 03:07:36 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG012723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 08 03:02:11 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By : Christian Giraldo 02/08/2023
Supervised By : Jagrut Upadhyay 02/08/2023





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.267 min Scan# 847
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323



Tgt Ion:152 Resp: 48910
Ion Ratio Lower Upper
152 100
150 146.2 120.2 180.4
115 53.2 36.3 54.5




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023



#5
2-Fluorophenol
Concen: 10.715 ng
RT: 5.800 min Scan# 427
Delta R.T. 0.010 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06

Tgt Ion:112 Resp: 28492
Ion Ratio Lower Upper
112 100
64 39.4 31.9 47.9
63 19.0 17.4 26.0









#7
Phenol-d6
Concen: 9.981 ng
RT: 7.421 min Scan# 704
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06

Instrument :
BNA_G
ClientSampleId :
JPP-26-020323

Tgt Ion: 99 Resp: 3932
Ion Ratio Lower Upper
99 100
42 6.6 6.6 10.0
71 26.8 23.4 35.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.105 min Scan# 1330
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06


Tgt Ion:136 Resp: 176650
Ion Ratio Lower Upper
136 100
137 10.9 9.4 14.0
54 2.6 2.2 3.4
68 4.0 3.6 5.4





#23
Nitrobenzene-d5
Concen: 6.945 ng
RT: 9.448 min Scan# 1048
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323




Tgt Ion: 82 Resp: 2160
Ion Ratio Lower Upper
82 100
128 48.4 39.4 59.2
54 26.1 21.4 32.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.889 min Scan# 1974
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Tgt Ion:164 Resp: 127588
Ion Ratio Lower Upper
164 100
162 105.3 79.6 119.4
160 41.7 34.9 52.3





#42
2,4,6-Tribromophenol
Concen: 8.714 ng
RT: 16.375 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323




Tgt Ion:330 Resp: 1478
Ion Ratio Lower Upper
330 100
332 96.5 79.0 118.6
141 34.0 24.2 36.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023




#45
2-Fluorobiphenyl
Concen: 7.463 ng
RT: 13.514 min Scan# 1740
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Tgt Ion:172 Resp: 68681
Ion Ratio Lower Upper
172 100
171 34.1 29.5 44.3
170 24.8 19.2 28.8





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.633 min Scan# 2441
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323




Tgt Ion:188 Resp: 28348
Ion Ratio Lower Upper
188 100
94 5.2 4.1 6.1
80 6.0 5.0 7.4

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023




#71
Phenanthrene
Concen: 18.687 ng
RT: 17.674 min Scan# 2448
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Tgt Ion:178 Resp: 277251
Ion Ratio Lower Upper
178 100
176 19.2 15.6 23.4
179 15.3 13.3 19.9





#72
 Anthracene
 Concen: 3.977 ng
 RT: 17.762 min Scan# 2463
 Delta R.T. -0.002 min
 Lab File: BG056575.D
 Acq: 7 Feb 2023 20:06




Instrument :
 BNA_G
 ClientSampleId :
 JPP-26-020323




Tgt Ion:178 Resp: 6057
 Ion Ratio Lower Upper
 178 100
 176 18.1 14.5 21.7
 179 16.3 12.5 18.7

Manual Integrations
 APPROVED



Reviewed By :Christian Giraldo 02/08/2023
 Supervised By :Jagrut Upadhyay 02/08/2023




#75
 Fluoranthene
 Concen: 33.400 ng
 RT: 19.666 min Scan# 2787
 Delta R.T. -0.002 min
 Lab File: BG056575.D
 Acq: 7 Feb 2023 20:06




Tgt Ion:202 Resp: 625446
 Ion Ratio Lower Upper
 202 100
 101 5.8 0.0 25.6
 203 18.2 0.0 38.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.922 min Scan# 3173
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323



Tgt Ion:240 Resp: 256269
Ion Ratio Lower Upper
240 100
120 3.7 3.8 5.8
236 26.3 20.2 30.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023



#78
Pyrene
Concen: 34.924 ng
RT: 20.030 min Scan# 2849
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06

Tgt Ion:202 Resp: 636545
Ion Ratio Lower Upper
202 100
200 20.9 16.7 25.1
203 18.6 14.4 21.6





#79
 Terphenyl-d14
 Concen: 7.411 ng
 RT: 20.206 min Scan# 21
 Delta R.T. -0.002 min
 Lab File: BG056575.D
 Acq: 7 Feb 2023 20:06

Instrument :

BNA_G

ClientSampleId :





JPP-26-020323

Tgt Ion:244 Resp: 10812
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.5 8.3
 122 4.5 4.4 6.6

Manual Integrations




APPROVED


Reviewed By :Christian Giraldo 02/08/2023
 Supervised By :Jagrut Upadhyay 02/08/2023



#81
 Benzo(a)anthracene
 Concen: 16.000 ng
 RT: 21.904 min Scan# 3168
 Delta R.T. 0.004 min
 Lab File: BG056575.D
 Acq: 7 Feb 2023 20:06


Tgt Ion:228 Resp: 286652
 Ion Ratio Lower Upper
 228 100
 226 27.9 22.4 33.6
 229 21.0 16.5 24.7





#83
Chrysene
Concen: 16.124 ng m
RT: 21.969 min Scan# 31
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323



Tgt Ion:228 Resp: 271392
Ion Ratio Lower Upper
228 100
226 32.2 25.0 37.4
229 22.7 16.4 24.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.353 min Scan# 3755
Delta R.T. 0.016 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06


Tgt Ion:264 Resp: 287338
Ion Ratio Lower Upper
264 100
260 24.2 18.2 27.4
265 21.6 18.1 27.1





#87
Indeno(1,2,3-cd)pyrene
Concen: 8.855 ng
RT: 29.290 min Scan# 4428
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323




Tgt Ion:276 Resp: 186249
Ion Ratio Lower Upper
276 100
138 0.0 9.4 14.2
277 23.1 20.3 30.5

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023




#88
Benzo(b)fluoranthene
Concen: 22.116 ng
RT: 24.249 min Scan# 3567
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Tgt Ion:252 Resp: 394432
Ion Ratio Lower Upper
252 100
253 22.5 18.1 27.1
125 4.3 3.9 5.9





#89
Benzo(k)fluoranthene
Concen: 6.890 ng m
RT: 24.319 min Scan# 31
Delta R.T. -0.002 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06




Instrument :
BNA_G
ClientSampleId :
JPP-26-020323



Tgt Ion:252 Resp: 124068
Ion Ratio Lower Upper
252 100
253 23.2 17.5 26.3
125 5.4 3.4 5.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023



#90
Benzo(a)pyrene
Concen: 18.520 ng
RT: 25.183 min Scan# 3726
Delta R.T. 0.004 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06


Tgt Ion:252 Resp: 325367
Ion Ratio Lower Upper
252 100
253 22.2 18.4 27.6
125 5.0 4.1 6.1





#92
Benzo(g,h,i)perylene
Concen: 11.576 ng
RT: 30.547 min Scan# 4639
Delta R.T. 0.021 min
Lab File: BG056575.D
Acq: 7 Feb 2023 20:06

Instrument :
BNA_G
ClientSampleId :
JPP-26-020323



Tgt Ion:276 Resp: 197200
Ion Ratio Lower Upper
276 100
277 25.8 18.5 27.7
138 10.2 7.4 11.0

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 02/08/2023
Supervised By :Jagrut Upadhyay 02/08/2023

