

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020818\
 Data File : BG032620.D
 Acq On : 8 Feb 2018 21:12
 Operator : SJ/JU
 Sample : J1473-28
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B7

Quant Time: Feb 09 03:21:33 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 06 18:57:08 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.68	152	29187	20.00	ng	-0.03
21) Naphthalene-d8	11.56	136	124985	20.00	ng	-0.03
38) Acenaphthene-d10	15.32	164	96063	20.00	ng	-0.03
63) Phenanthrene-d10	18.06	188	266909	20.00	ng	-0.01
75) Chrysene-d12	22.39	240	316618	20.00	ng	-0.01
86) Perylene-d12	26.07	264	183575	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.12	112	244034	167.94	ng	-0.02
7) Phenol-d6	7.80	99	282475	145.67	ng	-0.02
23) Nitrobenzene-d5	9.88	82	223187	111.54	ng	-0.03
41) 2,4,6-Tribromophenol	16.80	330	276459	151.19	ng	-0.01
44) 2-Fluorobiphenyl	13.95	172	794498	98.30	ng	-0.02
78) Terphenyl-d14	20.61	244	1546578	104.63	ng	0.00
Target Compounds						
31) Naphthalene	11.61	128	21976	3.600	ng	Qvalue # 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020818\
Data File : BG032620.D
Acq On : 8 Feb 2018 21:12
Operator : SJ/JU
Sample : J1473-28
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B7

Quant Time: Feb 09 03:21:33 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 06 18:57:08 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.68 min Scan# 918
Delta R.T. -0.03 min
Lab File: BG032620.D
Acq: 8 Feb 2018 21:12

Instrument :
BNA_G
ClientSampleId :
B7

Tot Ion:152 Resp: 29187
Ion Ratio Lower Upper
152 100
150 149.7 126.6 189.8
115 55.7 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 167.936 ng
RT: 6.12 min Scan# 482
Delta R.T. -0.02 min
Lab File: BG032620.D
Acq: 8 Feb 2018 21:12

Tgt Ion:112 Resp: 244034
Ion Ratio Lower Upper
112 100
64 54.7 56.3 84.5#
63 33.0 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 145.674 ng

RT: 7.80 min Scan# 768

Delta R.T. -0.02 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12

Instrument :

BNA_G

ClientSampleId :

B7


Tot Ion: 99 Resp: 282475

Ion Ratio Lower Upper




99 100

42 22.1 14.1 21.1#

71 49.0 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.56 min Scan# 1407

Delta R.T. -0.03 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12

Tgt Ion: 136 Resp: 124985


Ion Ratio Lower Upper

136 100



137 11.6 9.2 13.8


54 5.6 10.3 15.5#

68 3.7 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 111.536 ng
 RT: 9.88 min Scan# 1122
 Delta R.T. -0.03 min
 Lab File: BG032620.D
 Acq: 8 Feb 2018 21:12




Instrument :
 BNA_G
 ClientSampled :
 B7


Tot Ion	82	Resp	223187
Ion Ratio	Lower	Upper	
82	100		
128	43.8	29.7	44.5
54	49.1	43.1	64.7



#31
 Naphthalene
 Concen: 3.600 ng
 RT: 11.61 min Scan# 1416
 Delta R.T. -0.03 min
 Lab File: BG032620.D
 Acq: 8 Feb 2018 21:12

Tgt Ion	128	Resp	21976
Ion Ratio	Lower	Upper	
128	100		
129	15.1	8.6	12.8#
127	15.7	11.6	17.4





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.32 min Scan# 2047

Delta R.T. -0.03 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12

Instrument :

BNA_G

ClientSampleId :

B7


Tot Ion:164 Resp: 96063

Ion Ratio Lower Upper

164 100

162 100.6 78.8 118.2




160 43.9 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 151.189 ng

RT: 16.80 min Scan# 2300

Delta R.T. -0.01 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12


Tgt Ion:330 Resp: 276459

Ion Ratio Lower Upper

330 100

332 93.3 77.0 115.6



141 31.5 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 98.302 ng
 RT: 13.95 min Scan# 1814
 Delta R.T. -0.02 min
 Lab File: BG032620.D
 Acq: 8 Feb 2018 21:12




Instrument :
 BNA_G
 ClientSampleId :
 B7


Tot Ion:172 Resp: 794498
 Ion Ratio Lower Upper
 172 100
 171 38.4 30.0 45.0
 170 23.9 19.5 29.3



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 18.06 min Scan# 2514
 Delta R.T. -0.01 min
 Lab File: BG032620.D
 Acq: 8 Feb 2018 21:12

Tgt Ion:188 Resp: 266909
 Ion Ratio Lower Upper
 188 100
 94 4.1 6.9 10.3#
 80 4.4 7.7 11.5#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.39 min Scan# 3251

Delta R.T. -0.01 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12

Instrument :

BNA_G

ClientSampleId :

B7


Tot Ion:240 Resp: 316618

Ion Ratio Lower Upper

240 100

120 3.9 6.8 10.2#


236 26.5 20.9 31.3





Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time-->



#78

Terphenyl-d14

Concen: 104.634 ng

RT: 20.61 min Scan# 2947

Delta R.T. -0.01 min

Lab File: BG032620.D

Acq: 8 Feb 2018 21:12


Tgt Ion:244 Resp: 1546578

Ion Ratio Lower Upper

244 100

212 7.9 5.8 8.8


122 5.5 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E


Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->





#86
Pervlene-d12
Concen: 20.000 ng
RT: 26.07 min Scan# 3877
Delta R.T. 0.00 min
Lab File: BG032620.D
Acq: 8 Feb 2018 21:12

Instrument :
BNA_G
ClientSampleId :
B7

Tot Ion	Ratio	Lower	Upper
264	100		
260	27.1	17.4	26.0#
265	21.6	17.7	26.5

