

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020818\
 Data File : BG032622.D
 Acq On : 8 Feb 2018 22:27
 Operator : SJ/JU
 Sample : J1473-36
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B9

Quant Time: Feb 09 03:36:48 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 06 18:57:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.68	152	32435	20.00	ng	-0.03
21) Naphthalene-d8	11.56	136	124978	20.00	ng	-0.02
38) Acenaphthene-d10	15.32	164	65194	20.00	ng	-0.02
63) Phenanthrene-d10	18.06	188	240809	20.00	ng	-0.01
75) Chrysene-d12	22.39	240	224901	20.00	ng	-0.01
86) Perylene-d12	26.07	264	23543	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.12	112	244672	151.51	ng	-0.02
7) Phenol-d6	7.80	99	234975	109.04	ng	-0.02
23) Nitrobenzene-d5	9.88	82	217254	108.58	ng	-0.03
41) 2,4,6-Tribromophenol	16.80	330	246213	198.40	ng	-0.01
44) 2-Fluorobiphenyl	13.95	172	764178	139.32	ng	-0.02
78) Terphenyl-d14	20.60	244	1475743	140.56	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020818\
Data File : BG032622.D
Acq On : 8 Feb 2018 22:27
Operator : SJ/JU
Sample : J1473-36
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B9

Quant Time: Feb 09 03:36:48 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 06 18:57:08 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.68 min Scan# 918
 Delta R.T. -0.03 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27

Instrument :
 BNA_G
 ClientSampled :
 B9

Tot Ion:152 Resp: 32435
 Ion Ratio Lower Upper
 152 100
 150 154.1 126.6 189.8
 115 60.2 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 151.515 ng
 RT: 6.12 min Scan# 482
 Delta R.T. -0.02 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27

Tgt Ion:112 Resp: 244672
 Ion Ratio Lower Upper
 112 100
 64 52.9 56.3 84.5#
 63 32.5 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGO
 Ion 63.00 (62.70 to 63.70): BGO





#7

Phenol-d6

Concen: 109.044 ng

RT: 7.80 min Scan# 768

Delta R.T. -0.02 min

Lab File: BG032622.D

Acq: 8 Feb 2018 22:27

Instrument :

BNA_G

ClientSampled :

B9


Tot Ion: 99 Resp: 234975

Ion Ratio Lower Upper




99 100

42 20.0 14.1 21.1

71 48.2 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.56 min Scan# 1408

Delta R.T. -0.02 min

Lab File: BG032622.D

Acq: 8 Feb 2018 22:27

Tgt Ion:136 Resp: 124978


Ion Ratio Lower Upper

136 100



137 12.1 9.2 13.8


54 5.7 10.3 15.5#

68 2.1 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 108.577 ng
 RT: 9.88 min Scan# 1122
 Delta R.T. -0.03 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27




Instrument :
 BNA_G
 ClientSampled :
 B9


Tot Ion	82	Resp	217254
Ion Ratio	100	Lower	Upper
128	44.1	29.7	44.5
54	53.4	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.32 min Scan# 2048
 Delta R.T. -0.02 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27

Tgt Ion	164	Resp	65194
Ion Ratio	100	Lower	Upper
162	116.0	78.8	118.2
160	47.9	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 198.404 ng
 RT: 16.80 min Scan# 2300
 Delta R.T. -0.01 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27

Instrument :
 BNA_G
 ClientSampleId :
 B9

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.3	77.0	115.6
141	31.9	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 139.319 ng
 RT: 13.95 min Scan# 1814
 Delta R.T. -0.02 min
 Lab File: BG032622.D
 Acq: 8 Feb 2018 22:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.5	30.0	45.0
170	24.4	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.06 min Scan# 2514
Delta R.T. -0.01 min
Lab File: BG032622.D
Acq: 8 Feb 2018 22:27

Instrument :
BNA_G
ClientSampleId :
B9

Tot Ion:188 Resp: 240809
Ion Ratio Lower Upper
188 100
94 4.1 6.9 10.3#
80 4.7 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.39 min Scan# 3251
Delta R.T. -0.01 min
Lab File: BG032622.D
Acq: 8 Feb 2018 22:27

Tgt Ion:240 Resp: 224901
Ion Ratio Lower Upper
240 100
120 4.4 6.8 10.2#
236 27.8 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 140.558 ng

RT: 20.60 min Scan# 2947

Delta R.T. -0.01 min

Lab File: BG032622.D

Acq: 8 Feb 2018 22:27

Instrument :

BNA_G

ClientSampleId :

B9


Tot Ion:244 Resp: 1475743

Ion Ratio Lower Upper

244 100

212 7.8 5.8 8.8




122 5.7 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.07 min Scan# 3877

Delta R.T. 0.00 min

Lab File: BG032622.D

Acq: 8 Feb 2018 22:27


Tgt Ion:264 Resp: 23543

Ion Ratio Lower Upper

264 100

260 28.5 17.4 26.0#

265 22.3 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

