

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020922\
 Data File : BG052335.D
 Acq On : 9 Feb 2022 15:10
 Operator : CG/JU
 Sample : N1423-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MF-CON

Quant Time: Feb 10 00:06:12 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 08 01:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.228	152	27655	20.000	ng	0.00
21) Naphthalene-d8	11.066	136	110862	20.000	ng	0.00
39) Acenaphthene-d10	14.872	164	81371	20.000	ng	0.00
64) Phenanthrene-d10	17.621	188	192306	20.000	ng	0.00
76) Chrysene-d12	21.939	240	185299	20.000	ng	0.00
86) Perylene-d12	25.411	264	190736	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0	0.000	ng	
7) Phenol-d6	7.376	99	2747	1.122	ng	0.00
23) Nitrobenzene-d5	9.397	82	132254	51.847	ng	0.00
42) 2,4,6-Tribromophenol	0.000	330	0	0.000	ng	
45) 2-Fluorobiphenyl	13.498	172	315931	53.950	ng	0.00
79) Terphenyl-d14	20.218	244	537010	51.176	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020922\
Data File : BG052335.D
Acq On : 9 Feb 2022 15:10
Operator : CG/JU
Sample : N1423-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MF-CON

Quant Time: Feb 10 00:06:12 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 08 01:21:20 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.228 min Scan# 80
 Delta R.T. 0.005 min
 Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10

Instrument :
 BNA_G
 ClientSampleId :
 MF-CON


Tgt Ion:152 Resp: 27655
 Ion Ratio Lower Upper
 152 100
 150 154.4 117.8 176.8
 115 60.8 50.2 75.2



#5
 2-Fluorophenol
 Concen: 0.000 ng
 Expected RT: 5.75 min

Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10

Tgt Ion: 112
 Sig Exp Ratio
 112 100
 64 75.5
 63 41.6









#7
Phenol-d6
Concen: 1.122 ng
RT: 7.376 min Scan# 60
Delta R.T. 0.005 min
Lab File: BG052335.D
Acq: 9 Feb 2022 15:10




Instrument :
BNA_G
ClientSampleId :
MF-CON


Tgt Ion: 99 Resp: 2747
Ion Ratio Lower Upper
99 100
42 22.3 19.1 28.7
71 36.1 33.4 50.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.066 min Scan# 1290
Delta R.T. -0.001 min
Lab File: BG052335.D
Acq: 9 Feb 2022 15:10

Tgt Ion: 136 Resp: 110862
Ion Ratio Lower Upper
136 100
137 9.9 9.1 13.7
54 8.3 8.3 12.5
68 5.5 4.5 6.7





#23

Nitrobenzene-d5

Concen: 51.847 ng

RT: 9.397 min Scan# 1006

Delta R.T. -0.001 min

Lab File: BG052335.D

Acq: 9 Feb 2022 15:10

Instrument :

BNA_G

ClientSampleId :

MF-CON





Tgt Ion: 82 Resp: 132254

Ion Ratio Lower Upper

82 100

128 37.4 27.0 40.4

54 46.4 41.0 61.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.872 min Scan# 1938

Delta R.T. -0.001 min

Lab File: BG052335.D

Acq: 9 Feb 2022 15:10




Tgt Ion:164 Resp: 81371


Ion Ratio Lower Upper

164 100

162 103.9 82.2 123.2

160 46.4 36.2 54.2







#42
 2,4,6-Tribromophenol
 Concen: 0.000 ng
 Expected RT: 16.36 min
 Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10




Instrument :
 BNA_G
 ClientSampleId :
 MF-CON


Tgt Ion: 330
 Sig Exp Ratio
 330 100
 332 98.2
 141 36.0



#45
 2-Fluorobiphenyl
 Concen: 53.950 ng
 RT: 13.498 min Scan# 1704
 Delta R.T. 0.005 min
 Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10

Tgt Ion: 172 Resp: 315931
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.3 42.5
 170 21.9 18.3 27.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.621 min Scan# 2406
Delta R.T. -0.001 min
Lab File: BG052335.D
Acq: 9 Feb 2022 15:10




Instrument :
BNA_G
ClientSampleId :
MF-CON


Tgt Ion:188 Resp: 192306
Ion Ratio Lower Upper
188 100
94 7.1 5.9 8.9
80 8.2 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.939 min Scan# 3141
Delta R.T. -0.001 min
Lab File: BG052335.D
Acq: 9 Feb 2022 15:10

Tgt Ion:240 Resp: 185299
Ion Ratio Lower Upper
240 100
120 5.4 4.4 6.6
236 25.9 20.8 31.2









#79
 Terphenyl-d14
 Concen: 51.176 ng
 RT: 20.218 min Scan# 21
 Delta R.T. 0.005 min
 Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10

Instrument :
 BNA_G
 ClientSampleId :
 MF-CON

Tgt Ion:244 Resp: 537010
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 6.7 6.2 9.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.411 min Scan# 3732
 Delta R.T. 0.005 min
 Lab File: BG052335.D
 Acq: 9 Feb 2022 15:10

Tgt Ion:264 Resp: 190736
 Ion Ratio Lower Upper
 264 100
 260 21.8 18.5 27.7
 265 20.7 17.8 26.6

