

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020922\
 Data File : BG052339.D
 Acq On : 9 Feb 2022 17:43
 Operator : CG/JU
 Sample : N1423-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-24

Quant Time: Feb 10 00:07:21 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 08 01:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.224	152	25839	20.000	ng	0.00
21) Naphthalene-d8	11.067	136	109969	20.000	ng	# 0.00
39) Acenaphthene-d10	14.873	164	82471	20.000	ng	0.00
64) Phenanthrene-d10	17.623	188	206226	20.000	ng	0.00
76) Chrysene-d12	21.940	240	196444	20.000	ng	0.00
86) Perylene-d12	25.412	264	197991	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.756	112	159315	107.459	ng	0.00
7) Phenol-d6	7.372	99	231247	101.091	ng	0.00
23) Nitrobenzene-d5	9.398	82	160445	63.410	ng	0.00
42) 2,4,6-Tribromophenol	16.360	330	130529	110.167	ng	0.00
45) 2-Fluorobiphenyl	13.493	172	392084	66.061	ng	0.00
79) Terphenyl-d14	20.219	244	766955	68.943	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG020922\
Data File : BG052339.D
Acq On : 9 Feb 2022 17:43
Operator : CG/JU
Sample : N1423-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-24

Quant Time: Feb 10 00:07:21 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 08 01:21:20 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.224 min Scan# 806
Delta R.T. 0.001 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43




Instrument :
BNA_G
ClientSampleId :
TP-24


Tgt Ion:152 Resp: 25839
Ion Ratio Lower Upper
152 100
150 149.3 117.8 176.8
115 57.6 50.2 75.2



#5
2-Fluorophenol
Concen: 107.459 ng
RT: 5.756 min Scan# 386
Delta R.T. 0.006 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43

Tgt Ion:112 Resp: 159315
Ion Ratio Lower Upper
112 100
64 62.5 60.4 90.6
63 34.2 33.3 49.9









#7
Phenol-d6
Concen: 101.091 ng
RT: 7.372 min Scan# 661
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43




Instrument :
BNA_G
ClientSampleId :
TP-24


Tgt Ion: 99 Resp: 231247
Ion Ratio Lower Upper
99 100
42 19.2 19.1 28.7
71 39.0 33.4 50.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.067 min Scan# 1290
Delta R.T. -0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43

Tgt Ion:136 Resp: 109969
Ion Ratio Lower Upper
136 100
137 10.8 9.1 13.7
54 8.1 8.3 12.5#
68 5.6 4.5 6.7









#23
Nitrobenzene-d5
Concen: 63.410 ng
RT: 9.398 min Scan# 1006
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43




Instrument :
BNA_G
ClientSampleId :
TP-24


Tgt Ion: 82 Resp: 160445
Ion Ratio Lower Upper
82 100
128 37.4 27.0 40.4
54 50.1 41.0 61.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.873 min Scan# 1938
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43

Tgt Ion:164 Resp: 82471
Ion Ratio Lower Upper
164 100
162 103.9 82.2 123.2
160 47.1 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 110.167 ng
RT: 16.360 min Scan# 2191
Delta R.T. 0.001 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43




Instrument :
BNA_G
ClientSampleId :
TP-24


Tgt Ion:330 Resp: 130529
Ion Ratio Lower Upper
330 100
332 96.3 78.6 117.8
141 31.2 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 66.061 ng
RT: 13.493 min Scan# 1703
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43

Tgt Ion:172 Resp: 392084
Ion Ratio Lower Upper
172 100
171 34.2 28.3 42.5
170 23.8 18.3 27.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.623 min Scan# 2406
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43




Instrument :
BNA_G
ClientSampleId :
TP-24


Tgt Ion:188 Resp: 206226
Ion Ratio Lower Upper
188 100
94 6.3 5.9 8.9
80 8.2 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.940 min Scan# 3141
Delta R.T. 0.000 min
Lab File: BG052339.D
Acq: 9 Feb 2022 17:43

Tgt Ion:240 Resp: 196444
Ion Ratio Lower Upper
240 100
120 6.1 4.4 6.6
236 24.3 20.8 31.2









#79
 Terphenyl-d14
 Concen: 68.943 ng
 RT: 20.219 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BG052339.D
 Acq: 9 Feb 2022 17:43

Instrument :
 BNA_G
 ClientSampleId :
 TP-24

Tgt Ion:244 Resp: 766955
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 6.8 6.2 9.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.412 min Scan# 3732
 Delta R.T. 0.006 min
 Lab File: BG052339.D
 Acq: 9 Feb 2022 17:43

Tgt Ion:264 Resp: 197991
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.5 27.7
 265 23.8 17.8 26.6

