

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG021116\
 Data File : BG020883.D
 Acq On : 12 Feb 2016 8:30
 Operator : SJ/UM
 Sample : H1408-02
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DBMW-16

Quant Time: Feb 12 10:35:53 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 15:26:53 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.27	152	18809	20.00	ng	0.00
21) Naphthalene-d8	11.10	136	97193	20.00	ng	0.00
38) Acenaphthene-d10	14.88	164	60358	20.00	ng	0.00
63) Phenanthrene-d10	17.62	188	115051	20.00	ng	0.00
75) Chrysene-d12	21.90	240	107077	20.00	ng	0.00
86) Perylene-d12	25.28	264	102831	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	71760	64.25	ng	0.00
7) Phenol-d6	7.41	99	63410	38.84	ng	0.00
23) Nitrobenzene-d5	9.44	82	147315	99.66	ng	0.00
41) 2,4,6-Tribromophenol	16.36	330	91662	154.43	ng	0.00
44) 2-Fluorobiphenyl	13.51	172	403558	93.92	ng	0.00
78) Terphenyl-d14	20.20	244	440214	95.91	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.32	163	34812	7.38	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG021116\
Data File : BG020883.D
Acq On : 12 Feb 2016 8:30
Operator : SJ/UM
Sample : H1408-02
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DBMW-16

Quant Time: Feb 12 10:35:53 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 15:26:53 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.27 min Scan# 924
Delta R.T. -0.00 min
Lab File: BG020883.D
Acq: 12 Feb 2016 8:30

Instrument :
BNA_G
ClientSampleId :
DBMW-16

Tot Ion:152 Resp: 18809
Ion Ratio Lower Upper
152 100
150 149.4 122.0 183.0
115 55.1 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 64.25 ng
RT: 5.80 min Scan# 504
Delta R.T. -0.00 min
Lab File: BG020883.D
Acq: 12 Feb 2016 8:30

Tgt Ion:112 Resp: 71760
Ion Ratio Lower Upper
112 100
64 48.3 39.3 58.9
63 23.5 18.2 27.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 38.84 ng

RT: 7.41 min Scan# 778

Delta R.T. -0.00 min

Lab File: BG020883.D

Acq: 12 Feb 2016 8:30

Instrument :

BNA_G

ClientSampleId :

DBMW-16


Tot Ion: 99 Resp: 63410

Ion Ratio Lower Upper




99 100

42 11.0 8.4 12.6

71 25.0 19.4 29.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.10 min Scan# 1406

Delta R.T. -0.00 min

Lab File: BG020883.D

Acq: 12 Feb 2016 8:30

Tgt Ion: 136 Resp: 97193


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 6.0 5.0 7.4

68 6.0 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 99.66 ng
 RT: 9.44 min Scan# 1124
 Delta R.T. -0.00 min
 Lab File: BG020883.D
 Acq: 12 Feb 2016 8:30

Instrument :
 BNA_G
 ClientSampleId :
 DBMW-16

Tot Ion	82	Resp	147315
Ion Ratio	100	Lower	Upper
128	50.4	40.1	60.1
54	36.2	29.5	44.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.88 min Scan# 2050
 Delta R.T. -0.01 min
 Lab File: BG020883.D
 Acq: 12 Feb 2016 8:30

Tgt Ion	164	Resp	60358
Ion Ratio	100	Lower	Upper
162	102.8	85.7	128.5
160	46.0	37.4	56.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 154.43 ng
 RT: 16.36 min Scan# 2302
 Delta R.T. -0.00 min
 Lab File: BG020883.D
 Acq: 12 Feb 2016 8:30

Instrument :
 BNA_G
 ClientSampleId :
 DBMW-16

Tot Ion:330 Resp: 91662
 Ion Ratio Lower Upper
 330 100
 332 94.6 76.1 114.1
 141 38.8 32.0 48.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 93.92 ng
 RT: 13.51 min Scan# 1817
 Delta R.T. -0.00 min
 Lab File: BG020883.D
 Acq: 12 Feb 2016 8:30

Tgt Ion:172 Resp: 403558
 Ion Ratio Lower Upper
 172 100
 171 39.0 31.2 46.8
 170 25.3 20.6 30.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 7.38 ng

RT: 14.32 min Scan# 1955

Delta R.T. -0.01 min

Lab File: BG020883.D

Acq: 12 Feb 2016 8:30

Instrument :

BNA_G

ClientSampleId :

DBMW-16


Tot Ion:163 Resp: 34812

Ion Ratio Lower Upper

163 100

194 4.2 3.1 4.7




164 10.1 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.62 min Scan# 2516

Delta R.T. -0.00 min

Lab File: BG020883.D

Acq: 12 Feb 2016 8:30


Tgt Ion:188 Resp: 115051

Ion Ratio Lower Upper

188 100

94 11.3 9.4 14.0



80 11.7 10.2 15.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.90 min Scan# 3245
Delta R.T. -0.01 min
Lab File: BG020883.D
Acq: 12 Feb 2016 8:30




Instrument :
BNA_G
ClientSampleId :
DBMW-16


Tot Ion:240 Resp: 107077
Ion Ratio Lower Upper
240 100
120 15.3 13.0 19.4
236 25.8 21.0 31.4



#78
Terphenyl-d14
Concen: 95.91 ng
RT: 20.20 min Scan# 2956
Delta R.T. -0.00 min
Lab File: BG020883.D
Acq: 12 Feb 2016 8:30

Tgt Ion:244 Resp: 440214
Ion Ratio Lower Upper
244 100
212 6.7 5.5 8.3
122 13.5 11.4 17.2






#86
Pervlene-d12
Concen: 20.00 ng
RT: 25.28 min Scan# 3820
Delta R.T. -0.01 min
Lab File: BG020883.D
Acq: 12 Feb 2016 8:30

Instrument :
BNA_G
ClientSampleId :
DBMW-16

Tot Ion:	264	Resp:	102831
Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.9	29.9
265	21.3	18.0	27.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

