

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG021120\
 Data File : BG044403.D
 Acq On : 12 Feb 2020 00:28
 Operator : CG/JU
 Sample : L1438-03
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HAM-WC-S-SB-0203

Quant Time: Feb 12 03:46:04 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 10 16:11:50 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.90	152	67686	20.00	ng	0.00
21) Naphthalene-d8	10.70	136	283627	20.00	ng	0.00
39) Acenaphthene-d10	14.54	164	194379	20.00	ng	0.00
64) Phenanthrene-d10	17.28	188	467107	20.00	ng	0.00
76) Chrysene-d12	21.53	240	457026	20.00	ng	0.00
87) Perylene-d12	24.61	264	473209	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.48	112	525924	137.13	ng	0.00
7) Phenol-d6	7.08	99	629316	122.19	ng	0.00
23) Nitrobenzene-d5	9.06	82	485105	96.56	ng	0.00
42) 2,4,6-Tribromophenol	16.03	330	357788	156.79	ng	0.00
45) 2-Fluorobiphenyl	13.17	172	1129815	97.33	ng	0.00
79) Terphenyl-d14	19.90	244	1967767	88.56	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.00	163	39925	2.857	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG021120\
Data File : BG044403.D
Acq On : 12 Feb 2020 00:28
Operator : CG/JU
Sample : L1438-03
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HAM-WC-S-SB-0203

Quant Time: Feb 12 03:46:04 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 10 16:11:50 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.90 min Scan# 819
 Delta R.T. -0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Instrument :
 BNA_G
 ClientSampleId :
 HAM-WC-S-SB-0203

Tot Ion:152 Resp: 67686
 Ion Ratio Lower Upper
 152 100
 150 161.4 122.6 183.8
 115 56.6 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 137.129 ng
 RT: 5.48 min Scan# 407
 Delta R.T. 0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Tgt Ion:112 Resp: 525924
 Ion Ratio Lower Upper
 112 100
 64 56.6 45.4 68.2
 63 29.6 22.9 34.3



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 122.194 ng

RT: 7.08 min Scan# 679

Delta R.T. 0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28

Instrument :

BNA_G

ClientSampleId :

HAM-WC-S-SB-0203


Tot Ion: 99 Resp: 629316

Ion Ratio Lower Upper




99 100

42 15.9 13.8 20.6

71 29.8 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.70 min Scan# 1296

Delta R.T. 0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28

Tgt Ion: 136 Resp: 283627


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2

54 7.5 5.8 8.8

68 5.9 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 96.561 ng
 RT: 9.06 min Scan# 1016
 Delta R.T. -0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28




Instrument :
 BNA_G
 ClientSampleId :
 HAM-WC-S-SB-0203


Tot Ion	82	Resp	485105
Ion Ratio	Lower	Upper	
82	100		
128	44.7	36.5	54.7
54	46.1	38.6	58.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.54 min Scan# 1949
 Delta R.T. -0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Tgt Ion	164	Resp	194379
Ion Ratio	Lower	Upper	
164	100		
162	102.2	80.7	121.1
160	44.4	35.3	52.9






#42
 2,4,6-Tribromophenol
 Concen: 156.794 ng
 RT: 16.03 min Scan# 2203
 Delta R.T. 0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Instrument :
 BNA_G
 ClientSampleId :
 HAM-WC-S-SB-0203

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.2	115.8
141	35.4	28.3	42.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 97.332 ng
 RT: 13.17 min Scan# 1715
 Delta R.T. 0.00 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.2	32.9	49.3
170	26.0	22.0	33.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.857 ng

RT: 14.00 min Scan# 1857

Delta R.T. 0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28

Instrument :

BNA_G

ClientSampleId :

HAM-WC-S-SB-0203


Tot Ion:163 Resp: 39925

Ion Ratio Lower Upper




163 100

194 3.6 3.6 5.4

164 9.5 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.28 min Scan# 2416

Delta R.T. -0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28


Tgt Ion:188 Resp: 467107

Ion Ratio Lower Upper



188 100


94 9.0 7.4 11.2

80 10.0 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.53 min Scan# 3139

Delta R.T. -0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28

Instrument :

BNA_G

ClientSampleId :

HAM-WC-S-SB-0203


Tot Ion:240 Resp: 457026

Ion Ratio Lower Upper

240 100

120 9.6 8.4 12.6




236 26.9 22.1 33.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 88.560 ng

RT: 19.90 min Scan# 2862

Delta R.T. 0.00 min

Lab File: BG044403.D

Acq: 12 Feb 2020 00:28


Tgt Ion:244 Resp: 1967767

Ion Ratio Lower Upper

244 100

212 9.5 7.4 11.2



122 12.5 9.8 14.6




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.61 min Scan# 3663
 Delta R.T. -0.01 min
 Lab File: BG044403.D
 Acq: 12 Feb 2020 00:28

Instrument :
 BNA_G
 ClientSampleId :
 HAM-WC-S-SB-0203

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.4	29.2
265	21.2	16.7	25.1

