

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021518\
 Data File : BG032722.D
 Acq On : 15 Feb 2018 20:25
 Operator : SJ/JU
 Sample : J1558-03
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RO-155

Quant Time: Feb 16 02:52:47 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 12 18:08:01 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.63	152	21844	20.00	ng	-0.05
21) Naphthalene-d8	11.50	136	87783	20.00	ng	-0.05
38) Acenaphthene-d10	15.27	164	62439	20.00	ng	-0.04
63) Phenanthrene-d10	18.01	188	183041	20.00	ng	-0.04
75) Chrysene-d12	22.33	240	253739	20.00	ng	-0.05
86) Perylene-d12	25.94	264	83594	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	6.07	112	160866	147.75	ng	-0.04
7) Phenol-d6	7.75	99	155755	104.62	ng	-0.05
23) Nitrobenzene-d5	9.82	82	145889	105.62	ng	-0.05
41) 2,4,6-Tribromophenol	16.75	330	170865	177.72	ng	-0.04
44) 2-Fluorobiphenyl	13.89	172	472367	94.61	ng	-0.04
78) Terphenyl-d14	20.56	244	1258847	113.08	ng	-0.03
Target Compounds						
31) Naphthalene	11.56	128	55770	13.084	ng	Qvalue # 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021518\
Data File : BG032722.D
Acq On : 15 Feb 2018 20:25
Operator : SJ/JU
Sample : J1558-03
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RO-155

Quant Time: Feb 16 02:52:47 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 12 18:08:01 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.63 min Scan# 909
Delta R.T. -0.05 min
Lab File: BG032722.D
Acq: 15 Feb 2018 20:25

Instrument :
BNA_G
ClientSampleId :
RO-155

Tot Ion	Ratio	Lower	Upper
152	100		
150	139.3	126.6	189.8
115	49.3	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 147.754 ng
RT: 6.07 min Scan# 474
Delta R.T. -0.04 min
Lab File: BG032722.D
Acq: 15 Feb 2018 20:25

Tgt Ion	Ratio	Lower	Upper
112	100		
64	51.6	56.3	84.5
63	33.5	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 104.622 ng

RT: 7.75 min Scan# 759

Delta R.T. -0.05 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25

Instrument :

BNA_G

ClientSampleId :

RO-155


Tot Ion: 99 Resp: 155755

Ion Ratio Lower Upper




99 100

42 18.0 14.1 21.1

71 46.5 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.50 min Scan# 1398

Delta R.T. -0.05 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25

Tgt Ion: 136 Resp: 87783


Ion Ratio Lower Upper

136 100



137 10.4 9.2 13.8


54 4.4 10.3 15.5#

68 2.2 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 105.624 ng
RT: 9.82 min Scan# 1112
Delta R.T. -0.05 min
Lab File: BG032722.D
Acq: 15 Feb 2018 20:25

Instrument :
BNA_G
ClientSampled :
RO-155

Tot Ion	82	Resp	145889
Ion Ratio	100	Lower	Upper
128	43.8	29.7	44.5
54	54.7	43.1	64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#31
Naphthalene
Concen: 13.084 ng
RT: 11.56 min Scan# 1407
Delta R.T. -0.05 min
Lab File: BG032722.D
Acq: 15 Feb 2018 20:25

Tgt Ion	128	Resp	55770
Ion Ratio	100	Lower	Upper
129	9.2	8.6	12.8
127	17.7	11.6	17.4#



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 129.00 (128.70 to 129.70): BGC
Ion 127.00 (126.70 to 127.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.27 min Scan# 2039

Delta R.T. -0.04 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25

Instrument :

BNA_G

ClientSampleId :

RO-155


Tot Ion:164 Resp: 62439

Ion Ratio Lower Upper

164 100

162 106.5 78.8 118.2




160 48.8 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 177.720 ng

RT: 16.75 min Scan# 2291

Delta R.T. -0.04 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25


Tgt Ion:330 Resp: 170865

Ion Ratio Lower Upper

330 100

332 98.3 77.0 115.6



141 25.8 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 94.606 ng
 RT: 13.89 min Scan# 1805
 Delta R.T. -0.04 min
 Lab File: BG032722.D
 Acq: 15 Feb 2018 20:25




Instrument :
 BNA_G
 ClientSampleId :
 RO-155


Tot Ion:172 Resp: 472367
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.0 45.0
 170 23.8 19.5 29.3



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 18.01 min Scan# 2505
 Delta R.T. -0.04 min
 Lab File: BG032722.D
 Acq: 15 Feb 2018 20:25

Tgt Ion:188 Resp: 183041
 Ion Ratio Lower Upper
 188 100
 94 3.8 6.9 10.3#
 80 4.5 7.7 11.5#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.33 min Scan# 3240

Delta R.T. -0.05 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25

Instrument :

BNA_G

ClientSampleId :

RO-155


Tot Ion:240 Resp: 253739

Ion Ratio Lower Upper

240 100

120 4.5 6.8 10.2#




236 25.2 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 113.076 ng

RT: 20.56 min Scan# 2939

Delta R.T. -0.03 min

Lab File: BG032722.D

Acq: 15 Feb 2018 20:25


Tgt Ion:244 Resp: 1258847

Ion Ratio Lower Upper

244 100

212 7.7 5.8 8.8



122 5.4 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 25.94 min Scan# 3855
 Delta R.T. -0.08 min
 Lab File: BG032722.D
 Acq: 15 Feb 2018 20:25

Instrument :
 BNA_G
 ClientSampleId :
 RO-155

Tot Ion	Ratio	Lower	Upper
264	100		
260	29.3	17.4	26.0#
265	18.8	17.7	26.5

