

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021816\
 Data File : BG020964.D
 Acq On : 19 Feb 2016 9:33
 Operator : SJ/UM
 Sample : H1453-16 20X
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EGR-B-2

Quant Time: Feb 19 12:24:22 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 15:26:53 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.26	152	27412	20.00	ng	0.00
21) Naphthalene-d8	11.08	136	135410	20.00	ng	-0.02
38) Acenaphthene-d10	14.87	164	74734	20.00	ng	-0.02
63) Phenanthrene-d10	17.61	188	141702	20.00	ng	0.00
75) Chrysene-d12	21.88	240	132851	20.00	ng	-0.03
86) Perylene-d12	25.25	264	130799	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	8375	5.15	ng	0.00
7) Phenol-d6	7.40	99	12489	5.25	ng	0.00
23) Nitrobenzene-d5	9.43	82	7436	3.61	ng	-0.02
41) 2,4,6-Tribromophenol	16.35	330	3627	4.94	ng	-0.02
44) 2-Fluorobiphenyl	13.50	172	20401	3.83	ng	-0.02
78) Terphenyl-d14	20.18	244	21076	3.70	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021816\
Data File : BG020964.D
Acq On : 19 Feb 2016 9:33
Operator : SJ/UM
Sample : H1453-16 20X
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EGR-B-2

Quant Time: Feb 19 12:24:22 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 15:26:53 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.26 min Scan# 922

Delta R.T. -0.01 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33

Instrument :

BNA_G

ClientSampleId :

EGR-B-2


Tot Ion:152 Resp: 27412

Ion Ratio Lower Upper

152 100

150 152.9 122.0 183.0




115 55.2 45.2 67.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 5.15 ng

RT: 5.79 min Scan# 502

Delta R.T. -0.01 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33


Tgt Ion:112 Resp: 8375

Ion Ratio Lower Upper

112 100

64 47.8 39.3 58.9



63 24.0 18.2 27.4




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 5.25 ng

RT: 7.40 min Scan# 776

Delta R.T. -0.01 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33

Instrument :

BNA_G

ClientSampleId :

EGR-B-2


Tot Ion: 99 Resp: 12489

Ion Ratio Lower Upper




99 100

42 9.2 8.4 12.6

71 27.3 19.4 29.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.08 min Scan# 1403

Delta R.T. -0.02 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33

Tgt Ion: 136 Resp: 135410


Ion Ratio Lower Upper

136 100



137 11.8 8.8 13.2


54 6.0 5.0 7.4

68 6.6 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 3.61 ng
 RT: 9.43 min Scan# 1121
 Delta R.T. -0.02 min
 Lab File: BG020964.D
 Acq: 19 Feb 2016 9:33

Instrument :
 BNA_G
 ClientSampleID :
 EGR-B-2

Tot Ion	82	Resp	7436
Ion Ratio	Lower	Upper	
82	100		
128	50.5	40.1	60.1
54	41.1	29.5	44.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.87 min Scan# 2048
 Delta R.T. -0.02 min
 Lab File: BG020964.D
 Acq: 19 Feb 2016 9:33

Tgt Ion	164	Resp	74734
Ion Ratio	Lower	Upper	
164	100		
162	106.4	85.7	128.5
160	47.6	37.4	56.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 4.94 ng
 RT: 16.35 min Scan# 2299
 Delta R.T. -0.02 min
 Lab File: BG020964.D
 Acq: 19 Feb 2016 9:33




Instrument :
 BNA_G
 ClientSampleId :
 EGR-B-2


Tot Ion:330 Resp: 3627
 Ion Ratio Lower Upper
 330 100
 332 104.2 76.1 114.1
 141 57.1 32.0 48.0#



#44
 2-Fluorobiphenyl
 Concen: 3.83 ng
 RT: 13.50 min Scan# 1814
 Delta R.T. -0.02 min
 Lab File: BG020964.D
 Acq: 19 Feb 2016 9:33

Tgt Ion:172 Resp: 20401
 Ion Ratio Lower Upper
 172 100
 171 38.3 31.2 46.8
 170 26.5 20.6 30.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.61 min Scan# 2514
Delta R.T. -0.01 min
Lab File: BG020964.D
Acq: 19 Feb 2016 9:33

Instrument :
BNA_G
ClientSampleId :
EGR-B-2

Tot Ion:188 Resp: 141702
Ion Ratio Lower Upper
188 100
94 10.7 9.4 14.0
80 11.1 10.2 15.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.88 min Scan# 3241
Delta R.T. -0.03 min
Lab File: BG020964.D
Acq: 19 Feb 2016 9:33

Tgt Ion:240 Resp: 132851
Ion Ratio Lower Upper
240 100
120 15.5 13.0 19.4
236 26.0 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 3.70 ng

RT: 20.18 min Scan# 2952

Delta R.T. -0.02 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33

Instrument :

BNA_G

ClientSampleId :

EGR-B-2


Tot Ion:244 Resp: 21076

Ion Ratio Lower Upper

244 100

212 8.0 5.5 8.3




122 13.8 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.25 min Scan# 3815

Delta R.T. -0.04 min

Lab File: BG020964.D

Acq: 19 Feb 2016 9:33


Tgt Ion:264 Resp: 130799

Ion Ratio Lower Upper

264 100

260 23.7 19.9 29.9

265 21.3 18.0 27.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

