

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG021915\
 Data File : BG016026.D
 Acq On : 20 Feb 2015 9:14
 Operator : TP/IZ
 Sample : MDL-01-S-ML
 Misc : MDL-SOIL-3PPM-SOM0-ML
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: Feb 20 10:32:58 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM01.2-EPA-MA-BG021915.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 20 05:38:39 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.81	152	92959	20.00	ng/ul	0.00
16) Naphthalene-d8	10.60	136	416731	20.00	ng/ul	0.00
33) Acenaphthene-d10	14.44	164	258653	20.00	ng/ul	0.00
59) Phenanthrene-d10	17.18	188	552411	20.00	ng/ul	0.00
75) Chrysene-d12	21.35	240	589435	20.00	ng/ul	0.00
83) Perylene-d12	23.65	264	580840	20.00	ng/ul	0.00


System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) Phenol-d5	6.97	99	272481	30.81	ng/ul	0.00
5) Bis-(2-Chloroethyl)ether-d	7.14	67	167451	32.06	ng/ul	0.00
7) 2-Chlorophenol-d4	7.34	132	210646	32.19	ng/ul	0.00
11) 4-Methylphenol-d8	8.50	113	207984	31.78	ng/ul	0.00
17) Nitrobenzene-d5	8.96	128	108675	36.90	ng/ul	0.00
20) 2-Nitrophenol-d4	9.68	143	100533	37.00	ng/ul	0.00
24) 2,4-Dichlorophenol-d3	10.21	165	181686	30.83	ng/ul	0.00
27) 4-Chloroaniline-d4	10.73	131	330047	50.83	ng/ul	0.00
41) Dimethylphthalate-d6	13.84	166	607856	35.15	ng/ul	0.00
44) Acenaphthylene-d8	14.13	160	785777	32.11	ng/ul	0.00
49) 4-Nitrophenol-d4	14.62	143	97513	28.04	ng/ul	0.00
55) Fluorene-d10	15.42	176	572698	32.95	ng/ul	0.00
60) 4,6-Dinitro-2-methylphenol	15.54	200	42553	19.98	ng/ul	0.00
68) Anthracene-d10	17.28	188	873125	33.32	ng/ul	0.00
76) Pyrene-d10	19.57	212	934041	33.74	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.50	264	875661	33.25	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
70) 1,2,3,4-Tetrachlorobenzene	13.23	216	13673	1.95	ng/uL	98
71) Pentachlorobenzene	14.75	250	27216	3.96	ng/uL	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG021915\
Data File : BG016026.D
Acq On : 20 Feb 2015 9:14
Operator : TP/IZ
Sample : MDL-01-S-ML
Misc : MDL-SOIL-3PPM-SOM0-ML
ALS Vial : 29 Sample Multiplier: 1


Quant Time: Feb 20 10:32:58 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM01.2-EPA-MA-BG021915.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 20 05:38:39 2015
Response via : Initial Calibration








#70
 1,2,3,4-Tetrachlorobenzene
 Concen: 1.95 ng/uL
 RT: 13.23 min Scan# 1795
 Delta R.T. -0.00 min
 Lab File: BG016026.D
 Acq: 20 Feb 2015 9:14

Tgt Ion:	216	Resp:	13673
Ion	Ratio	Lower	Upper
216	100		
214	79.8	64.5	96.7
218	49.1	37.9	56.9




Abundance Ion 216.00 (215.70 to 216.70): E
 Ion 214.00 (213.70 to 214.70): E
 Ion 218.00 (217.70 to 218.70): E



#71
 Pentachlorobenzene
 Concen: 3.96 ng/uL
 RT: 14.75 min Scan# 2053
 Delta R.T. -0.00 min
 Lab File: BG016026.D
 Acq: 20 Feb 2015 9:14

Tgt Ion:	250	Resp:	27216
Ion	Ratio	Lower	Upper
250	100		
248	61.6	50.5	75.7
252	60.5	50.7	76.1



Abundance Ion 250.00 (249.70 to 250.70): E
 Ion 248.00 (247.70 to 248.70): E
 Ion 252.00 (251.70 to 252.70): E

