

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
 Data File : BG020972.D
 Acq On : 19 Feb 2016 15:00
 Operator : SJ/UM
 Sample : PB88429TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB88429TB

Quant Time: Feb 19 15:44:17 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 15:26:53 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.26	152	20103	20.00	ng	0.00
21) Naphthalene-d8	11.09	136	101434	20.00	ng	-0.01
38) Acenaphthene-d10	14.87	164	66369	20.00	ng	-0.02
63) Phenanthrene-d10	17.61	188	140145	20.00	ng	-0.01
75) Chrysene-d12	21.88	240	131643	20.00	ng	-0.02
86) Perylene-d12	25.25	264	122588	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	135176	113.24	ng	0.00
7) Phenol-d6	7.40	99	190742	109.32	ng	0.00
23) Nitrobenzene-d5	9.43	82	103958	67.39	ng	-0.01
41) 2,4,6-Tribromophenol	16.35	330	73663	112.86	ng	-0.01
44) 2-Fluorobiphenyl	13.50	172	311901	66.01	ng	-0.01
78) Terphenyl-d14	20.19	244	408402	72.37	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
Data File : BG020972.D
Acq On : 19 Feb 2016 15:00
Operator : SJ/UM
Sample : PB88429TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB88429TB

Quant Time: Feb 19 15:44:17 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 15:26:53 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.26 min Scan# 923

Delta R.T. -0.01 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00

Instrument :

BNA_G

ClientSampleId :

PB88429TB


Tot Ion:152 Resp: 20103

Ion Ratio Lower Upper

152 100

150 143.1 122.0 183.0




115 49.6 45.2 67.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 113.24 ng

RT: 5.79 min Scan# 503

Delta R.T. -0.01 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00


Tgt Ion:112 Resp: 135176

Ion Ratio Lower Upper

112 100

64 46.8 39.3 58.9



63 21.8 18.2 27.4



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 109.32 ng

RT: 7.40 min Scan# 777

Delta R.T. -0.01 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00

Instrument :

BNA_G

ClientSampleId :

PB88429TB


Tot Ion: 99 Resp: 190742

Ion Ratio Lower Upper




99 100

42 9.9 8.4 12.6

71 24.5 19.4 29.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.09 min Scan# 1404

Delta R.T. -0.01 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00

Tgt Ion: 136 Resp: 101434


Ion Ratio Lower Upper

136 100



137 10.5 8.8 13.2


54 6.1 5.0 7.4

68 6.2 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 67.39 ng
RT: 9.43 min Scan# 1122
Delta R.T. -0.01 min
Lab File: BG020972.D
Acq: 19 Feb 2016 15:00

Instrument :
BNA_G
ClientSampleID :
PB88429TB

Tot Ion	82	Resp	103958
Ion Ratio	Lower	Upper	
82	100		
128	50.9	40.1	60.1
54	35.1	29.5	44.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.87 min Scan# 2048
Delta R.T. -0.02 min
Lab File: BG020972.D
Acq: 19 Feb 2016 15:00

Tgt Ion	164	Resp	66369
Ion Ratio	Lower	Upper	
164	100		
162	102.4	85.7	128.5
160	43.6	37.4	56.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 112.86 ng
 RT: 16.35 min Scan# 2300
 Delta R.T. -0.01 min
 Lab File: BG020972.D
 Acq: 19 Feb 2016 15:00

Instrument :
 BNA_G
 ClientSampleId :
 PB88429TB

Tot Ion:330 Resp: 73663
 Ion Ratio Lower Upper
 330 100
 332 95.9 76.1 114.1
 141 38.0 32.0 48.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 66.01 ng
 RT: 13.50 min Scan# 1815
 Delta R.T. -0.01 min
 Lab File: BG020972.D
 Acq: 19 Feb 2016 15:00

Tgt Ion:172 Resp: 311901
 Ion Ratio Lower Upper
 172 100
 171 38.8 31.2 46.8
 170 25.7 20.6 30.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 17.61 min Scan# 2514
 Delta R.T. -0.01 min
 Lab File: BG020972.D
 Acq: 19 Feb 2016 15:00




Instrument :
 BNA_G
 ClientSampleId :
 PB88429TB


Tot Ion	Ratio	Lower	Upper
188	100		
94	10.8	9.4	14.0
80	11.6	10.2	15.4



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 21.88 min Scan# 3242
 Delta R.T. -0.02 min
 Lab File: BG020972.D
 Acq: 19 Feb 2016 15:00

Tgt Ion	Ratio	Lower	Upper
240	100		
120	14.9	13.0	19.4
236	25.7	21.0	31.4





#78

Terphenyl-d14

Concen: 72.37 ng

RT: 20.19 min Scan# 2953

Delta R.T. -0.02 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00

Instrument :

BNA_G

ClientSampleId :

PB88429TB


Tot Ion:244 Resp: 408402

Ion Ratio Lower Upper

244 100

212 6.8 5.5 8.3




122 14.3 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.25 min Scan# 3815

Delta R.T. -0.04 min

Lab File: BG020972.D

Acq: 19 Feb 2016 15:00


Tgt Ion:264 Resp: 122588

Ion Ratio Lower Upper

264 100

260 24.3 19.9 29.9

265 22.3 18.0 27.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

