

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
 Data File : BG020991.D
 Acq On : 20 Feb 2016 3:28
 Operator : SJ/UM
 Sample : H1508-01
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WEST-COUNTER-WEIGHT-PIT

Quant Time: Feb 20 04:18:03 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 15:26:53 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.26	152	19514	20.00	ng	0.00
21) Naphthalene-d8	11.09	136	105520	20.00	ng	-0.01
38) Acenaphthene-d10	14.87	164	68839	20.00	ng	-0.02
63) Phenanthrene-d10	17.61	188	140943	20.00	ng	-0.01
75) Chrysene-d12	21.88	240	132423	20.00	ng	-0.02
86) Perylene-d12	25.25	264	125583	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	64952	56.05	ng	0.00
7) Phenol-d6	7.40	99	66858	39.48	ng	0.00
23) Nitrobenzene-d5	9.43	82	150097	93.53	ng	-0.01
41) 2,4,6-Tribromophenol	16.35	330	71320	105.35	ng	-0.01
44) 2-Fluorobiphenyl	13.50	172	453863	92.61	ng	-0.01
78) Terphenyl-d14	20.19	244	501717	88.39	ng	-0.02


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
Data File : BG020991.D
Acq On : 20 Feb 2016 3:28
Operator : SJ/UM
Sample : H1508-01
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WEST-COUNTER-WEIGHT-PIT

Quant Time: Feb 20 04:18:03 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 15:26:53 2016
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.26 min Scan# 923
Delta R.T. -0.01 min
Lab File: BG020991.D
Acq: 20 Feb 2016 3:28

Instrument :
BNA_G
ClientSampleId :
WEST-COUNTER-WEIGHT-PIT

Tot Ion:152 Resp: 19514
Ion Ratio Lower Upper
152 100
150 156.6 122.0 183.0
115 59.3 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 56.05 ng
RT: 5.79 min Scan# 503
Delta R.T. -0.01 min
Lab File: BG020991.D
Acq: 20 Feb 2016 3:28

Tgt Ion:112 Resp: 64952
Ion Ratio Lower Upper
112 100
64 46.1 39.3 58.9
63 21.4 18.2 27.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 39.48 ng

RT: 7.40 min Scan# 777

Delta R.T. -0.01 min

Lab File: BG020991.D

Acq: 20 Feb 2016 3:28

Instrument :

BNA_G

ClientSampleId :

WEST-COUNTER-WEIGHT-PIT


Tot Ion: 99 Resp: 66858

Ion Ratio Lower Upper




99 100

42 9.8 8.4 12.6

71 23.9 19.4 29.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.09 min Scan# 1404

Delta R.T. -0.01 min

Lab File: BG020991.D

Acq: 20 Feb 2016 3:28

Tgt Ion: 136 Resp: 105520


Ion Ratio Lower Upper

136 100



137 11.2 8.8 13.2


54 5.7 5.0 7.4

68 5.5 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 93.53 ng
 RT: 9.43 min Scan# 1122
 Delta R.T. -0.01 min
 Lab File: BG020991.D
 Acq: 20 Feb 2016 3:28




Instrument :
 BNA_G
 ClientSampleId :
 WEST-COUNTER-WEIGHT-PIT


Tot Ion	Ratio	Lower	Upper
82	100		
128	52.0	40.1	60.1
54	35.8	29.5	44.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.87 min Scan# 2048
 Delta R.T. -0.02 min
 Lab File: BG020991.D
 Acq: 20 Feb 2016 3:28

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.4	85.7	128.5
160	47.5	37.4	56.0









#41
 2,4,6-Tribromophenol
 Concen: 105.35 ng
 RT: 16.35 min Scan# 2300
 Delta R.T. -0.01 min
 Lab File: BG020991.D
 Acq: 20 Feb 2016 3:28

Instrument :
 BNA_G
 ClientSampleId :
 WEST-COUNTER-WEIGHT-PIT

Tot Ion:330 Resp: 71320
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.1 114.1
 141 38.2 32.0 48.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.61 ng
 RT: 13.50 min Scan# 1815
 Delta R.T. -0.01 min
 Lab File: BG020991.D
 Acq: 20 Feb 2016 3:28

Tgt Ion:172 Resp: 453863
 Ion Ratio Lower Upper
 172 100
 171 38.8 31.2 46.8
 170 26.0 20.6 30.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.61 min Scan# 2514
Delta R.T. -0.01 min
Lab File: BG020991.D
Acq: 20 Feb 2016 3:28

Instrument :
BNA_G
ClientSampleId :
WEST-COUNTER-WEIGHT-PIT

Tot Ion:188 Resp: 140943
Ion Ratio Lower Upper
188 100
94 11.5 9.4 14.0
80 11.4 10.2 15.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.88 min Scan# 3242
Delta R.T. -0.02 min
Lab File: BG020991.D
Acq: 20 Feb 2016 3:28

Tgt Ion:240 Resp: 132423
Ion Ratio Lower Upper
240 100
120 15.1 13.0 19.4
236 26.2 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 88.39 ng

RT: 20.19 min Scan# 2953

Delta R.T. -0.02 min

Lab File: BG020991.D

Acq: 20 Feb 2016 3:28

Instrument :

BNA_G

ClientSampleId :

WEST-COUNTER-WEIGHT-PIT


Tot Ion:244 Resp: 501717

Ion Ratio Lower Upper

244 100

212 7.1 5.5 8.3




122 15.1 11.4 17.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.25 min Scan# 3815

Delta R.T. -0.04 min

Lab File: BG020991.D

Acq: 20 Feb 2016 3:28


Tgt Ion:264 Resp: 125583

Ion Ratio Lower Upper

264 100

260 22.6 19.9 29.9

265 21.2 18.0 27.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

