

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
 Data File : BG021002.D
 Acq On : 20 Feb 2016 10:39
 Operator : SJ/UM
 Sample : H1504-01
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DSN001

Quant Time: Feb 21 23:40:33 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 15:26:53 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.26	152	9761	20.00	ng	0.00
21) Naphthalene-d8	11.09	136	52006	20.00	ng	-0.01
38) Acenaphthene-d10	14.87	164	33987	20.00	ng	-0.02
63) Phenanthrene-d10	17.61	188	65521	20.00	ng	-0.01
75) Chrysene-d12	21.88	240	60605	20.00	ng	-0.02
86) Perylene-d12	25.26	264	58113	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	72453	125.00	ng	0.00
7) Phenol-d6	7.40	99	66127	78.06	ng	0.00
23) Nitrobenzene-d5	9.43	82	144315	182.46	ng	-0.01
41) 2,4,6-Tribromophenol	16.35	330	108939	325.94	ng	0.00
44) 2-Fluorobiphenyl	13.50	172	458087	189.33	ng	-0.01
78) Terphenyl-d14	20.19	244	525534	202.29	ng	-0.01
Target Compounds						
49) Dimethylphthalate	14.31	163	13465	5.07	ng	Qvalue 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG021916\
Data File : BG021002.D
Acq On : 20 Feb 2016 10:39
Operator : SJ/UM
Sample : H1504-01
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DSN001

Quant Time: Feb 21 23:40:33 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 15:26:53 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.26 min Scan# 923

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Instrument :

BNA_G

ClientSampleId :

DSN001


Tot Ion:152 Resp: 9761

Ion Ratio Lower Upper

152 100

150 149.8 122.0 183.0




115 56.6 45.2 67.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 125.00 ng

RT: 5.79 min Scan# 503

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39


Tgt Ion:112 Resp: 72453

Ion Ratio Lower Upper

112 100

64 46.2 39.3 58.9



63 22.0 18.2 27.4



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 78.06 ng

RT: 7.40 min Scan# 777

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Instrument :

BNA_G

ClientSampleId :

DSN001


Tot Ion: 99 Resp: 66127

Ion Ratio Lower Upper




99 100

42 9.9 8.4 12.6

71 23.5 19.4 29.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.09 min Scan# 1404

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Tgt Ion: 136 Resp: 52006


Ion Ratio Lower Upper

136 100



137 11.9 8.8 13.2


54 6.3 5.0 7.4

68 6.0 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 182.46 ng
 RT: 9.43 min Scan# 1122
 Delta R.T. -0.01 min
 Lab File: BG021002.D
 Acq: 20 Feb 2016 10:39

Instrument :
 BNA_G
 ClientSampleID :
 DSN001

Tot Ion	Ratio	Lower	Upper
82	100		
128	52.1	40.1	60.1
54	36.2	29.5	44.3




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.87 min Scan# 2048
 Delta R.T. -0.02 min
 Lab File: BG021002.D
 Acq: 20 Feb 2016 10:39

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.8	85.7	128.5
160	44.8	37.4	56.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 325.94 ng
 RT: 16.35 min Scan# 2301
 Delta R.T. -0.01 min
 Lab File: BG021002.D
 Acq: 20 Feb 2016 10:39

Instrument :
 BNA_G
 ClientSampleID :
 DSN001

Tot Ion:330 Resp: 108939
 Ion Ratio Lower Upper
 330 100
 332 95.6 76.1 114.1
 141 37.5 32.0 48.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 189.33 ng
 RT: 13.50 min Scan# 1815
 Delta R.T. -0.01 min
 Lab File: BG021002.D
 Acq: 20 Feb 2016 10:39

Tgt Ion:172 Resp: 458087
 Ion Ratio Lower Upper
 172 100
 171 38.9 31.2 46.8
 170 26.1 20.6 30.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.07 ng

RT: 14.31 min Scan# 1953

Delta R.T. -0.02 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Instrument :

BNA_G

ClientSampleId :

DSN001


Tot Ion:163 Resp: 13465

Ion Ratio Lower Upper

163 100

194 3.2 3.1 4.7




164 8.4 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.61 min Scan# 2514

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39


Tgt Ion:188 Resp: 65521

Ion Ratio Lower Upper

188 100

94 11.3 9.4 14.0



80 12.2 10.2 15.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.88 min Scan# 3242

Delta R.T. -0.02 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Instrument :

BNA_G

ClientSampleId :

DSN001


Tot Ion:240 Resp: 60605

Ion Ratio Lower Upper

240 100

120 15.8 13.0 19.4




236 25.8 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 202.29 ng

RT: 20.19 min Scan# 2954

Delta R.T. -0.01 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39


Tgt Ion:244 Resp: 525534

Ion Ratio Lower Upper

244 100

212 7.1 5.5 8.3



122 14.3 11.4 17.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.00 ng

RT: 25.26 min Scan# 3817

Delta R.T. -0.03 min

Lab File: BG021002.D

Acq: 20 Feb 2016 10:39

Instrument :

BNA_G

ClientSampleId :

DSN001


Tot Ion:264 Resp: 58113

Ion Ratio Lower Upper

264 100

260 26.3 19.9 29.9

265 19.9 18.0 27.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

