

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG022619\
 Data File : BG039597.D
 Acq On : 26 Feb 2019 12:45
 Operator : JU/SJ
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Feb 27 02:40:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 29 15:41:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.17	152	53740	20.00	ng	-0.02
21) Naphthalene-d8	10.99	136	227913	20.00	ng	-0.02
39) Acenaphthene-d10	14.79	164	155824	20.00	ng	-0.02
64) Phenanthrene-d10	17.54	188	384579	20.00	ng	-0.02
76) Chrysene-d12	21.82	240	383142	20.00	ng	-0.02
87) Perylene-d12	25.20	264	399178	20.00	ng	-0.04

System Monitoring Compounds

5) 2-Fluorophenol	5.71	112	249928	79.60	ng	0.00
7) Phenol-d6	7.31	99	367343	79.48	ng	0.00
23) Nitrobenzene-d5	9.35	82	345195	94.62	ng	-0.02
42) 2,4,6-Tribromophenol	16.28	330	154655	92.17	ng	-0.01
45) 2-Fluorobiphenyl	13.42	172	841266	77.45	ng	-0.02
79) Terphenyl-d14	20.13	244	1397544	77.21	ng	-0.02

Target Compounds

						Qvalue
2) 1,4-Dioxane	3.61	88	55081	40.103	ng	94
3) Pyridine	4.01	79	151565	41.679	ng	99
4) n-Nitrosodimethylamine	3.93	42	65964	36.271	ng	86
6) Aniline	7.50	93	223131	38.542	ng	96
8) 2-Chlorophenol	7.73	128	137865	40.168	ng	97
9) Benzaldehyde	7.31	77	90812	39.086	ng	96
10) Phenol	7.34	94	190964	39.636	ng	93
11) bis(2-Chloroethyl)ether	7.58	93	146321	38.434	ng	96
12) 1,3-Dichlorobenzene	8.05	146	162885	39.175	ng	97
13) 1,4-Dichlorobenzene	8.21	146	164764	39.757	ng	97
14) 1,2-Dichlorobenzene	8.52	146	157289	39.205	ng	98
15) Benzyl Alcohol	8.41	79	142535	39.281	ng	99
16) 2,2'-oxybis(1-Chloropropan	8.69	45	288323	33.536	ng	99
17) 2-Methylphenol	8.60	107	121486	38.965	ng	96
18) Hexachloroethane	9.25	117	56903	39.910	ng	95
19) n-Nitroso-di-n-propylamine	8.97	70	123680	37.702	ng	93
20) 3+4-Methylphenols	8.93	107	170498	39.711	ng	97
22) Acetophenone	9.00	105	244742	39.977	ng	# 94
24) Nitrobenzene	9.39	77	176300	44.731	ng	95
25) Isophorone	9.90	82	310728	38.435	ng	100
26) 2-Nitrophenol	10.10	139	88284	54.696	ng	97
27) 2,4-Dimethylphenol	10.14	122	132188	40.420	ng	98
28) bis(2-Chloroethoxy)methane	10.38	93	199676	40.099	ng	95
29) 2,4-Dichlorophenol	10.63	162	153720	43.007	ng	96
30) 1,2,4-Trichlorobenzene	10.84	180	167416	41.720	ng	98
31) Naphthalene	11.04	128	446196	39.463	ng	99
32) Benzoic acid	10.26	122	98307	46.299	ng	93
33) 4-Chloroaniline	11.15	127	211665	40.375	ng	99
34) Hexachlorobutadiene	11.30	225	111621	41.826	ng	94
35) Caprolactam	11.94	113	66189	44.750	ng	# 88
36) 4-Chloro-3-methylphenol	12.25	107	173968	42.085	ng	96
37) 2-Methylnaphthalene	12.63	142	328487	39.226	ng	96
38) 1-Methylnaphthalene	12.85	142	315226	39.050	ng	98
40) 1,2,4,5-Tetrachlorobenzene	12.99	216	202833	40.911	ng	99


Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG022619\
 Data File : BG039597.D
 Acq On : 26 Feb 2019 12:45
 Operator : JU/SJ
 Sample : SSTDC0040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Feb 27 02:40:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 29 15:41:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Hexachlorocyclopentadiene	12.95	237	116869	43.259	ng	99
43) 2,4,6-Trichlorophenol	13.23	196	134263	44.044	ng	98
44) 2,4,5-Trichlorophenol	13.30	196	140061	43.839	ng	99
46) 1,1'-Biphenyl	13.63	154	494785	38.163	ng	98
47) 2-Chloronaphthalene	13.68	162	382798	39.248	ng	98
48) 2-Nitroaniline	13.88	65	133271	47.642	ng	94
49) Acenaphthylene	14.52	152	578899	39.336	ng	99
50) Dimethylphthalate	14.24	163	505694	40.182	ng	100
51) 2,6-Dinitrotoluene	14.37	165	113939	48.382	ng	95
52) Acenaphthene	14.86	154	367878	38.509	ng	99
53) 3-Nitroaniline	14.70	138	121124	47.759	ng	# 94
54) 2,4-Dinitrophenol	14.90	184	58393	62.804	ng	91
55) Dibenzofuran	15.19	168	603420	39.396	ng	98
56) 4-Nitrophenol	14.99	139	100705	46.845	ng	89
57) 2,4-Dinitrotoluene	15.15	165	161982	52.824	ng	# 88
58) Fluorene	15.84	166	454857	39.837	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.41	232	136282	45.557	ng	96
60) Diethylphthalate	15.59	149	518950	39.883	ng	97
61) 4-Chlorophenyl-phenylether	15.82	204	262865	40.659	ng	96
62) 4-Nitroaniline	15.87	138	127163	48.169	ng	90
63) Azobenzene	16.11	77	466854	36.708	ng	97
65) 4,6-Dinitro-2-methylphenol	15.91	198	100579	60.275	ng	96
66) n-Nitrosodiphenylamine	16.04	169	452859	38.727	ng	99
67) 4-Bromophenyl-phenylether	16.72	248	175778	41.200	ng	90
68) Hexachlorobenzene	16.83	284	177771	41.530	ng	97
69) Atrazine	16.98	200	148367	34.719	ng	97
70) Pentachlorophenol	17.17	266	125028	42.025	ng	97
71) Phenanthrene	17.58	178	770788	38.724	ng	97
72) Anthracene	17.67	178	767130	39.127	ng	98
73) Carbazole	17.94	167	763174	39.004	ng	98
74) Di-n-butylphthalate	18.47	149	885838	38.806	ng	99
75) Fluoranthene	19.58	202	918332	39.749	ng	98
77) Benzidine	19.76	184	442080	35.193	ng	98
78) Pyrene	19.94	202	941542	39.475	ng	99
80) Butylbenzylphthalate	20.81	149	403870	40.140	ng	95
81) Benzo(a)anthracene	21.81	228	895184	39.541	ng	99
82) 3,3'-Dichlorobenzidine	21.72	252	349621	41.648	ng	98
83) Chrysene	21.88	228	853588	39.607	ng	99
84) Bis(2-ethylhexyl)phthalate	21.67	149	573658	39.965	ng	99
85) Di-n-octyl phthalate	22.93	149	945103	39.853	ng	96
86) Indeno(1,2,3-cd)pyrene	29.08	276	980942	42.423	ng	# 95
88) Benzo(b)fluoranthene	24.12	252	856408	39.340	ng	99
89) Benzo(k)fluoranthene	24.19	252	836391	38.268	ng	98
90) Benzo(a)pyrene	25.04	252	834015	39.780	ng	98
91) Dibenzo(a,h)anthracene	29.16	278	798741	40.681	ng	100
92) Benzo(g,h,i)perylene	30.31	276	805606	41.165	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed




#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.17 min Scan# 864
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion:152 Resp: 53740
 Ion Ratio Lower Upper
 152 100
 150 148.0 123.7 185.5
 115 58.9 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
 Concen: 40.103 ng
 RT: 3.61 min Scan# 88
 Delta R.T. -0.01 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion: 88 Resp: 55081
 Ion Ratio Lower Upper
 88 100
 58 95.4 81.1 121.7
 43 34.5 31.4 47.0



Abundance Ion 88.00 (87.70 to 88.70): BGC
 Ion 58.00 (57.70 to 58.70): BGC
 Ion 43.00 (42.70 to 43.70): BGC





#3

Pyridine

Concen: 41.679 ng

RT: 4.01 min Scan# 156

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion: 79 Resp: 151565

Ion Ratio Lower Upper

79 100

52 102.0 82.6 124.0

51 48.0 37.5 56.3



#4

n-Nitrosodimethylamine

Concen: 36.271 ng

RT: 3.93 min Scan# 143

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45




Tgt Ion: 42 Resp: 65964


Ion Ratio Lower Upper

42 100

74 120.0 83.6 125.4

44 9.5 6.9 10.3





#5

2-Fluorophenol

Concen: 79.597 ng

RT: 5.71 min Scan# 446

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 112 Resp: 249928

Ion Ratio Lower Upper

112 100

64 69.0 57.8 86.8




63 37.2 29.8 44.6



Abundance Ion 112.00 (111.70 to 112.70): BGC

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC



#6

Aniline

Concen: 38.542 ng

RT: 7.50 min Scan# 750

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion: 93 Resp: 223131

Ion Ratio Lower Upper

93 100

66 40.2 34.2 51.4



65 20.8 17.7 26.5



Abundance Ion 93.00 (92.70 to 93.70): BGC

Ion 66.00 (65.70 to 66.70): BGC

Ion 65.00 (64.70 to 65.70): BGC





#7

Phenol-d6

Concen: 79.479 ng

RT: 7.31 min Scan# 719

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampled :

DFTPP


Tgt Ion: 99 Resp: 367343

Ion Ratio Lower Upper




99 100

42 19.7 18.2 27.2

71 35.6 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#8

2-Chlorophenol

Concen: 40.168 ng

RT: 7.73 min Scan# 789

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion: 128 Resp: 137865

Ion Ratio Lower Upper



128 100


130 31.8 12.9 52.9

64 56.2 38.7 78.7



Abundance Ion 128.00 (127.70 to 128.70): BGC
Ion 130.00 (129.70 to 130.70): BGC
Ion 64.00 (63.70 to 64.70): BGC





#9

Benzaldehyde

Concen: 39.086 ng

RT: 7.31 min Scan# 718

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 77 Resp: 90812

Ion Ratio Lower Upper

77 100

105 95.4 74.5 114.5




106 94.4 68.0 108.0



Abundance Ion 77.00 (76.70 to 77.70): BGC

Ion 105.00 (104.70 to 105.70): BGC

Ion 106.00 (105.70 to 106.70): BGC



#10

Phenol

Concen: 39.636 ng

RT: 7.34 min Scan# 724

Delta R.T. -0.00 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion: 94 Resp: 190964

Ion Ratio Lower Upper

94 100

65 29.6 11.7 51.7



66 37.8 23.7 63.7



Abundance Ion 94.00 (93.70 to 94.70): BGC

Ion 65.00 (64.70 to 65.70): BGC

Ion 66.00 (65.70 to 66.70): BGC





#11

bis(2-Chloroethyl)ether

Concen: 38.434 ng

RT: 7.58 min Scan# 765

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion: 93 Resp: 146321

Ion Ratio Lower Upper

93 100

63 85.1 69.5 109.5

95 33.0 12.7 52.7



#12

1,3-Dichlorobenzene

Concen: 39.175 ng

RT: 8.05 min Scan# 845

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45




Tgt Ion: 146 Resp: 162885


Ion Ratio Lower Upper

146 100

148 64.5 52.6 79.0

75 29.8 25.8 38.6





#13

1,4-Dichlorobenzene

Concen: 39.757 ng

RT: 8.21 min Scan# 871

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:146 Resp: 164764

Ion Ratio Lower Upper




146 100

148 61.2 51.1 76.7

111 38.6 32.6 48.8



Abundance Ion 146.00 (145.70 to 146.70): E
Ion 148.00 (147.70 to 148.70): E
Ion 111.00 (110.70 to 111.70): E



#14

1,2-Dichlorobenzene

Concen: 39.205 ng

RT: 8.52 min Scan# 925

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:146 Resp: 157289

Ion Ratio Lower Upper



146 100


148 66.5 51.5 77.3

111 41.7 33.8 50.6



Abundance Ion 146.00 (145.70 to 146.70): E
Ion 148.00 (147.70 to 148.70): E
Ion 111.00 (110.70 to 111.70): E





#15

Benzyl Alcohol

Concen: 39.281 ng

RT: 8.41 min Scan# 905

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP





Tgt Ion: 79 Resp: 142535

Ion Ratio Lower Upper

79 100

108 74.2 57.8 86.6

77 64.0 51.1 76.7



#16

2,2'-oxybis(1-chloropropane)

Concen: 33.536 ng

RT: 8.69 min Scan# 953

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45




Tgt Ion: 45 Resp: 288323


Ion Ratio Lower Upper

45 100

77 10.4 0.0 30.0

79 7.4 0.0 27.5





#17

2-Methylphenol

Concen: 38.965 ng

RT: 8.60 min Scan# 938

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP

Tgt Ion:107 Resp: 121486


Ion Ratio Lower Upper

107 100

108 109.1 90.8 136.2

77 49.5 40.7 61.1

79 47.7 40.6 60.8






Abundance Ion 107.00 (106.70 to 107.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 77.00 (76.70 to 77.70): BG

Ion 79.00 (78.70 to 79.70): BG



#18

Hexachloroethane

Concen: 39.910 ng

RT: 9.25 min Scan# 1049

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:117 Resp: 56903

Ion Ratio Lower Upper

117 100

119 98.9 76.3 114.5



201 120.5 91.1 136.7






Abundance Ion 117.00 (116.70 to 117.70): E

Ion 119.00 (118.70 to 119.70): E

Ion 201.00 (200.70 to 201.70): E





#19

n-Nitroso-di-n-propylamine

Concen: 37.702 ng

RT: 8.97 min Scan# 1001

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP

Tgt Ion: 70 Resp: 123680





Ion Ratio Lower Upper

70 100

42 68.5 60.4 90.6

101 10.5 7.5 11.3

130 22.8 16.9 25.3



#20

3+4-Methylphenols

Concen: 39.711 ng

RT: 8.93 min Scan# 994

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Tgt Ion: 107 Resp: 170498


Ion Ratio Lower Upper

107 100

108 90.6 67.9 107.9

77 36.4 15.4 55.4

79 31.8 13.7 53.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.99 min Scan# 1345
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:	136	Resp:	227913
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.1	13.7
54	10.5	9.4	14.2
68	5.7	4.2	6.4



#22
Acetophenone
Concen: 39.977 ng
RT: 9.00 min Scan# 1006
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:	105	Resp:	244742
Ion	Ratio	Lower	Upper
105	100		
71	0.3	0.8	1.2#
51	32.1	30.2	45.2
120	22.5	18.0	27.0









#23
 Nitrobenzene-d5
 Concen: 94.619 ng
 RT: 9.35 min Scan# 1065
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion	Ratio	Lower	Upper
82	100		
128	42.6	31.3	46.9
54	58.0	50.9	76.3



#24
 Nitrobenzene
 Concen: 44.731 ng
 RT: 9.39 min Scan# 1072
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
77	100		
123	46.3	34.1	51.1
65	14.4	12.3	18.5





#25

Isophorone

Concen: 38.435 ng

RT: 9.90 min Scan# 1159

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion: 82 Resp: 310728

Ion Ratio Lower Upper




82 100

95 7.6 6.2 9.2

138 16.0 13.0 19.4



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 95.00 (94.70 to 95.70): BGC
Ion 138.00 (137.70 to 138.70): BGC



#26

2-Nitrophenol

Concen: 54.696 ng

RT: 10.10 min Scan# 1193

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion: 139 Resp: 88284

Ion Ratio Lower Upper



139 100


109 32.1 23.4 35.0

65 54.2 44.3 66.5



Abundance Ion 139.00 (138.70 to 139.70): BGC
Ion 109.00 (108.70 to 109.70): BGC
Ion 65.00 (64.70 to 65.70): BGC








#27
2,4-Dimethylphenol
Concen: 40.420 ng
RT: 10.14 min Scan# 1200
Delta R.T. -0.01 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion	Ratio	Lower	Upper
122	100		
107	118.0	91.7	137.5
121	58.7	46.4	69.6



#28
bis(2-Chloroethoxy)methane
Concen: 40.099 ng
RT: 10.38 min Scan# 1241
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
93	100		
95	34.8	25.0	37.4
123	11.4	8.6	12.8









#29
2,4-Dichlorophenol
Concen: 43.007 ng
RT: 10.63 min Scan# 1283
Delta R.T. -0.01 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampled :
DFTPP

Tgt Ion	Ratio	Lower	Upper
162	100		
164	63.6	48.1	88.1
98	37.8	18.1	58.1



#30
1,2,4-Trichlorobenzene
Concen: 41.720 ng
RT: 10.84 min Scan# 1320
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
180	100		
182	97.1	76.0	114.0
145	29.1	22.7	34.1








#31
Naphthalene
Concen: 39.463 ng
RT: 11.04 min Scan# 1353
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:128 Resp: 446196
Ion Ratio Lower Upper
128 100
129 11.0 8.7 13.1
127 14.1 10.8 16.2



#32
Benzoic acid
Concen: 46.299 ng
RT: 10.26 min Scan# 1221
Delta R.T. 0.00 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:122 Resp: 98307
Ion Ratio Lower Upper
122 100
105 134.2 101.8 141.8
77 97.4 76.3 116.3









#33
4-Chloroaniline
Concen: 40.375 ng
RT: 11.15 min Scan# 1372
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:	127	Resp:	211665
Ion	Ratio	Lower	Upper
127	100		
129	34.1	27.0	40.4
65	34.8	28.8	43.2
92	20.9	16.6	25.0




Abundance Ion 127.00 (126.70 to 127.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 65.00 (64.70 to 65.70): BGO
Ion 92.00 (91.70 to 92.70): BGO





#34
Hexachlorobutadiene
Concen: 41.826 ng
RT: 11.30 min Scan# 1398
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:	225	Resp:	111621
Ion	Ratio	Lower	Upper
225	100		
223	62.0	49.0	73.6
227	65.7	46.3	69.5



Abundance Ion 225.00 (224.70 to 225.70): E
Ion 223.00 (222.70 to 223.70): E
Ion 227.00 (226.70 to 227.70): E





#35

Caprolactam

Concen: 44.750 ng

RT: 11.94 min Scan# 1506

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:113 Resp: 66189

Ion Ratio Lower Upper

113 100

55 215.9 216.9 256.9#




56 158.2 152.6 192.6



Abundance Ion 113.00 (112.70 to 113.70): E

Ion 55.00 (54.70 to 55.70): BG

Ion 56.00 (55.70 to 56.70): BG



#36

4-Chloro-3-methylphenol

Concen: 42.085 ng

RT: 12.25 min Scan# 1559

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:107 Resp: 173968

Ion Ratio Lower Upper

107 100

144 26.4 20.2 30.2



142 80.4 61.4 92.2



Abundance Ion 107.00 (106.70 to 107.70): E

Ion 144.00 (143.70 to 144.70): E

Ion 142.00 (141.70 to 142.70): E









#37
 2-Methylnaphthalene
 Concen: 39.226 ng
 RT: 12.63 min Scan# 1624
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:142 Resp: 328487
 Ion Ratio Lower Upper
 142 100
 141 87.6 73.5 110.3
 115 36.4 30.8 46.2



#38
 1-Methylnaphthalene
 Concen: 39.050 ng
 RT: 12.85 min Scan# 1661
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:142 Resp: 315226
 Ion Ratio Lower Upper
 142 100
 141 94.9 74.2 111.4
 116 4.1 3.0 4.6





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.79 min Scan# 1992

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:164 Resp: 155824

Ion Ratio Lower Upper

164 100

162 105.4 81.6 122.4

160 42.9 34.2 51.2






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.911 ng

RT: 12.99 min Scan# 1685

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Tgt Ion:216 Resp: 202833


Ion Ratio Lower Upper

216 100

214 79.2 62.6 94.0

179 21.0 16.6 25.0

108 16.7 14.0 21.0





Abundance


Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 108.00 (107.70 to 108.70): E





#41

Hexachlorocyclopentadiene

Concen: 43.259 ng

RT: 12.95 min Scan# 1679

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:237 Resp: 116869

Ion Ratio Lower Upper

237 100

235 64.3 43.3 83.3




272 11.8 0.0 32.3



Abundance Ion 236.80 (236.50 to 237.50): E

Ion 234.90 (234.60 to 235.60): E

Ion 271.75 (271.45 to 272.45): E



#42

2,4,6-Tribromophenol

Concen: 92.169 ng

RT: 16.28 min Scan# 2245

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:330 Resp: 154655

Ion Ratio Lower Upper

330 100

332 95.9 75.7 113.5



141 41.6 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#43
 2,4,6-Trichlorophenol
 Concen: 44.044 ng
 RT: 13.23 min Scan# 1726
 Delta R.T. -0.01 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleID :
 DFTPP

Tgt Ion:196 Resp: 134263
 Ion Ratio Lower Upper
 196 100
 198 99.1 80.6 121.0
 200 30.1 26.1 39.1



#44
 2,4,5-Trichlorophenol
 Concen: 43.839 ng
 RT: 13.30 min Scan# 1738
 Delta R.T. -0.01 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:196 Resp: 140061
 Ion Ratio Lower Upper
 196 100
 198 97.5 78.5 117.7
 97 46.6 38.4 57.6
 132 25.3 19.2 28.8








#45
2-Fluorobiphenyl
Concen: 77.449 ng
RT: 13.42 min Scan# 1758
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:172 Resp: 841266
Ion Ratio Lower Upper
172 100
171 38.1 30.8 46.2
170 25.5 20.2 30.4



#46
1,1'-Biphenyl
Concen: 38.163 ng
RT: 13.63 min Scan# 1794
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:154 Resp: 494785
Ion Ratio Lower Upper
154 100
153 43.4 22.1 62.1
76 12.1 0.0 32.4








#47
2-Chloronaphthalene
Concen: 39.248 ng
RT: 13.68 min Scan# 1802
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion	Ratio	Lower	Upper
162	100		
127	37.7	31.0	46.6
164	33.1	25.7	38.5



#48
2-Nitroaniline
Concen: 47.642 ng
RT: 13.88 min Scan# 1837
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
65	100		
92	67.2	51.4	77.2
138	95.8	71.4	107.2





#49

Acenaphthylene

Concen: 39.336 ng

RT: 14.52 min Scan# 1945

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:152 Resp: 578899

Ion Ratio Lower Upper

152 100

151 21.4 16.8 25.2




153 14.3 11.7 17.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#50

Dimethylphthalate

Concen: 40.182 ng

RT: 14.24 min Scan# 1898

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:163 Resp: 505694

Ion Ratio Lower Upper

163 100

194 4.4 3.6 5.4



164 10.6 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E








#51
 2,6-Dinitrotoluene
 Concen: 48.382 ng
 RT: 14.37 min Scan# 1920
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:165 Resp: 113939
 Ion Ratio Lower Upper
 165 100
 63 54.9 47.0 70.6
 89 53.2 45.8 68.8



#52
 Acenaphthene
 Concen: 38.509 ng
 RT: 14.86 min Scan# 2003
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:154 Resp: 367878
 Ion Ratio Lower Upper
 154 100
 153 112.3 90.1 135.1
 152 52.0 40.9 61.3





#53

3-Nitroaniline

Concen: 47.759 ng

RT: 14.70 min Scan# 1977

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:138 Resp: 121124

Ion Ratio Lower Upper

138 100

108 11.0 13.8 20.8#




92 124.3 103.7 155.5



Abundance Ion 138.00 (137.70 to 138.70): E

Ion 108.00 (107.70 to 108.70): E

Ion 92.00 (91.70 to 92.70): BGC



#54

2,4-Dinitrophenol

Concen: 62.804 ng

RT: 14.90 min Scan# 2011

Delta R.T. -0.01 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:184 Resp: 58393

Ion Ratio Lower Upper

184 100

63 57.6 50.9 76.3



154 58.5 53.0 79.6




Abundance Ion 184.00 (183.70 to 184.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 154.00 (153.70 to 154.70): E





#55

Dibenzofuran

Concen: 39.396 ng

RT: 15.19 min Scan# 2059

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampled :

DFTPP


Tgt Ion:168 Resp: 603420

Ion Ratio Lower Upper

168 100

139 38.8 30.1 45.1




169 13.4 10.6 16.0



Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 169.00 (168.70 to 169.70): E



#56

4-Nitrophenol

Concen: 46.845 ng

RT: 14.99 min Scan# 2026

Delta R.T. 0.00 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:139 Resp: 100705

Ion Ratio Lower Upper

139 100

109 79.7 61.9 101.9



65 99.8 99.1 139.1



Abundance Ion 139.00 (138.70 to 139.70): E

Ion 109.00 (108.70 to 109.70): E

Ion 65.00 (64.70 to 65.70): BG









#57
 2,4-Dinitrotoluene
 Concen: 52.824 ng
 RT: 15.15 min Scan# 2053
 Delta R.T. -0.01 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Tgt Ion:165 Resp: 161982
 Ion Ratio Lower Upper
 165 100
 63 44.3 41.0 61.6
 89 68.8 64.6 96.8
 182 3.3 2.0 3.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG
 Ion 89.00 (88.70 to 89.70): BG
 Ion 182.00 (181.70 to 182.70): E





#58
 Fluorene
 Concen: 39.837 ng
 RT: 15.84 min Scan# 2170
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:166 Resp: 454857
 Ion Ratio Lower Upper
 166 100
 165 97.1 77.9 116.9
 167 13.4 10.8 16.2



Abundance Ion 166.00 (165.70 to 166.70): E
 Ion 165.00 (164.70 to 165.70): E
 Ion 167.00 (166.70 to 167.70): E









#59
 2,3,4,6-Tetrachlorophenol
 Concen: 45.557 ng
 RT: 15.41 min Scan# 2097
 Delta R.T. -0.01 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Instrument :
 BNA_G
 ClientSampled :
 DFTPP

Tgt Ion:	232	Resp:	136282
Ion	Ratio	Lower	Upper
232	100		
131	39.5	34.9	52.3
130	2.4	2.0	3.0
166	29.7	24.1	36.1




Abundance Ion 232.00 (231.70 to 232.70): E
 Ion 131.00 (130.70 to 131.70): E
 Ion 130.00 (129.70 to 130.70): E
 Ion 166.00 (165.70 to 166.70): E






#60
 Diethylphthalate
 Concen: 39.883 ng
 RT: 15.59 min Scan# 2128
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:	149	Resp:	518950
Ion	Ratio	Lower	Upper
149	100		
177	24.2	18.3	27.5
150	13.6	10.2	15.2



Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 177.00 (176.70 to 177.70): E
 Ion 150.00 (149.70 to 150.70): E









#61
4-Chlorophenyl-phenylether
Concen: 40.659 ng
RT: 15.82 min Scan# 2167
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion: 204 Resp: 262865
Ion Ratio Lower Upper
204 100
206 35.7 29.2 43.8
141 57.1 49.0 73.4




Abundance Ion 204.00 (203.70 to 204.70): E
Ion 206.00 (205.70 to 206.70): E
Ion 141.00 (140.70 to 141.70): E





#62
4-Nitroaniline
Concen: 48.169 ng
RT: 15.87 min Scan# 2175
Delta R.T. -0.01 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion: 138 Resp: 127163
Ion Ratio Lower Upper
138 100
92 51.6 38.7 78.7
108 85.1 74.6 114.6



Abundance Ion 138.00 (137.70 to 138.70): E
Ion 92.00 (91.70 to 92.70): BG
Ion 108.00 (107.70 to 108.70): E









#63
Azobenzene
Concen: 36.708 ng
RT: 16.11 min Scan# 2217
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampled :
DFTPP


Tgt Ion	Ratio	Lower	Upper
77	100		
182	29.0	6.4	46.4
105	20.5	0.0	39.8
51	32.7	14.1	54.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.54 min Scan# 2459
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.2	6.9	10.3
80	9.2	8.1	12.1









#65
4,6-Dinitro-2-methylphenol
Concen: 60.275 ng
RT: 15.91 min Scan# 2182
Delta R.T. -0.01 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:198 Resp: 100579
Ion Ratio Lower Upper
198 100
51 43.0 27.4 67.4
105 40.0 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E
Ion 51.00 (50.70 to 51.70): BG
Ion 105.00 (104.70 to 105.70): E






#66
n-Nitrosodiphenylamine
Concen: 38.727 ng
RT: 16.04 min Scan# 2204
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:169 Resp: 452859
Ion Ratio Lower Upper
169 100
168 69.7 56.6 85.0
167 36.0 28.8 43.2



Abundance Ion 169.00 (168.70 to 169.70): E
Ion 168.00 (167.70 to 168.70): E
Ion 167.00 (166.70 to 167.70): E





#67

4-Bromophenyl-phenylether

Concen: 41.200 ng

RT: 16.72 min Scan# 2320

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:248 Resp: 175778

Ion Ratio Lower Upper

248 100

250 92.6 77.6 116.4




141 64.7 63.9 95.9



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#68

Hexachlorobenzene

Concen: 41.530 ng

RT: 16.83 min Scan# 2338

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:284 Resp: 177771

Ion Ratio Lower Upper

284 100

142 35.8 30.6 45.8



249 34.1 28.2 42.2



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E





#69

Atrazine

Concen: 34.719 ng

RT: 16.98 min Scan# 2364

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:200 Resp: 148367

Ion Ratio Lower Upper

200 100

173 22.4 3.9 43.9




215 49.1 30.9 70.9



Abundance Ion 200.00 (199.70 to 200.70): E

Ion 173.00 (172.70 to 173.70): E

Ion 215.00 (214.70 to 215.70): E



#70

Pentachlorophenol

Concen: 42.025 ng

RT: 17.17 min Scan# 2397

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:266 Resp: 125028

Ion Ratio Lower Upper

266 100

268 63.7 51.1 76.7



264 60.5 52.1 78.1



Abundance Ion 265.70 (265.40 to 266.40): E

Ion 268.00 (267.70 to 268.70): E

Ion 264.00 (263.70 to 264.70): E









#71
Phenanthrene
Concen: 38.724 ng
RT: 17.58 min Scan# 2466
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion:178 Resp: 770788
Ion Ratio Lower Upper
178 100
176 21.4 16.2 24.4
179 17.1 12.6 19.0



#72
Anthracene
Concen: 39.127 ng
RT: 17.67 min Scan# 2482
Delta R.T. -0.02 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:178 Resp: 767130
Ion Ratio Lower Upper
178 100
176 20.3 15.8 23.6
179 16.6 12.5 18.7









#73
 Carbazole
 Concen: 39.004 ng
 RT: 17.94 min Scan# 2528
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:167 Resp: 763174
 Ion Ratio Lower Upper
 167 100
 166 23.4 19.4 29.2
 139 14.1 10.8 16.2



#74
 Di-n-butylphthalate
 Concen: 38.806 ng
 RT: 18.47 min Scan# 2618
 Delta R.T. -0.03 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:149 Resp: 885838
 Ion Ratio Lower Upper
 149 100
 150 10.0 7.7 11.5
 104 5.3 4.5 6.7





#75

Fluoranthene

Concen: 39.749 ng

RT: 19.58 min Scan# 2807

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:202 Resp: 918332

Ion Ratio Lower Upper

202 100

101 8.9 0.0 30.0




203 18.0 0.0 38.9



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.82 min Scan# 3189

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:240 Resp: 383142

Ion Ratio Lower Upper

240 100

120 9.4 7.0 10.6



236 26.2 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 35.193 ng

RT: 19.76 min Scan# 2837

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:184 Resp: 442080

Ion Ratio Lower Upper

184 100

185 15.9 12.2 18.2

183 12.5 10.6 15.8






Abundance

Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#78

Pyrene

Concen: 39.475 ng

RT: 19.94 min Scan# 2868

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:202 Resp: 941542

Ion Ratio Lower Upper

202 100

200 22.9 17.8 26.8

203 18.8 15.3 22.9





Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E









#79
 Terphenyl-d14
 Concen: 77.208 ng
 RT: 20.13 min Scan# 2900
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45




Instrument :
 BNA_G
 ClientSampleId :
 DFTPP


Tgt Ion:244 Resp: 1397544
 Ion Ratio Lower Upper
 244 100
 212 9.5 7.3 10.9
 122 10.0 8.4 12.6



#80
 Butylbenzylphthalate
 Concen: 40.140 ng
 RT: 20.81 min Scan# 3016
 Delta R.T. -0.02 min
 Lab File: BG039597.D
 Acq: 26 Feb 2019 12:45

Tgt Ion:149 Resp: 403870
 Ion Ratio Lower Upper
 149 100
 91 69.3 59.5 89.3
 206 24.7 18.6 27.8





#81

Benzo(a)anthracene

Concen: 39.541 ng

RT: 21.81 min Scan# 3186

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:228 Resp: 895184

Ion Ratio Lower Upper

228 100

226 28.9 23.0 34.6




229 20.5 16.9 25.3



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#82

3,3'-Dichlorobenzidine

Concen: 41.648 ng

RT: 21.72 min Scan# 3171

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:252 Resp: 349621

Ion Ratio Lower Upper

252 100

254 62.5 51.3 76.9



126 9.6 8.0 12.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 254.00 (253.70 to 254.70): E

Ion 126.00 (125.70 to 126.70): E





#83

Chrysene

Concen: 39.607 ng

RT: 21.88 min Scan# 3198

Delta R.T. -0.02 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:228 Resp: 853588

Ion Ratio Lower Upper

228 100

226 31.4 25.8 38.6




229 20.7 16.6 25.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#84

Bis(2-ethylhexyl)phthalate

Concen: 39.965 ng

RT: 21.67 min Scan# 3163

Delta R.T. -0.04 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:149 Resp: 573658

Ion Ratio Lower Upper

149 100

167 28.7 22.6 34.0



279 4.7 3.5 5.3



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E









#85
Di-n-octyl phthalate
Concen: 39.853 ng
RT: 22.93 min Scan# 3377
Delta R.T. -0.06 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	11.0	10.2	15.4




Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 43.00 (42.70 to 43.70): B





#86
Indeno(1,2,3-cd)pyrene
Concen: 42.423 ng
RT: 29.08 min Scan# 4424
Delta R.T. -0.08 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion	Ratio	Lower	Upper
276	100		
138	21.0	12.6	19.0#
277	25.7	20.8	31.2



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E









#87
Perylene-d12
Concen: 20.000 ng
RT: 25.20 min Scan# 3764
Delta R.T. -0.04 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tgt Ion: 264 Resp: 399178




Ion	Ratio	Lower	Upper
264	100		
260	24.9	18.2	27.4
265	21.5	18.5	27.7




#88
Benzo(b)fluoranthene
Concen: 39.340 ng
RT: 24.12 min Scan# 3580
Delta R.T. -0.04 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion: 252 Resp: 856408

Ion	Ratio	Lower	Upper
252	100		
253	22.7	17.8	26.8
125	8.9	7.8	11.6









#89
Benzo(k)fluoranthene
Concen: 38.268 ng
RT: 24.19 min Scan# 3592
Delta R.T. -0.04 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tgt Ion:252 Resp: 836391
Ion Ratio Lower Upper
252 100
253 21.9 18.2 27.2
125 8.7 7.4 11.2



#90
Benzo(a)pyrene
Concen: 39.780 ng
RT: 25.04 min Scan# 3737
Delta R.T. -0.04 min
Lab File: BG039597.D
Acq: 26 Feb 2019 12:45

Tgt Ion:252 Resp: 834015
Ion Ratio Lower Upper
252 100
253 22.8 17.9 26.9
125 9.2 8.3 12.5





#91

Dibenzo(a,h)anthracene

Concen: 40.681 ng

RT: 29.16 min Scan# 4437

Delta R.T. -0.08 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tgt Ion:278 Resp: 798741

Ion Ratio Lower Upper

278 100

139 14.4 11.7 17.5




279 24.2 19.1 28.7



Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E



#92

Benzo(g,h,i)perylene

Concen: 41.165 ng

RT: 30.31 min Scan# 4633

Delta R.T. -0.08 min

Lab File: BG039597.D

Acq: 26 Feb 2019 12:45


Tgt Ion:276 Resp: 805606

Ion Ratio Lower Upper

276 100

277 23.7 19.6 29.4

138 18.5 14.7 22.1



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

