

Data Path : Z:\HPCHEM1\BNA G\DATA\BG022717\
 Data File : BG025968.D
 Acq On : 27 Feb 2017 17:52
 Operator : SJ/MA
 Sample : I1978-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 FIELDBLANK

Quant Time: Feb 27 23:59:06 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 17 15:48:21 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	79756	20.00	ng	-0.01
21) Naphthalene-d8	10.88	136	387305	20.00	ng	-0.01
38) Acenaphthene-d10	14.68	164	265427	20.00	ng	-0.01
63) Phenanthrene-d10	17.41	188	755533	20.00	ng	-0.01
75) Chrysene-d12	21.65	240	791123	20.00	ng	-0.02
86) Perylene-d12	24.86	264	764472	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	326695	71.31	ng	-0.01
7) Phenol-d6	7.23	99	292403	43.13	ng	0.00
23) Nitrobenzene-d5	9.23	82	569512	92.80	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	520337	212.19	ng	0.00
44) 2-Fluorobiphenyl	13.31	172	1552979	102.24	ng	-0.01
78) Terphenyl-d14	20.01	244	2714112	83.44	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG022717\
Data File : BG025968.D
Acq On : 27 Feb 2017 17:52
Operator : SJ/MA
Sample : I1978-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
FIELDBLANK

Quant Time: Feb 27 23:59:06 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 17 15:48:21 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.08 min Scan# 806
Delta R.T. -0.01 min
Lab File: BG025968.D
Acq: 27 Feb 2017 17:52

Instrument :
BNA_G
ClientSampled :
FIELDBLANK

Tot Ion	152	Resp	79756
Ion	Ratio	Lower	Upper
152	100		
150	161.4	114.0	171.0
115	59.3	48.1	72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 71.31 ng
RT: 5.64 min Scan# 392
Delta R.T. -0.01 min
Lab File: BG025968.D
Acq: 27 Feb 2017 17:52

Tgt Ion	112	Resp	326695
Ion	Ratio	Lower	Upper
112	100		
64	64.9	61.8	92.6
63	33.0	37.2	55.8



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 43.13 ng

RT: 7.23 min Scan# 662

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52

Instrument :

BNA_G

ClientSampleId :

FIELDBLANK


Tot Ion: 99 Resp: 292403

Ion Ratio Lower Upper




99 100

42 13.7 20.5 30.7#

71 28.2 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.88 min Scan# 1283

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52

Tgt Ion: 136 Resp: 387305


Ion Ratio Lower Upper

136 100



137 10.3 8.9 13.3


54 8.5 9.3 13.9#

68 5.9 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 92.80 ng

RT: 9.23 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52

Instrument :

BNA_G

ClientSampleId :

FIELDBLANK


Tot Ion: 82 Resp: 569512

Ion Ratio Lower Upper




82 100

128 47.7 26.4 39.6#

54 51.3 49.4 74.2



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.68 min Scan# 1930

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52


Tgt Ion: 164 Resp: 265427

Ion Ratio Lower Upper



164 100


162 104.6 85.1 127.7

160 47.8 34.7 52.1



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
2,4,6-Tribromophenol
Concen: 212.19 ng
RT: 16.16 min Scan# 2182
Delta R.T. -0.01 min
Lab File: BG025968.D
Acq: 27 Feb 2017 17:52




Instrument :
BNA_G
ClientSampleId :
FIELDBLANK


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.3	115.9
141	37.8	32.1	48.1



#44
2-Fluorobiphenyl
Concen: 102.24 ng
RT: 13.31 min Scan# 1697
Delta R.T. -0.01 min
Lab File: BG025968.D
Acq: 27 Feb 2017 17:52

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.5	32.2	48.2
170	26.1	21.8	32.6





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.41 min Scan# 2394

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52

Instrument :

BNA_G

ClientSampleId :

FIELDBLANK


Tot Ion:188 Resp: 755533

Ion Ratio Lower Upper

188 100

94 10.2 5.8 8.8#


80 11.1 7.5 11.3





Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



Time--> 17.30 17.40 17.50



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.65 min Scan# 3117

Delta R.T. -0.02 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52


Tgt Ion:240 Resp: 791123

Ion Ratio Lower Upper

240 100

120 12.5 5.7 8.5#


236 25.6 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E


Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



Time--> 21.60 21.70 21.80





#78

Terphenyl-d14

Concen: 83.44 ng

RT: 20.01 min Scan# 2837

Delta R.T. -0.01 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52

Instrument :

BNA_G

ClientSampleId :

FIELDBLANK


Tot Ion:244 Resp: 2714112

Ion Ratio Lower Upper

244 100

212 9.3 10.0 15.0#




122 14.0 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.86 min Scan# 3662

Delta R.T. -0.03 min

Lab File: BG025968.D

Acq: 27 Feb 2017 17:52


Tgt Ion:264 Resp: 764472

Ion Ratio Lower Upper

264 100

260 24.9 21.8 32.8

265 20.4 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

