

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG022818\
 Data File : BG032897.D
 Acq On : 28 Feb 2018 21:06
 Operator : SJ/JU
 Sample : J1699-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B7

Quant Time: Mar 01 02:38:10 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 26 17:50:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.92	152	78581	20.00	ng	0.00
21) Naphthalene-d8	11.81	136	338445	20.00	ng	0.00
38) Acenaphthene-d10	15.53	164	189197	20.00	ng	0.00
63) Phenanthrene-d10	18.26	188	425783	20.00	ng	0.00
75) Chrysene-d12	22.62	240	385928	20.00	ng	-0.02
86) Perylene-d12	26.43	264	381022	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.34	112	687230	139.92	ng	0.00
7) Phenol-d6	8.02	99	821080	119.93	ng	0.00
23) Nitrobenzene-d5	10.12	82	573265	113.75	ng	0.00
41) 2,4,6-Tribromophenol	17.01	330	305368	153.50	ng	0.00
44) 2-Fluorobiphenyl	14.16	172	1210513	92.28	ng	0.00
78) Terphenyl-d14	20.78	244	1723973	100.36	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG022818\
Data File : BG032897.D
Acq On : 28 Feb 2018 21:06
Operator : SJ/JU
Sample : J1699-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B7

Quant Time: Mar 01 02:38:10 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 26 17:50:45 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.92 min Scan# 959
Delta R.T. -0.00 min
Lab File: BG032897.D
Acq: 28 Feb 2018 21:06

Instrument :
BNA_G
ClientSampleId :
B7

Tot Ion:152 Resp: 78581
Ion Ratio Lower Upper
152 100
150 150.8 126.6 189.8
115 57.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 139.915 ng
RT: 6.34 min Scan# 519
Delta R.T. 0.00 min
Lab File: BG032897.D
Acq: 28 Feb 2018 21:06

Tgt Ion:112 Resp: 687230
Ion Ratio Lower Upper
112 100
64 64.8 56.3 84.5
63 32.2 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 119.930 ng

RT: 8.02 min Scan# 805

Delta R.T. 0.00 min

Lab File: BG032897.D

Acq: 28 Feb 2018 21:06

Instrument :

BNA_G

ClientSampled :

B7


Tot Ion: 99 Resp: 821080

Ion Ratio Lower Upper




99 100

42 20.0 14.1 21.1

71 32.2 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.81 min Scan# 1450

Delta R.T. -0.00 min

Lab File: BG032897.D

Acq: 28 Feb 2018 21:06

Tgt Ion: 136 Resp: 338445


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 9.8 10.3 15.5#

68 5.7 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 113.748 ng
 RT: 10.12 min Scan# 1163
 Delta R.T. -0.00 min
 Lab File: BG032897.D
 Acq: 28 Feb 2018 21:06




Instrument :
 BNA_G
 ClientSampled :
 B7


Tot Ion	82	Resp	573265
Ion Ratio	100	Lower	Upper
128	45.2	29.7	44.5#
54	54.1	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.53 min Scan# 2084
 Delta R.T. -0.01 min
 Lab File: BG032897.D
 Acq: 28 Feb 2018 21:06

Tgt Ion	164	Resp	189197
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	107.0	78.8	118.2
160	47.0	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 153.502 ng
 RT: 17.01 min Scan# 2335
 Delta R.T. -0.00 min
 Lab File: BG032897.D
 Acq: 28 Feb 2018 21:06

Instrument :
 BNA_G
 ClientSampleId :
 B7

Tot Ion:330 Resp: 305368
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.0 115.6
 141 44.9 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 92.278 ng
 RT: 14.16 min Scan# 1851
 Delta R.T. -0.01 min
 Lab File: BG032897.D
 Acq: 28 Feb 2018 21:06

Tgt Ion:172 Resp: 1210513
 Ion Ratio Lower Upper
 172 100
 171 39.0 30.0 45.0
 170 26.1 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.26 min Scan# 2548
Delta R.T. -0.01 min
Lab File: BG032897.D
Acq: 28 Feb 2018 21:06

Instrument :
BNA_G
ClientSampleId :
B7

Tot Ion:188 Resp: 425783
Ion Ratio Lower Upper
188 100
94 10.2 6.9 10.3
80 11.9 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.62 min Scan# 3290
Delta R.T. -0.02 min
Lab File: BG032897.D
Acq: 28 Feb 2018 21:06

Tgt Ion:240 Resp: 385928
Ion Ratio Lower Upper
240 100
120 12.6 6.8 10.2#
236 26.8 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 100.363 ng

RT: 20.78 min Scan# 2978

Delta R.T. -0.00 min

Lab File: BG032897.D

Acq: 28 Feb 2018 21:06

Instrument :

BNA_G

ClientSampleId :

B7


Tot Ion:244 Resp: 1723973

Ion Ratio Lower Upper

244 100

212 8.9 5.8 8.8#




122 14.4 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.43 min Scan# 3939

Delta R.T. -0.01 min

Lab File: BG032897.D

Acq: 28 Feb 2018 21:06


Tgt Ion:264 Resp: 381022

Ion Ratio Lower Upper

264 100

260 23.1 17.4 26.0

265 21.6 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

