

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022822\
 Data File : BG052498.D
 Acq On : 28 Feb 2022 12:56
 Operator : CG/JU
 Sample : N1664-14
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-5

Quant Time: Mar 01 00:59:17 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 08 01:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.219	152	30664	20.000	ng	0.00
21) Naphthalene-d8	11.057	136	120316	20.000	ng	-0.01
39) Acenaphthene-d10	14.863	164	79728	20.000	ng	0.00
64) Phenanthrene-d10	17.612	188	198536	20.000	ng	-0.01
76) Chrysene-d12	21.930	240	206316	20.000	ng	-0.01
86) Perylene-d12	25.396	264	222046	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.752	112	260847	148.259	ng	0.00
7) Phenol-d6	7.367	99	322668	118.861	ng	0.00
23) Nitrobenzene-d5	9.394	82	261225	94.361	ng	0.00
42) 2,4,6-Tribromophenol	16.355	330	178532	155.866	ng	0.00
45) 2-Fluorobiphenyl	13.489	172	558927	97.412	ng	0.00
79) Terphenyl-d14	20.209	244	1081114	92.533	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022822\
Data File : BG052498.D
Acq On : 28 Feb 2022 12:56
Operator : CG/JU
Sample : N1664-14
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-5

Quant Time: Mar 01 00:59:17 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 08 01:21:20 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.219 min Scan# 806
Delta R.T. -0.004 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56




Instrument :
BNA_G
ClientSampleId :
TP-5


Tgt Ion:152 Resp: 30664
Ion Ratio Lower Upper
152 100
150 153.5 117.8 176.8
115 60.8 50.2 75.2



#5
2-Fluorophenol
Concen: 148.259 ng
RT: 5.752 min Scan# 385
Delta R.T. 0.002 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56

Tgt Ion:112 Resp: 260847
Ion Ratio Lower Upper
112 100
64 62.9 60.4 90.6
63 35.3 33.3 49.9









#7
Phenol-d6
Concen: 118.861 ng
RT: 7.367 min Scan# 60
Delta R.T. -0.004 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56




Instrument :
BNA_G
ClientSampleId :
TP-5


Tgt Ion: 99 Resp: 322668
Ion Ratio Lower Upper
99 100
42 19.3 19.1 28.7
71 39.0 33.4 50.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.057 min Scan# 1288
Delta R.T. -0.010 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56

Tgt Ion: 136 Resp: 120316
Ion Ratio Lower Upper
136 100
137 12.9 9.1 13.7
54 8.6 8.3 12.5
68 5.2 4.5 6.7









#23
Nitrobenzene-d5
Concen: 94.361 ng
RT: 9.394 min Scan# 1005
Delta R.T. -0.004 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56




Instrument :
BNA_G
ClientSampleId :
TP-5


Tgt Ion: 82 Resp: 261225
Ion Ratio Lower Upper
82 100
128 39.0 27.0 40.4
54 47.1 41.0 61.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.863 min Scan# 1936
Delta R.T. -0.010 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56

Tgt Ion:164 Resp: 79728
Ion Ratio Lower Upper
164 100
162 102.9 82.2 123.2
160 45.5 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 155.866 ng
RT: 16.355 min Scan# 2191
Delta R.T. -0.004 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56




Instrument :
BNA_G
ClientSampleId :
TP-5


Tgt Ion:330 Resp: 178532
Ion Ratio Lower Upper
330 100
332 97.0 78.6 117.8
141 33.1 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 97.412 ng
RT: 13.489 min Scan# 1702
Delta R.T. -0.004 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56

Tgt Ion:172 Resp: 558927
Ion Ratio Lower Upper
172 100
171 34.7 28.3 42.5
170 23.2 18.3 27.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.612 min Scan# 24
Delta R.T. -0.010 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56




Instrument :
BNA_G
ClientSampleId :
TP-5


Tgt Ion:188 Resp: 198536
Ion Ratio Lower Upper
188 100
94 7.2 5.9 8.9
80 9.0 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.930 min Scan# 3139
Delta R.T. -0.010 min
Lab File: BG052498.D
Acq: 28 Feb 2022 12:56

Tgt Ion:240 Resp: 206316
Ion Ratio Lower Upper
240 100
120 5.5 4.4 6.6
236 25.4 20.8 31.2









#79
 Terphenyl-d14
 Concen: 92.533 ng
 RT: 20.209 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BG052498.D
 Acq: 28 Feb 2022 12:56

Instrument :
 BNA_G
 ClientSampleId :
 TP-5

Tgt Ion:244 Resp: 1081114
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 7.4 6.2 9.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.396 min Scan# 3729
 Delta R.T. -0.010 min
 Lab File: BG052498.D
 Acq: 28 Feb 2022 12:56

Tgt Ion:264 Resp: 222046
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.5 27.7
 265 20.9 17.8 26.6

