

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022822\
 Data File : BG052505.D
 Acq On : 28 Feb 2022 17:27
 Operator : CG/JU
 Sample : N1664-08
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-3

Quant Time: Mar 01 00:59:59 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 08 01:21:20 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.217	152	29271	20.000	ng	0.00
21) Naphthalene-d8	11.055	136	112941	20.000	ng	#-0.01
39) Acenaphthene-d10	14.867	164	77643	20.000	ng	0.00
64) Phenanthrene-d10	17.610	188	194957	20.000	ng	#-0.01
76) Chrysene-d12	21.928	240	209313	20.000	ng	-0.01
86) Perylene-d12	25.394	264	206863	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.750	112	243213	144.815	ng	0.00
7) Phenol-d6	7.365	99	313552	121.000	ng	0.00
23) Nitrobenzene-d5	9.392	82	251397	96.741	ng	0.00
42) 2,4,6-Tribromophenol	16.353	330	174136	156.111	ng	0.00
45) 2-Fluorobiphenyl	13.487	172	547295	97.946	ng	0.00
79) Terphenyl-d14	20.207	244	1175531	99.173	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG022822\
Data File : BG052505.D
Acq On : 28 Feb 2022 17:27
Operator : CG/JU
Sample : N1664-08
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-3

Quant Time: Mar 01 00:59:59 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG020722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 08 01:21:20 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.217 min Scan# 805
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27




Instrument :
BNA_G
ClientSampleId :
TP-3


Tgt Ion:152 Resp: 29271
Ion Ratio Lower Upper
152 100
150 145.4 117.8 176.8
115 63.7 50.2 75.2



#5
2-Fluorophenol
Concen: 144.815 ng
RT: 5.750 min Scan# 385
Delta R.T. -0.000 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27

Tgt Ion:112 Resp: 243213
Ion Ratio Lower Upper
112 100
64 64.1 60.4 90.6
63 35.6 33.3 49.9









#7
Phenol-d6
Concen: 121.000 ng
RT: 7.365 min Scan# 60
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27




Instrument :
BNA_G
ClientSampleId :
TP-3


Tgt Ion: 99 Resp: 313552
Ion Ratio Lower Upper
99 100
42 20.1 19.1 28.7
71 38.5 33.4 50.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.055 min Scan# 1288
Delta R.T. -0.012 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27

Tgt Ion:136 Resp: 112941
Ion Ratio Lower Upper
136 100
137 12.4 9.1 13.7
54 7.8 8.3 12.5#
68 5.9 4.5 6.7









#23
Nitrobenzene-d5
Concen: 96.741 ng
RT: 9.392 min Scan# 1005
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27




Instrument :
BNA_G
ClientSampleId :
TP-3


Tgt Ion: 82 Resp: 251397
Ion Ratio Lower Upper
82 100
128 38.4 27.0 40.4
54 48.8 41.0 61.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.867 min Scan# 1937
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27

Tgt Ion: 164 Resp: 77643
Ion Ratio Lower Upper
164 100
162 101.5 82.2 123.2
160 43.6 36.2 54.2









#42
2,4,6-Tribromophenol
Concen: 156.111 ng
RT: 16.353 min Scan# 2191
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27




Instrument :
BNA_G
ClientSampleId :
TP-3


Tgt Ion:330 Resp: 174136
Ion Ratio Lower Upper
330 100
332 97.1 78.6 117.8
141 32.2 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 97.946 ng
RT: 13.487 min Scan# 1702
Delta R.T. -0.006 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27

Tgt Ion:172 Resp: 547295
Ion Ratio Lower Upper
172 100
171 34.1 28.3 42.5
170 22.8 18.3 27.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.610 min Scan# 2404
Delta R.T. -0.012 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27




Instrument :
BNA_G
ClientSampleId :
TP-3


Tgt Ion:188 Resp: 194957
Ion Ratio Lower Upper
188 100
94 7.2 5.9 8.9
80 10.1 6.6 10.0#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.928 min Scan# 3139
Delta R.T. -0.012 min
Lab File: BG052505.D
Acq: 28 Feb 2022 17:27

Tgt Ion:240 Resp: 209313
Ion Ratio Lower Upper
240 100
120 6.4 4.4 6.6
236 25.5 20.8 31.2









#79
 Terphenyl-d14
 Concen: 99.173 ng
 RT: 20.207 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BG052505.D
 Acq: 28 Feb 2022 17:27

Instrument :
 BNA_G
 ClientSampleId :
 TP-3

Tgt Ion:244 Resp: 1175531
 Ion Ratio Lower Upper
 244 100
 212 6.8 6.0 9.0
 122 7.4 6.2 9.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.394 min Scan# 3729
 Delta R.T. -0.012 min
 Lab File: BG052505.D
 Acq: 28 Feb 2022 17:27

Tgt Ion:264 Resp: 206863
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.5 27.7
 265 21.8 17.8 26.6

