

Data Path : S:\HPCHEM1\BNA_G\DATA\BG022916\
 Data File : BG021181.D
 Acq On : 1 Mar 2016 10:06
 Operator : UM/SJ
 Sample : H1520-13RE
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 40052(0-2)RE

Quant Time: Mar 01 11:13:10 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG022916.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 29 17:40:25 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	14461	20.00	ng	0.00
21) Naphthalene-d8	10.96	136	69988	20.00	ng	0.00
38) Acenaphthene-d10	14.76	164	37253	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	77256	20.00	ng	0.00
75) Chrysene-d12	21.76	240	80862	20.00	ng	0.00
86) Perylene-d12	25.03	264	74505	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.71	112	110834	121.84	ng	0.00
7) Phenol-d6	7.30	99	173440	115.95	ng	0.00
23) Nitrobenzene-d5	9.32	82	121579	73.51	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	41409	106.84	ng	0.00
44) 2-Fluorobiphenyl	13.39	172	192368	73.33	ng	0.00
78) Terphenyl-d14	20.08	244	213522	63.97	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.20	163	51860	15.62	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : S:\HPCHEM1\BNA_G\DATA\BG022916\
Data File : BG021181.D
Acq On : 1 Mar 2016 10:06
Operator : UM/SJ
Sample : H1520-13RE
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
40052(0-2)RE

Quant Time: Mar 01 11:13:10 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG022916.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 29 17:40:25 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.16 min Scan# 905

Delta R.T. -0.00 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06

Instrument :

BNA_G

ClientSampleId :

40052(0-2)RE


Tgt Ion:152 Resp: 14461

Ion Ratio Lower Upper

152 100

150 158.3 123.4 185.2




115 69.0 43.3 64.9#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 121.84 ng

RT: 5.71 min Scan# 488

Delta R.T. -0.00 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06


Tgt Ion:112 Resp: 110834

Ion Ratio Lower Upper

112 100

64 80.0 42.6 63.8#



63 42.6 21.7 32.5#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 115.95 ng

RT: 7.30 min Scan# 760

Delta R.T. 0.00 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06

Instrument :

BNA_G

ClientSampleId :

40052(0-2)RE


Tgt Ion: 99 Resp: 173440

Ion Ratio Lower Upper




99 100

42 20.4 13.2 19.8#

71 41.3 25.2 37.8#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.96 min Scan# 1383

Delta R.T. -0.00 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06

Tgt Ion: 136 Resp: 69988


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2


54 10.2 6.9 10.3

68 7.0 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 73.51 ng
 RT: 9.32 min Scan# 1103
 Delta R.T. -0.00 min
 Lab File: BG021181.D
 Acq: 1 Mar 2016 10:06

Instrument :
 BNA_G
 ClientSampleId :
 40052(0-2)RE

Tgt Ion	Ratio	Lower	Upper
82	100		
128	35.4	36.3	54.5#
54	48.3	37.6	56.4




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.76 min Scan# 2029
 Delta R.T. -0.00 min
 Lab File: BG021181.D
 Acq: 1 Mar 2016 10:06

Tgt Ion	Ratio	Lower	Upper
164	100		
162	107.1	80.6	120.8
160	46.4	36.5	54.7



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 106.84 ng
 RT: 16.24 min Scan# 2281
 Delta R.T. -0.00 min
 Lab File: BG021181.D
 Acq: 1 Mar 2016 10:06

Instrument :
 BNA_G
 ClientSampleId :
 40052(0-2)RE

Tgt Ion:330 Resp: 41409
 Ion Ratio Lower Upper
 330 100
 332 96.2 77.4 116.0
 141 59.9 35.3 52.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 73.33 ng
 RT: 13.39 min Scan# 1796
 Delta R.T. -0.00 min
 Lab File: BG021181.D
 Acq: 1 Mar 2016 10:06

Tgt Ion:172 Resp: 192368
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.4 44.0
 170 24.6 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 15.62 ng
RT: 14.20 min Scan# 1934
Delta R.T. -0.02 min
Lab File: BG021181.D
Acq: 1 Mar 2016 10:06

Instrument :
BNA_G
ClientSampleId :
40052(0-2)RE

Tgt Ion:163 Resp: 51860
Ion Ratio Lower Upper
163 100
194 3.8 2.8 4.2
164 9.8 7.9 11.9




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.49 min Scan# 2494
Delta R.T. -0.01 min
Lab File: BG021181.D
Acq: 1 Mar 2016 10:06

Tgt Ion:188 Resp: 77256
Ion Ratio Lower Upper
188 100
94 11.6 8.2 12.4
80 14.5 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.76 min Scan# 3220

Delta R.T. -0.01 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06

Instrument :

BNA_G

ClientSampleId :

40052(0-2)RE


Tgt Ion:240 Resp: 80862

Ion Ratio Lower Upper

240 100

120 10.0 7.5 11.3




236 26.8 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 63.97 ng

RT: 20.08 min Scan# 2935

Delta R.T. -0.01 min

Lab File: BG021181.D

Acq: 1 Mar 2016 10:06


Tgt Ion:244 Resp: 213522

Ion Ratio Lower Upper

244 100

212 8.6 5.8 8.6



122 11.4 8.3 12.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.03 min Scan# 3777
Delta R.T. -0.02 min
Lab File: BG021181.D
Acq: 1 Mar 2016 10:06

Instrument :
BNA_G
ClientSampleId :
40052(0-2)RE

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.5	27.7
265	21.9	18.6	28.0

