

Data Path : Z:\HPCHEM1\BNA G\Data\BG030217\
 Data File : BG026033.D
 Acq On : 2 Mar 2017 17:19
 Operator : SJ/MA
 Sample : I2056-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 2B-25

Quant Time: Mar 02 17:52:29 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 28 15:36:56 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	114800	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	477425	20.00	ng	-0.02
38) Acenaphthene-d10	14.67	164	266062	20.00	ng	-0.02
63) Phenanthrene-d10	17.40	188	607571	20.00	ng	-0.02
75) Chrysene-d12	21.65	240	557049	20.00	ng	-0.03
86) Perylene-d12	24.85	264	523997	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	982989	149.08	ng	-0.01
7) Phenol-d6	7.23	99	1323922	135.68	ng	0.00
23) Nitrobenzene-d5	9.22	82	743927	98.33	ng	-0.02
41) 2,4,6-Tribromophenol	16.15	330	437021	177.79	ng	-0.02
44) 2-Fluorobiphenyl	13.30	172	1624635	106.70	ng	-0.02
78) Terphenyl-d14	20.00	244	1858835	81.16	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.12	163	397868	21.80	ng	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\Data\BG030217\
Data File : BG026033.D
Acq On : 2 Mar 2017 17:19
Operator : SJ/MA
Sample : I2056-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
2B-25

Quant Time: Mar 02 17:52:29 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG021717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 28 15:36:56 2017
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.07 min Scan# 806
Delta R.T. -0.02 min
Lab File: BG026033.D
Acq: 2 Mar 2017 17:19

Instrument :
BNA_G
ClientSampleId :
2B-25



Tot Ion	Ratio	Lower	Upper
152	100		
150	154.1	114.0	171.0
115	57.2	48.1	72.1



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E




Time-->




#5

2-Fluorophenol
Concen: 149.08 ng
RT: 5.64 min Scan# 392
Delta R.T. -0.01 min
Lab File: BG026033.D
Acq: 2 Mar 2017 17:19


Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.9	61.8	92.6
63	31.8	37.2	55.8




Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC



Time-->





#7

Phenol-d6

Concen: 135.68 ng

RT: 7.23 min Scan# 662

Delta R.T. -0.01 min

Lab File: BG026033.D

Acq: 2 Mar 2017 17:19

Instrument :





BNA_G

ClientSampleId :

2B-25

Tot Ion: 99 Resp: 1323922

Ion	Ratio	Lower	Upper
99	100		
42	13.0	20.5	30.7#
71	29.4	37.6	56.4#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.87 min Scan# 1282




Delta R.T. -0.02 min


Lab File: BG026033.D

Acq: 2 Mar 2017 17:19

Tgt Ion: 136 Resp: 477425

Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.9	13.3
54	7.5	9.3	13.9#
68	6.6	5.1	7.7









#23
 Nitrobenzene-d5
 Concen: 98.33 ng
 RT: 9.22 min Scan# 1002
 Delta R.T. -0.02 min
 Lab File: BG026033.D
 Acq: 2 Mar 2017 17:19




Instrument :
 BNA_G
 ClientSampled :
 2B-25


Tot Ion	82	Resp	743927
Ion Ratio	100	Lower	Upper
128	47.1	26.4	39.6#
54	45.9	49.4	74.2#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.67 min Scan# 1929
 Delta R.T. -0.02 min
 Lab File: BG026033.D
 Acq: 2 Mar 2017 17:19

Tgt Ion	164	Resp	266062
Ion Ratio	100	Lower	Upper
162	103.9	85.1	127.7
160	44.8	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 177.79 ng
 RT: 16.15 min Scan# 2181
 Delta R.T. -0.02 min
 Lab File: BG026033.D
 Acq: 2 Mar 2017 17:19

Instrument :
 BNA_G
 ClientSampleId :
 2B-25

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	77.3	115.9
141	38.2	32.1	48.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 106.70 ng
 RT: 13.30 min Scan# 1696
 Delta R.T. -0.02 min
 Lab File: BG026033.D
 Acq: 2 Mar 2017 17:19

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.4	32.2	48.2
170	24.3	21.8	32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 21.80 ng

RT: 14.12 min Scan# 1835

Delta R.T. -0.02 min

Lab File: BG026033.D

Acq: 2 Mar 2017 17:19

Instrument :

BNA_G

ClientSampleId :

2B-25


Tot Ion:163 Resp: 397868

Ion Ratio Lower Upper

163 100

194 4.1 3.8 5.6




164 9.9 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.40 min Scan# 2394

Delta R.T. -0.02 min

Lab File: BG026033.D

Acq: 2 Mar 2017 17:19


Tgt Ion:188 Resp: 607571

Ion Ratio Lower Upper

188 100

94 10.4 5.8 8.8#



80 10.7 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.65 min Scan# 3117

Delta R.T. -0.03 min

Lab File: BG026033.D

Acq: 2 Mar 2017 17:19

Instrument :

BNA_G

ClientSampleId :

2B-25


Tot Ion:240 Resp: 557049

Ion Ratio Lower Upper

240 100

120 11.6 5.7 8.5#




236 25.9 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.16 ng

RT: 20.00 min Scan# 2836

Delta R.T. -0.02 min

Lab File: BG026033.D

Acq: 2 Mar 2017 17:19


Tgt Ion:244 Resp: 1858835

Ion Ratio Lower Upper

244 100

212 8.3 10.0 15.0#



122 13.1 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E








#86
Pervlene-d12
Concen: 20.00 ng
RT: 24.85 min Scan# 3661
Delta R.T. -0.04 min
Lab File: BG026033.D
Acq: 2 Mar 2017 17:19

Instrument :
BNA_G
ClientSampleId :
2B-25

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	21.8	32.8
265	22.3	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E



Time-->