

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG030217\
 Data File : BG026041.D
 Acq On : 2 Mar 2017 22:35
 Operator : SJ/MA
 Sample : I2056-07
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 6B-18

Quant Time: Mar 03 00:42:28 2017
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG021717.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 28 15:36:56 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	106777	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	447350	20.00	ng	-0.02
38) Acenaphthene-d10	14.67	164	251521	20.00	ng	-0.02
63) Phenanthrene-d10	17.40	188	575796	20.00	ng	-0.02
75) Chrysene-d12	21.65	240	520410	20.00	ng	-0.03
86) Perylene-d12	24.84	264	484691	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	813183	132.59	ng	-0.02
7) Phenol-d6	7.22	99	1101045	121.32	ng	-0.01
23) Nitrobenzene-d5	9.22	82	626977	88.45	ng	-0.02
41) 2,4,6-Tribromophenol	16.15	330	362543	156.01	ng	-0.02
44) 2-Fluorobiphenyl	13.31	172	1543565	107.23	ng	-0.02
78) Terphenyl-d14	20.00	244	1916268	89.56	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.12	163	320382	18.57	ng	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG030217\
Data File : BG026041.D
Acq On : 2 Mar 2017 22:35
Operator : SJ/MA
Sample : I2056-07
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
6B-18

Quant Time: Mar 03 00:42:28 2017
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG021717.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 28 15:36:56 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 8.07 min Scan# 805
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35

Instrument :
 BNA_G
 ClientSampleId :
 6B-18




Tgt Ion	Ratio	Lower	Upper
152	100		
150	151.9	114.0	171.0
115	58.2	48.1	72.1




#5

2-Fluorophenol
 Concen: 132.59 ng
 RT: 5.64 min Scan# 391
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.1	61.8	92.6
63	30.8	37.2	55.8#





#7

Phenol-d6

Concen: 121.32 ng

RT: 7.22 min Scan# 661

Delta R.T. -0.01 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35

Instrument :

BNA_G

ClientSampleId :

6B-18


Tgt Ion: 99 Resp: 1101045

Ion Ratio Lower Upper




99 100

42 13.3 20.5 30.7#

71 29.0 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.87 min Scan# 1282

Delta R.T. -0.02 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35

Tgt Ion: 136 Resp: 447350


Ion Ratio Lower Upper

136 100



137 10.7 8.9 13.3

54 6.9 9.3 13.9#

68 6.5 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 88.45 ng
 RT: 9.22 min Scan# 1001
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35




Instrument :
 BNA_G
 ClientSampleId :
 6B-18

Tgt Ion: 82 Resp: 626977
 Ion Ratio Lower Upper
 82 100
 128 46.3 26.4 39.6#
 54 46.1 49.4 74.2#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.67 min Scan# 1929
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35

Tgt Ion: 164 Resp: 251521
 Ion Ratio Lower Upper
 164 100
 162 101.6 85.1 127.7
 160 47.6 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 156.01 ng
 RT: 16.15 min Scan# 2180
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35




Instrument :
 BNA_G
 ClientSampleId :
 6B-18


Tgt Ion:330 Resp: 362543
 Ion Ratio Lower Upper
 330 100
 332 97.0 77.3 115.9
 141 39.1 32.1 48.1



#44
 2-Fluorobiphenyl
 Concen: 107.23 ng
 RT: 13.31 min Scan# 1696
 Delta R.T. -0.02 min
 Lab File: BG026041.D
 Acq: 2 Mar 2017 22:35

Tgt Ion:172 Resp: 1543565
 Ion Ratio Lower Upper
 172 100
 171 38.7 32.2 48.2
 170 25.1 21.8 32.6





#49

Dimethylphthalate

Concen: 18.57 ng

RT: 14.12 min Scan# 1834

Delta R.T. -0.02 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35

Instrument :

BNA_G

ClientSampleId :

6B-18


Tgt Ion:163 Resp: 320382

Ion Ratio Lower Upper

163 100

194 4.1 3.8 5.6




164 9.8 9.3 13.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.40 min Scan# 2393

Delta R.T. -0.02 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35


Tgt Ion:188 Resp: 575796

Ion Ratio Lower Upper

188 100

94 10.1 5.8 8.8#



80 10.0 7.5 11.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.65 min Scan# 3116

Delta R.T. -0.03 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35

Instrument :

BNA_G

ClientSampleId :

6B-18


Tgt Ion:240 Resp: 520410

Ion Ratio Lower Upper

240 100

120 11.7 5.7 8.5#




236 25.0 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 89.56 ng

RT: 20.00 min Scan# 2835

Delta R.T. -0.02 min

Lab File: BG026041.D

Acq: 2 Mar 2017 22:35


Tgt Ion:244 Resp: 1916268

Ion Ratio Lower Upper

244 100

212 8.0 10.0 15.0#



122 13.1 8.6 12.8#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 24.84 min Scan# 3660
Delta R.T. -0.04 min
Lab File: BG026041.D
Acq: 2 Mar 2017 22:35

Instrument :
BNA_G
ClientSampleId :
6B-18

Tgt Ion:	264	Resp:	484691
Ion	Ratio	Lower	Upper
264	100		
260	24.3	21.8	32.8
265	21.6	18.2	27.4

