

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030322\
 Data File : BG052577.D
 Acq On : 4 Mar 2022 13:53
 Operator : CG/JU
 Sample : PB143006BL
 Misc : GCMS CONFIRMATION
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SBLK006

Quant Time: Mar 05 03:32:52 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Feb 22 17:32:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.217	152	27048	20.000	ng/u1	0.00
20) Naphthalene-d8	11.054	136	97949	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.861	164	66418	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.610	188	178127	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.928	240	220441	20.000	ng/u1	# 0.00
88) Perylene-d12	25.382	264	221575	20.000	ng/u1	-0.01

System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0	0.000	ng/uL	
4) Pyridine-d5	0.000	84	0	0.000	ng/u1	
7) Phenol-d5	0.000	99	0	0.000	ng/u1	
9) Bis-(2-Chloroethyl)eth...	0.000	67	0	0.000	ng/u1	
11) 2-Chlorophenol-d4	0.000	132	0	0.000	ng/u1	
15) 4-Methylphenol-d8	0.000	113	0	0.000	ng/u1	
21) Nitrobenzene-d5	0.000	128	0	0.000	ng/u1	
24) 2-Nitrophenol-d4	0.000	143	0	0.000	ng/u1	
28) 2,4-Dichlorophenol-d3	0.000	165	0	0.000	ng/u1	
31) 4-Chloroaniline-d4	0.000	131	0	0.000	ng/u1	
46) Dimethylphthalate-d6	0.000	166	0	0.000	ng/u1	
49) Acenaphthylene-d8	0.000	160	0	0.000	ng/u1	
54) 4-Nitrophenol-d4	0.000	143	0	0.000	ng/u1	
60) Fluorene-d10	0.000	176	0	0.000	ng/u1	
65) 4,6-Dinitro-2-methylph...	0.000	200	0	0.000	ng/u1	
73) Anthracene-d10	0.000	188	0d	0.000	ng/u1	
81) Pyrene-d10	0.000	212	0	0.000	ng/u1	
92) Benzo(a)pyrene-d12	0.000	264	0	0.000	ng/u1	

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030322\
Data File : BG052577.D
Acq On : 4 Mar 2022 13:53
Operator : CG/JU
Sample : PB143006BL
Misc : GCMS CONFIRMATION
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SBLK006

Quant Time: Mar 05 03:32:52 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022222.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Feb 22 17:32:12 2022
Response via : Initial Calibration

