

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG030516\
 Data File : BG021312.D
 Acq On : 5 Mar 2016 19:14
 Operator : UM/SJ
 Sample : H1650-08
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MS-DS-C350

Quant Time: Mar 07 03:51:17 2016
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG030316.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Mar 07 03:50:11 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	9278	20.00	ng/ul	0.00
18) Naphthalene-d8	10.93	136	44719	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.73	164	26453	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.47	188	61549	20.00	ng/ul	0.00
78) Chrysene-d12	21.73	240	68439	20.00	ng/ul	0.00
86) Perylene-d12	24.98	264	63077	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.53	96	815	3.57	ng/uL	0.00
5) Phenol-d5	7.27	99	21817	22.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.44	67	15576	23.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.65	132	16139	23.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.82	113	17820	22.97	ng/ul	0.00
19) Nitrobenzene-d5	9.29	128	8456	23.34	ng/ul	0.00
22) 2-Nitrophenol-d4	10.01	143	9196	23.81	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.55	165	15453	22.39	ng/ul	0.00
29) 4-Chloroaniline-d4	11.07	131	6601	7.54	ng/ul	0.00
44) Dimethylphthalate-d6	14.14	166	54768	24.71	ng/ul	0.00
47) Acenaphthylene-d8	14.43	160	69227	25.09	ng/ul	0.00
52) 4-Nitrophenol-d4	14.91	143	10183	23.57	ng/ul	0.00
58) Fluorene-d10	15.72	176	49527	25.44	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.83	200	8507	19.26	ng/ul	0.00
71) Anthracene-d10	17.57	188	80556	26.32	ng/ul	0.00
79) Pyrene-d10	19.84	212	94790	27.36	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.76	264	91238	26.79	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
45) Dimethylphthalate	14.18	163	25327	10.62	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG030516\
Data File : BG021312.D
Acq On : 5 Mar 2016 19:14
Operator : UM/SJ
Sample : H1650-08
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MS-DS-C350

Quant Time: Mar 07 03:51:17 2016
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\SOM02.2-EPA-BG030316.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Mar 07 03:50:11 2016
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 10.62 ng/ul

RT: 14.18 min Scan# 1930

Delta R.T. -0.01 min

Lab File: BG021312.D


Acq: 5 Mar 2016 19:14

Instrument :

BNA_G

ClientSampleId :

MS-DS-C350



Tgt Ion:	163	Resp:	25327
Ion	Ratio	Lower	Upper
163	100		
194	4.0	2.8	4.2
164	10.2	8.2	12.2

