

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030518\
 Data File : BG033008.D
 Acq On : 6 Mar 2018 4:00
 Operator : SJ/JU
 Sample : J1761-02
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TR-04-0302018

Quant Time: Mar 06 07:07:48 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 01 17:38:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.91	152	49678	20.00	ng	-0.01
21) Naphthalene-d8	11.80	136	216861	20.00	ng	0.00
38) Acenaphthene-d10	15.52	164	122695	20.00	ng	-0.01
63) Phenanthrene-d10	18.26	188	293163	20.00	ng	0.00
75) Chrysene-d12	22.61	240	273035	20.00	ng	-0.01
86) Perylene-d12	26.42	264	258872	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.33	112	428132	137.88	ng	0.00
7) Phenol-d6	8.01	99	528748	122.16	ng	-0.01
23) Nitrobenzene-d5	10.11	82	382438	118.02	ng	-0.01
41) 2,4,6-Tribromophenol	17.00	330	202308	156.82	ng	0.00
44) 2-Fluorobiphenyl	14.16	172	838152	98.52	ng	-0.01
78) Terphenyl-d14	20.77	244	1344750	110.66	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030518\
Data File : BG033008.D
Acq On : 6 Mar 2018 4:00
Operator : SJ/JU
Sample : J1761-02
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TR-04-0302018

Quant Time: Mar 06 07:07:48 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 01 17:38:52 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.91 min Scan# 957
Delta R.T. -0.01 min
Lab File: BG033008.D
Acq: 6 Mar 2018 4:00

Instrument :
BNA_G
ClientSampled :
TR-04-0302018

Tot Ion:152 Resp: 49678
Ion Ratio Lower Upper
152 100
150 155.1 126.6 189.8
115 60.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 137.878 ng
RT: 6.33 min Scan# 517
Delta R.T. -0.00 min
Lab File: BG033008.D
Acq: 6 Mar 2018 4:00

Tgt Ion:112 Resp: 428132
Ion Ratio Lower Upper
112 100
64 69.2 56.3 84.5
63 34.3 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 122.165 ng

RT: 8.01 min Scan# 803

Delta R.T. -0.01 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00

Instrument :

BNA_G

ClientSampleId :

TR-04-0302018


Tot Ion: 99 Resp: 528748

Ion Ratio Lower Upper




99 100

42 21.6 14.1 21.1#

71 33.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.80 min Scan# 1449

Delta R.T. -0.00 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00

Tgt Ion: 136 Resp: 216861


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 9.9 10.3 15.5#

68 6.3 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 118.020 ng
 RT: 10.11 min Scan# 1161
 Delta R.T. -0.01 min
 Lab File: BG033008.D
 Acq: 6 Mar 2018 4:00




Instrument :
 BNA_G
 ClientSampleId :
 TR-04-0302018


Tot Ion	82	Resp	382438
Ion Ratio	Lower	Upper	
82	100		
128	43.1	29.7	44.5
54	57.8	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.52 min Scan# 2083
 Delta R.T. -0.01 min
 Lab File: BG033008.D
 Acq: 6 Mar 2018 4:00

Tgt Ion	164	Resp	122695
Ion Ratio	Lower	Upper	
164	100		
162	106.8	78.8	118.2
160	46.0	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 156.816 ng
 RT: 17.00 min Scan# 2334
 Delta R.T. -0.00 min
 Lab File: BG033008.D
 Acq: 6 Mar 2018 4:00

Instrument :
 BNA_G
 ClientSampleId :
 TR-04-0302018

Tot Ion:330 Resp: 202308
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.0 115.6
 141 45.2 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 98.523 ng
 RT: 14.16 min Scan# 1850
 Delta R.T. -0.01 min
 Lab File: BG033008.D
 Acq: 6 Mar 2018 4:00

Tgt Ion:172 Resp: 838152
 Ion Ratio Lower Upper
 172 100
 171 38.5 30.0 45.0
 170 25.0 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.26 min Scan# 2548

Delta R.T. -0.00 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00

Instrument :

BNA_G

ClientSampleId :

TR-04-0302018


Tot Ion:188 Resp: 293163

Ion Ratio Lower Upper

188 100

94 10.3 6.9 10.3




80 11.7 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.61 min Scan# 3289

Delta R.T. -0.01 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00


Tgt Ion:240 Resp: 273035

Ion Ratio Lower Upper

240 100

120 13.6 6.8 10.2#



236 26.5 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 110.656 ng

RT: 20.77 min Scan# 2976

Delta R.T. -0.00 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00

Instrument :


BNA_G

ClientSampleId :

TR-04-0302018

Tot Ion:244 Resp: 1344750

Ion	Ratio	Lower	Upper
244	100		
212	8.5	5.8	8.8
122	14.3	7.0	10.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.42 min Scan# 3937


Delta R.T. -0.01 min

Lab File: BG033008.D

Acq: 6 Mar 2018 4:00

Tgt Ion:264 Resp: 258872

Ion	Ratio	Lower	Upper
264	100		
260	22.4	17.4	26.0
265	20.9	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

