

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030618\
 Data File : BG033035.D
 Acq On : 7 Mar 2018 00:18
 Operator : SJ/JU
 Sample : J1800-06
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OILY-DEBRIS

Quant Time: Mar 07 03:11:12 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 06 17:38:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.91	152	53883	20.00	ng	0.00
21) Naphthalene-d8	11.80	136	230460	20.00	ng	0.00
38) Acenaphthene-d10	15.52	164	130672	20.00	ng	0.00
63) Phenanthrene-d10	18.26	188	295453	20.00	ng	0.00
75) Chrysene-d12	22.61	240	265647	20.00	ng	0.00
86) Perylene-d12	26.41	264	257235	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.33	112	507765	150.76	ng	0.00
7) Phenol-d6	8.01	99	620776	132.23	ng	0.00
23) Nitrobenzene-d5	10.11	82	459129	132.04	ng	0.00
41) 2,4,6-Tribromophenol	17.00	330	252732	183.94	ng	0.00
44) 2-Fluorobiphenyl	14.16	172	961292	106.10	ng	0.00
78) Terphenyl-d14	20.77	244	1446936	122.38	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030618\
Data File : BG033035.D
Acq On : 7 Mar 2018 00:18
Operator : SJ/JU
Sample : J1800-06
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OILY-DEBRIS

Quant Time: Mar 07 03:11:12 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 06 17:38:59 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.91 min Scan# 957
Delta R.T. -0.00 min
Lab File: BG033035.D
Acq: 7 Mar 2018 00:18

Instrument :
BNA_G
ClientSampleId :
OILY-DEBRIS

Tot Ion:152 Resp: 53883
Ion Ratio Lower Upper
152 100
150 159.1 126.6 189.8
115 59.6 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 150.762 ng
RT: 6.33 min Scan# 518
Delta R.T. 0.01 min
Lab File: BG033035.D
Acq: 7 Mar 2018 00:18

Tgt Ion:112 Resp: 507765
Ion Ratio Lower Upper
112 100
64 68.8 56.3 84.5
63 35.3 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 132.234 ng

RT: 8.01 min Scan# 804

Delta R.T. 0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18

Instrument :

BNA_G

ClientSampleId :

OILY-DEBRIS


Tot Ion: 99 Resp: 620776

Ion Ratio Lower Upper



99 100

42 21.2 14.1 21.1#

71 33.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.80 min Scan# 1449

Delta R.T. 0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18

Tgt Ion: 136 Resp: 230460


Ion Ratio Lower Upper

136 100



137 11.3 9.2 13.8


54 10.8 10.3 15.5

68 5.9 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 132.041 ng
RT: 10.11 min Scan# 1162
Delta R.T. 0.00 min
Lab File: BG033035.D
Acq: 7 Mar 2018 00:18




Instrument :
BNA_G
ClientSampleId :
OILY-DEBRIS


Tot Ion: 82 Resp: 459129
Ion Ratio Lower Upper
82 100
128 44.0 29.7 44.5
54 58.1 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.52 min Scan# 2083
Delta R.T. -0.00 min
Lab File: BG033035.D
Acq: 7 Mar 2018 00:18

Tgt Ion:164 Resp: 130672
Ion Ratio Lower Upper
164 100
162 101.8 78.8 118.2
160 45.2 35.4 53.0








#41
 2,4,6-Tribromophenol
 Concen: 183.943 ng
 RT: 17.00 min Scan# 2334
 Delta R.T. 0.00 min
 Lab File: BG033035.D
 Acq: 7 Mar 2018 00:18

Instrument :
 BNA_G
 ClientSampleId :
 OILY-DEBRIS

Tot Ion:330 Resp: 252732
 Ion Ratio Lower Upper
 330 100
 332 96.1 77.0 115.6
 141 43.4 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 106.100 ng
 RT: 14.16 min Scan# 1850
 Delta R.T. 0.00 min
 Lab File: BG033035.D
 Acq: 7 Mar 2018 00:18

Tgt Ion:172 Resp: 961292
 Ion Ratio Lower Upper
 172 100
 171 38.6 30.0 45.0
 170 25.0 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.26 min Scan# 2548

Delta R.T. 0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18

Instrument :

BNA_G

ClientSampleId :

OILY-DEBRIS


Tot Ion:188 Resp: 295453

Ion Ratio Lower Upper

188 100

94 8.8 6.9 10.3




80 11.7 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.61 min Scan# 3289

Delta R.T. -0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18


Tgt Ion:240 Resp: 265647

Ion Ratio Lower Upper

240 100

120 11.3 6.8 10.2#



236 26.5 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 122.376 ng

RT: 20.77 min Scan# 2976

Delta R.T. 0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18

Instrument :

BNA_G

ClientSampleId :

OILY-DEBRIS


Tot Ion:244 Resp: 1446936

Ion Ratio Lower Upper

244 100

212 8.5 5.8 8.8




122 14.0 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.41 min Scan# 3936

Delta R.T. 0.00 min

Lab File: BG033035.D

Acq: 7 Mar 2018 00:18


Tgt Ion:264 Resp: 257235

Ion Ratio Lower Upper

264 100

260 24.2 17.4 26.0

265 21.0 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

