

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030623\
 Data File : BG056841.D
 Acq On : 6 Mar 2023 14:39
 Operator : CG/JU
 Sample : 01712-10
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DBZX2

Quant Time: Mar 06 15:27:04 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022323.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 02 00:12:28 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.420	152	18943	20.000	ng/ul	0.00
20) Naphthalene-d8	11.252	136	76592	20.000	ng/ul	0.00
38) Acenaphthene-d10	15.018	164	54754	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.750	188	126535	20.000	ng/ul	0.00
79) Chrysene-d12	22.057	240	112843	20.000	ng/ul	0.00
88) Perylene-d12	25.588	264	114111	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.702	96	1074	3.145	ng/uL	0.00
4) Pyridine-d5	4.148	84	4659	3.380	ng/ul	0.01
7) Phenol-d5	7.538	99	30722	16.207	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.721	67	18862	16.312	ng/ul	0.00
11) 2-Chlorophenol-d4	7.938	132	20465	16.257	ng/ul	0.00
15) 4-Methylphenol-d8	9.101	113	21317	14.717	ng/ul	0.00
21) Nitrobenzene-d5	9.589	128	10692	16.658	ng/ul	0.00
24) 2-Nitrophenol-d4	10.318	143	12291	16.087	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.858	165	24725	17.177	ng/ul	0.00
31) 4-Chloroaniline-d4	11.381	131	6779	3.611	ng/ul	0.00
46) Dimethylphthalate-d6	14.401	166	74225	16.802	ng/ul	0.00
49) Acenaphthylene-d8	14.712	160	88894	17.705	ng/ul	0.00
54) 4-Nitrophenol-d4	15.171	143	9820	12.893	ng/ul	0.00
60) Fluorene-d10	15.999	176	67808	16.593	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	16.099	200	10009	11.823	ng/ul	0.00
73) Anthracene-d10	17.850	188	109060	17.766	ng/ul	0.00
81) Pyrene-d10	20.106	212	126724	16.596	ng/ul	0.00
92) Benzo(a)pyrene-d12	25.341	264	105816	17.180	ng/ul	0.00
Target Compounds						
					Qvalue	
16) Acetophenone	9.242	105	9749	3.931	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030623\
Data File : BG056841.D
Acq On : 6 Mar 2023 14:39
Operator : CG/JU
Sample : 01712-10
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DBZX2

Quant Time: Mar 06 15:27:04 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG022323.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 02 00:12:28 2023
Response via : Initial Calibration



Abundance Scan 970 (9.240 min): BG056835.D\data.ms (-964) #16



Acetophenone

Concen: 3.931 ng/ul

RT: 9.242 min Scan# 16

Delta R.T. 0.003 min

Lab File: BG056841.D

Acq: 6 Mar 2023 14:39


Instrument :

BNA_G

ClientSampleId :

DBZX2

Abundance Scan 971 (9.242 min): BG056841.D\data.ms




Tgt Ion:105 Resp: 9749

Ion Ratio Lower Upper

105 100

77 92.5 71.4 107.0

51 32.5 23.6 35.4



Abundance Scan 971 (9.242 min): BG056841.D\data.ms (-937) (-)

