

Data Path : Z:\HPCHEM1\BNA G\DATA\BG030818\
 Data File : BG033047.D
 Acq On : 8 Mar 2018 19:08
 Operator : SJ/JU
 Sample : J1760-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SU-04-030618

Quant Time: Mar 09 02:29:46 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 06 17:38:59 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.91	152	54728	20.00	ng	0.00
21) Naphthalene-d8	11.80	136	236561	20.00	ng	0.00
38) Acenaphthene-d10	15.52	164	133591	20.00	ng	0.00
63) Phenanthrene-d10	18.26	188	297823	20.00	ng	0.00
75) Chrysene-d12	22.61	240	272626	20.00	ng	0.00
86) Perylene-d12	26.40	264	258127	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.32	112	466216	136.29	ng	0.00
7) Phenol-d6	8.00	99	558220	117.07	ng	0.00
23) Nitrobenzene-d5	10.11	82	422670	119.44	ng	0.00
41) 2,4,6-Tribromophenol	17.00	330	220300	156.83	ng	0.00
44) 2-Fluorobiphenyl	14.16	172	872938	94.24	ng	0.00
78) Terphenyl-d14	20.77	244	1271816	104.81	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG030818\
Data File : BG033047.D
Acq On : 8 Mar 2018 19:08
Operator : SJ/JU
Sample : J1760-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SU-04-030618

Quant Time: Mar 09 02:29:46 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 06 17:38:59 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.91 min Scan# 957
Delta R.T. -0.00 min
Lab File: BG033047.D
Acq: 8 Mar 2018 19:08

Instrument :
BNA_G
ClientSampleId :
SU-04-030618




Tot Ion:152 Resp: 54728
Ion Ratio Lower Upper
152 100
150 157.5 126.6 189.8
115 57.0 53.0 79.4




#5

2-Fluorophenol
Concen: 136.288 ng
RT: 6.32 min Scan# 517
Delta R.T. 0.00 min
Lab File: BG033047.D
Acq: 8 Mar 2018 19:08

Tgt Ion:112 Resp: 466216
Ion Ratio Lower Upper
112 100
64 70.0 56.3 84.5
63 35.0 30.1 45.1





#7

Phenol-d6

Concen: 117.073 ng

RT: 8.00 min Scan# 803

Delta R.T. -0.00 min

Lab File: BG033047.D

Acq: 8 Mar 2018 19:08

Instrument :

BNA_G

ClientSampleId :

SU-04-030618


Tot Ion: 99 Resp: 558220

Ion Ratio Lower Upper




99 100

42 22.5 14.1 21.1#

71 33.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.80 min Scan# 1449

Delta R.T. 0.00 min

Lab File: BG033047.D

Acq: 8 Mar 2018 19:08

Tgt Ion: 136 Resp: 236561


Ion Ratio Lower Upper

136 100



137 11.2 9.2 13.8


54 10.7 10.3 15.5

68 5.9 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 119.443 ng
 RT: 10.11 min Scan# 1161
 Delta R.T. -0.00 min
 Lab File: BG033047.D
 Acq: 8 Mar 2018 19:08




Instrument :
 BNA_G
 ClientSampleId :
 SU-04-030618


Tot Ion	82	Resp	422670
Ion Ratio	Lower	Upper	
82	100		
128	43.1	29.7	44.5
54	59.1	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.52 min Scan# 2083
 Delta R.T. -0.00 min
 Lab File: BG033047.D
 Acq: 8 Mar 2018 19:08

Tgt Ion	164	Resp	133591
Ion Ratio	Lower	Upper	
164	100		
162	104.9	78.8	118.2
160	49.3	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 156.835 ng
 RT: 17.00 min Scan# 2334
 Delta R.T. 0.00 min
 Lab File: BG033047.D
 Acq: 8 Mar 2018 19:08

Instrument :
 BNA_G
 ClientSampleId :
 SU-04-030618

Tot Ion:330 Resp: 220300
 Ion Ratio Lower Upper
 330 100
 332 98.9 77.0 115.6
 141 43.4 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.243 ng
 RT: 14.16 min Scan# 1850
 Delta R.T. 0.00 min
 Lab File: BG033047.D
 Acq: 8 Mar 2018 19:08

Tgt Ion:172 Resp: 872938
 Ion Ratio Lower Upper
 172 100
 171 37.5 30.0 45.0
 170 24.4 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.26 min Scan# 2548
Delta R.T. 0.00 min
Lab File: BG033047.D
Acq: 8 Mar 2018 19:08




Instrument :
BNA_G
ClientSampleId :
SU-04-030618


Tot Ion:188 Resp: 297823
Ion Ratio Lower Upper
188 100
94 9.6 6.9 10.3
80 10.6 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.61 min Scan# 3289
Delta R.T. -0.00 min
Lab File: BG033047.D
Acq: 8 Mar 2018 19:08

Tgt Ion:240 Resp: 272626
Ion Ratio Lower Upper
240 100
120 12.2 6.8 10.2#
236 27.3 20.9 31.3





#78

Terphenyl-d14

Concen: 104.811 ng

RT: 20.77 min Scan# 2976

Delta R.T. 0.00 min

Lab File: BG033047.D

Acq: 8 Mar 2018 19:08

Instrument :

BNA_G

ClientSampleId :

SU-04-030618


Tot Ion:244 Resp: 1271816

Ion Ratio Lower Upper

244 100

212 8.4 5.8 8.8




122 13.7 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.40 min Scan# 3935

Delta R.T. -0.00 min

Lab File: BG033047.D

Acq: 8 Mar 2018 19:08


Tgt Ion:264 Resp: 258127

Ion Ratio Lower Upper

264 100

260 23.2 17.4 26.0

265 21.7 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

