

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030918\
 Data File : BG033076.D
 Acq On : 9 Mar 2018 17:30
 Operator : SJ/JU
 Sample : J1855-04
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-6-COMP

Quant Time: Mar 10 00:34:32 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 09 15:10:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.91	152	53369	20.00	ng	0.00
21) Naphthalene-d8	11.80	136	233238	20.00	ng	0.00
38) Acenaphthene-d10	15.53	164	131795	20.00	ng	0.00
63) Phenanthrene-d10	18.25	188	300193	20.00	ng	0.00
75) Chrysene-d12	22.60	240	282968	20.00	ng	0.00
86) Perylene-d12	26.41	264	252969	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.33	112	473759	142.02	ng	0.00
7) Phenol-d6	8.01	99	589311	126.74	ng	0.00
23) Nitrobenzene-d5	10.11	82	423255	121.16	ng	0.00
41) 2,4,6-Tribromophenol	16.99	330	190241	137.28	ng	0.00
44) 2-Fluorobiphenyl	14.15	172	884224	96.76	ng	0.00
78) Terphenyl-d14	20.77	244	1366780	108.52	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG030918\
Data File : BG033076.D
Acq On : 9 Mar 2018 17:30
Operator : SJ/JU
Sample : J1855-04
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-6-COMP

Quant Time: Mar 10 00:34:32 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 09 15:10:14 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.91 min Scan# 957
Delta R.T. 0.00 min
Lab File: BG033076.D
Acq: 9 Mar 2018 17:30

Instrument :
BNA_G
ClientSampleId :
TP-6-COMP

Tot Ion:152 Resp: 53369
Ion Ratio Lower Upper
152 100
150 157.9 126.6 189.8
115 60.7 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 142.020 ng
RT: 6.33 min Scan# 517
Delta R.T. 0.00 min
Lab File: BG033076.D
Acq: 9 Mar 2018 17:30

Tgt Ion:112 Resp: 473759
Ion Ratio Lower Upper
112 100
64 69.8 56.3 84.5
63 36.1 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 126.741 ng

RT: 8.01 min Scan# 803

Delta R.T. 0.00 min

Lab File: BG033076.D

Acq: 9 Mar 2018 17:30

Instrument :

BNA_G

ClientSampleId :

TP-6-COMP


Tot Ion: 99 Resp: 589311

Ion Ratio Lower Upper




99 100

42 22.4 14.1 21.1#

71 35.8 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.80 min Scan# 1448

Delta R.T. -0.00 min

Lab File: BG033076.D

Acq: 9 Mar 2018 17:30

Tgt Ion: 136 Resp: 233238


Ion Ratio Lower Upper

136 100



137 11.7 9.2 13.8


54 10.6 10.3 15.5

68 6.7 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 121.157 ng
 RT: 10.11 min Scan# 1161
 Delta R.T. -0.00 min
 Lab File: BG033076.D
 Acq: 9 Mar 2018 17:30




Instrument :
 BNA_G
 ClientSampleId :
 TP-6-COMP


Tot Ion	82	Resp	423255
Ion	Ratio	Lower	Upper
82	100		
128	42.1	29.7	44.5
54	57.3	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.53 min Scan# 2083
 Delta R.T. -0.00 min
 Lab File: BG033076.D
 Acq: 9 Mar 2018 17:30

Tgt Ion	164	Resp	131795
Ion	Ratio	Lower	Upper
164	100		
162	104.1	78.8	118.2
160	46.8	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 137.281 ng
 RT: 16.99 min Scan# 2333
 Delta R.T. -0.00 min
 Lab File: BG033076.D
 Acq: 9 Mar 2018 17:30

Instrument :
 BNA_G
 ClientSampleId :
 TP-6-COMP

Tot Ion:330 Resp: 190241
 Ion Ratio Lower Upper
 330 100
 332 94.6 77.0 115.6
 141 41.6 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.762 ng
 RT: 14.15 min Scan# 1849
 Delta R.T. -0.00 min
 Lab File: BG033076.D
 Acq: 9 Mar 2018 17:30

Tgt Ion:172 Resp: 884224
 Ion Ratio Lower Upper
 172 100
 171 38.3 30.0 45.0
 170 25.4 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.25 min Scan# 2547
Delta R.T. -0.00 min
Lab File: BG033076.D
Acq: 9 Mar 2018 17:30

Instrument :
BNA_G
ClientSampleId :
TP-6-COMP

Tot Ion:188 Resp: 300193
Ion Ratio Lower Upper
188 100
94 9.7 6.9 10.3
80 10.9 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.60 min Scan# 3288
Delta R.T. -0.00 min
Lab File: BG033076.D
Acq: 9 Mar 2018 17:30

Tgt Ion:240 Resp: 282968
Ion Ratio Lower Upper
240 100
120 12.2 6.8 10.2#
236 26.0 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 108.521 ng

RT: 20.77 min Scan# 2976

Delta R.T. 0.00 min

Lab File: BG033076.D

Acq: 9 Mar 2018 17:30

Instrument :

BNA_G

ClientSampleId :

TP-6-COMP


Tot Ion:244 Resp: 1366780

Ion Ratio Lower Upper

244 100

212 8.5 5.8 8.8




122 13.0 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.41 min Scan# 3935

Delta R.T. -0.00 min

Lab File: BG033076.D

Acq: 9 Mar 2018 17:30


Tgt Ion:264 Resp: 252969

Ion Ratio Lower Upper

264 100

260 23.7 17.4 26.0

265 22.0 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

