

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030922\
 Data File : BG052624.D
 Acq On : 9 Mar 2022 23:33
 Operator : CG/JU
 Sample : PB143156TB
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB143156TB

Quant Time: Mar 10 06:41:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG030922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 10 06:37:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.173	152	29502	20.000	ng	0.00
21) Naphthalene-d8	11.010	136	120043	20.000	ng	# 0.00
39) Acenaphthene-d10	14.823	164	82368	20.000	ng	0.00
64) Phenanthrene-d10	17.572	188	204927	20.000	ng	0.00
76) Chrysene-d12	21.878	240	220185	20.000	ng	0.00
86) Perylene-d12	25.309	264	217528	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.700	112	246964	144.614	ng	0.00
7) Phenol-d6	7.321	99	333439	134.907	ng	0.00
23) Nitrobenzene-d5	9.348	82	231427	87.394	ng	0.00
42) 2,4,6-Tribromophenol	16.315	330	155098	132.767	ng	0.00
45) 2-Fluorobiphenyl	13.442	172	558179	91.468	ng	0.00
79) Terphenyl-d14	20.174	244	1110243	89.226	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG030922\
Data File : BG052624.D
Acq On : 9 Mar 2022 23:33
Operator : CG/JU
Sample : PB143156TB
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB143156TB

Quant Time: Mar 10 06:41:57 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG030922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 10 06:37:54 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.173 min Scan# 815
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33




Instrument :
BNA_G
ClientSampleId :
PB143156TB


Tgt Ion:152 Resp: 29502
Ion Ratio Lower Upper
152 100
150 148.8 114.6 172.0
115 61.3 45.9 68.9



#5
2-Fluorophenol
Concen: 144.614 ng
RT: 5.700 min Scan# 393
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33

Tgt Ion:112 Resp: 246964
Ion Ratio Lower Upper
112 100
64 62.7 48.0 72.0
63 34.2 26.5 39.7









#7
Phenol-d6
Concen: 134.907 ng
RT: 7.321 min Scan# 60
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33




Instrument :
BNA_G
ClientSampleId :
PB143156TB


Tgt Ion: 99 Resp: 333439
Ion Ratio Lower Upper
99 100
42 18.4 14.7 22.1
71 37.2 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.010 min Scan# 1297
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33

Tgt Ion: 136 Resp: 120043
Ion Ratio Lower Upper
136 100
137 11.6 9.4 14.2
54 6.9 6.4 9.6
68 4.6 5.0 7.6#









#23
Nitrobenzene-d5
Concen: 87.394 ng
RT: 9.348 min Scan# 1014
Delta R.T. 0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33




Instrument :
BNA_G
ClientSampleId :
PB143156TB


Tgt Ion: 82 Resp: 231427
Ion Ratio Lower Upper
82 100
128 40.0 31.3 46.9
54 47.6 37.8 56.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.823 min Scan# 1946
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33

Tgt Ion:164 Resp: 82368
Ion Ratio Lower Upper
164 100
162 104.6 80.0 120.0
160 46.9 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 132.767 ng
RT: 16.315 min Scan# 21
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33




Instrument :
BNA_G
ClientSampleId :
PB143156TB


Tgt Ion:330 Resp: 155098
Ion Ratio Lower Upper
330 100
332 93.3 75.8 113.6
141 30.6 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 91.468 ng
RT: 13.442 min Scan# 1711
Delta R.T. -0.003 min
Lab File: BG052624.D
Acq: 9 Mar 2022 23:33

Tgt Ion:172 Resp: 558179
Ion Ratio Lower Upper
172 100
171 34.6 28.3 42.5
170 22.7 18.0 27.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.572 min Scan# 2415

Delta R.T. -0.003 min

Lab File: BG052624.D

Acq: 9 Mar 2022 23:33

Instrument :

BNA_G

ClientSampleId :

PB143156TB





Tgt Ion:188 Resp: 204927

Ion Ratio Lower Upper

188 100

94 7.7 5.7 8.5

80 8.3 7.2 10.8



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.878 min Scan# 3147

Delta R.T. -0.009 min

Lab File: BG052624.D

Acq: 9 Mar 2022 23:33




Tgt Ion:240 Resp: 220185


Ion Ratio Lower Upper

240 100

120 6.9 5.4 8.0

236 23.8 19.8 29.6









#79
 Terphenyl-d14
 Concen: 89.226 ng
 RT: 20.174 min Scan# 21
 Delta R.T. 0.003 min
 Lab File: BG052624.D
 Acq: 9 Mar 2022 23:33

Instrument :
 BNA_G
 ClientSampleId :
 PB143156TB

Tgt Ion:244 Resp: 1110243
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.2
 122 7.0 5.8 8.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.309 min Scan# 3731
 Delta R.T. 0.003 min
 Lab File: BG052624.D
 Acq: 9 Mar 2022 23:33

Tgt Ion:264 Resp: 217528
 Ion Ratio Lower Upper
 264 100
 260 21.8 18.2 27.2
 265 21.6 15.1 22.7

