

Data Path : Z:\HPCHEM1\BNA G\DATA\BG031218\
 Data File : BG033111.D
 Acq On : 13 Mar 2018 5:23
 Operator : SJ/JU
 Sample : PB107261TB
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB107261TB

Quant Time: Mar 13 08:51:04 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 09 15:10:14 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.91	152	42425	20.00	ng	0.00
21) Naphthalene-d8	11.79	136	180119	20.00	ng	0.00
38) Acenaphthene-d10	15.52	164	101287	20.00	ng	0.00
63) Phenanthrene-d10	18.25	188	241545	20.00	ng	0.00
75) Chrysene-d12	22.61	240	235203	20.00	ng	0.00
86) Perylene-d12	26.41	264	232735	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.32	112	290490	109.54	ng	0.00
7) Phenol-d6	8.01	99	385029	104.17	ng	0.00
23) Nitrobenzene-d5	10.11	82	229872	88.15	ng	0.00
41) 2,4,6-Tribromophenol	16.99	330	135149	126.90	ng	0.00
44) 2-Fluorobiphenyl	14.16	172	517740	73.72	ng	0.00
78) Terphenyl-d14	20.77	244	850790	81.27	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG031218\
Data File : BG033111.D
Acq On : 13 Mar 2018 5:23
Operator : SJ/JU
Sample : PB107261TB
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB107261TB

Quant Time: Mar 13 08:51:04 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 09 15:10:14 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.91 min Scan# 957
 Delta R.T. 0.00 min
 Lab File: BG033111.D
 Acq: 13 Mar 2018 5:23

Instrument :
 BNA_G
 ClientSampleId :
 PB107261TB

Tot Ion:152 Resp: 42425
 Ion Ratio Lower Upper
 152 100
 150 157.8 126.6 189.8
 115 62.1 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 109.544 ng
 RT: 6.32 min Scan# 517
 Delta R.T. 0.00 min
 Lab File: BG033111.D
 Acq: 13 Mar 2018 5:23

Tgt Ion:112 Resp: 290490
 Ion Ratio Lower Upper
 112 100
 64 68.8 56.3 84.5
 63 37.3 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 104.168 ng

RT: 8.01 min Scan# 803

Delta R.T. 0.00 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23

Instrument :

BNA_G

ClientSampleId :

PB107261TB


Tot Ion: 99 Resp: 385029

Ion Ratio Lower Upper



99 100

42 23.4 14.1 21.1#

71 35.7 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.79 min Scan# 1448

Delta R.T. -0.01 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23

Tgt Ion: 136 Resp: 180119


Ion Ratio Lower Upper

136 100



137 10.6 9.2 13.8


54 10.8 10.3 15.5

68 6.2 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 88.148 ng
RT: 10.11 min Scan# 1161
Delta R.T. -0.01 min
Lab File: BG033111.D
Acq: 13 Mar 2018 5:23




Instrument :
BNA_G
ClientSampleId :
PB107261TB


Tot Ion	82	Resp	229872
Ion Ratio	Lower	Upper	
82	100		
128	42.3	29.7	44.5
54	59.4	43.1	64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.52 min Scan# 2083
Delta R.T. -0.01 min
Lab File: BG033111.D
Acq: 13 Mar 2018 5:23

Tgt Ion	164	Resp	101287
Ion Ratio	Lower	Upper	
164	100		
162	107.7	78.8	118.2
160	49.4	35.4	53.0








#41
 2,4,6-Tribromophenol
 Concen: 126.901 ng
 RT: 16.99 min Scan# 2333
 Delta R.T. -0.01 min
 Lab File: BG033111.D
 Acq: 13 Mar 2018 5:23

Instrument :
 BNA_G
 ClientSampleId :
 PB107261TB

Tot Ion:330 Resp: 135149
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.0 115.6
 141 40.8 25.2 37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 73.722 ng
 RT: 14.16 min Scan# 1850
 Delta R.T. 0.00 min
 Lab File: BG033111.D
 Acq: 13 Mar 2018 5:23

Tgt Ion:172 Resp: 517740
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.0 45.0
 170 24.5 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.25 min Scan# 2547

Delta R.T. -0.01 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23

Instrument :

BNA_G

ClientSampleId :

PB107261TB


Tot Ion:188 Resp: 241545

Ion Ratio Lower Upper

188 100

94 9.6 6.9 10.3




80 11.2 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.61 min Scan# 3289

Delta R.T. 0.00 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23


Tgt Ion:240 Resp: 235203

Ion Ratio Lower Upper

240 100

120 10.6 6.8 10.2#



236 28.6 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 81.270 ng

RT: 20.77 min Scan# 2976

Delta R.T. 0.00 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23

Instrument :

BNA_G

ClientSampleId :

PB107261TB


Tot Ion:244 Resp: 850790

Ion Ratio Lower Upper




244 100

212 8.0 5.8 8.8

122 11.1 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.41 min Scan# 3936

Delta R.T. 0.00 min

Lab File: BG033111.D

Acq: 13 Mar 2018 5:23


Tgt Ion:264 Resp: 232735

Ion Ratio Lower Upper

264 100

260 23.2 17.4 26.0

265 21.9 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

