

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031220\
 Data File : BG044761.D
 Acq On : 13 Mar 2020 8:44
 Operator : CG/JU
 Sample : L1893-12
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-2-DA

Quant Time: Mar 13 09:20:57 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 10 16:27:39 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	96700	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	407112	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	276752	20.00	ng	0.00
64) Phenanthrene-d10	17.43	188	604794	20.00	ng	0.00
76) Chrysene-d12	21.70	240	549806	20.00	ng	-0.01
87) Perylene-d12	24.92	264	619661	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	754217	121.42	ng	0.00
7) Phenol-d6	7.21	99	996154	110.37	ng	0.00
23) Nitrobenzene-d5	9.21	82	803109	86.56	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	460596	127.11	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	1624752	84.07	ng	0.00
79) Terphenyl-d14	20.04	244	2530890	86.11	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.14	163	88416	4.011	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031220\
Data File : BG044761.D
Acq On : 13 Mar 2020 8:44
Operator : CG/JU
Sample : L1893-12
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-2-DA

Quant Time: Mar 13 09:20:57 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 10 16:27:39 2020
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 845
Delta R.T. -0.00 min
Lab File: BG044761.D
Acq: 13 Mar 2020 8:44

Instrument :
BNA_G
ClientSampleId :
TP-2-DA

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.3	125.3	187.9
115	59.7	51.7	77.5






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 121.415 ng
RT: 5.62 min Scan# 431
Delta R.T. 0.00 min
Lab File: BG044761.D
Acq: 13 Mar 2020 8:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	70.8	52.6	78.8
63	40.1	30.2	45.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 110.372 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG044761.D

Acq: 13 Mar 2020 8:44

Instrument :

BNA_G

ClientSampleId :

TP-2-DA


Tot Ion: 99 Resp: 996154

Ion Ratio Lower Upper




99 100

42 19.5 15.4 23.0

71 37.9 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1323

Delta R.T. -0.00 min

Lab File: BG044761.D

Acq: 13 Mar 2020 8:44

Tgt Ion: 136 Resp: 407112


Ion Ratio Lower Upper

136 100



137 10.7 10.7 16.1


54 10.1 9.0 13.4

68 6.2 5.9 8.9



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 86.565 ng
 RT: 9.21 min Scan# 1041
 Delta R.T. -0.01 min
 Lab File: BG044761.D
 Acq: 13 Mar 2020 8:44




Instrument :
 BNA_G
 ClientSampleId :
 TP-2-DA


Tot Ion	82	Resp	803109
Ion Ratio	Lower	Upper	
82	100		
128	38.6	30.2	45.2
54	52.1	41.8	62.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.69 min Scan# 1974
 Delta R.T. -0.00 min
 Lab File: BG044761.D
 Acq: 13 Mar 2020 8:44

Tgt Ion	164	Resp	276752
Ion Ratio	Lower	Upper	
164	100		
162	98.8	80.2	120.4
160	45.4	36.2	54.2






#42
 2,4,6-Tribromophenol
 Concen: 127.109 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.01 min
 Lab File: BG044761.D
 Acq: 13 Mar 2020 8:44

Instrument :
 BNA_G
 ClientSampleId :
 TP-2-DA

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	77.5	116.3
141	39.5	31.7	47.5






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 84.072 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.00 min
 Lab File: BG044761.D
 Acq: 13 Mar 2020 8:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.0	30.8	46.2
170	25.6	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 4.011 ng

RT: 14.14 min Scan# 1880

Delta R.T. -0.01 min

Lab File: BG044761.D

Acq: 13 Mar 2020 8:44

Instrument :

BNA_G

ClientSampleId :

TP-2-DA


Tot Ion:163 Resp: 88416

Ion Ratio Lower Upper

163 100

194 4.6 3.5 5.3




164 12.1 9.2 13.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2441

Delta R.T. -0.00 min

Lab File: BG044761.D

Acq: 13 Mar 2020 8:44


Tgt Ion:188 Resp: 604794

Ion Ratio Lower Upper

188 100

94 8.3 7.0 10.6



80 9.9 8.4 12.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.70 min Scan# 3167
Delta R.T. -0.01 min
Lab File: BG044761.D
Acq: 13 Mar 2020 8:44




Instrument :
BNA_G
ClientSampleId :
TP-2-DA


Tot Ion:240 Resp: 549806
Ion Ratio Lower Upper
240 100
120 9.2 6.9 10.3
236 25.6 21.9 32.9



#79
Terphenyl-d14
Concen: 86.106 ng
RT: 20.04 min Scan# 2885
Delta R.T. -0.01 min
Lab File: BG044761.D
Acq: 13 Mar 2020 8:44

Tgt Ion:244 Resp: 2530890
Ion Ratio Lower Upper
244 100
212 10.4 8.4 12.6
122 11.1 8.7 13.1





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.92 min Scan# 3715
 Delta R.T. -0.01 min
 Lab File: BG044761.D
 Acq: 13 Mar 2020 8:44

Instrument :
 BNA_G
 ClientSampleId :
 TP-2-DA

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.4	18.4	27.6
265	22.8	17.4	26.2

