

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031419\
 Data File : BG039935.D
 Acq On : 14 Mar 2019 21:40
 Operator : JU/SJ
 Sample : K1897-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-2-CONCRETE

Quant Time: Mar 15 08:39:01 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 04 14:38:15 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.15	152	43421	20.00	ng	-0.02
21) Naphthalene-d8	10.97	136	186642	20.00	ng	-0.02
39) Acenaphthene-d10	14.77	164	129134	20.00	ng	-0.02
64) Phenanthrene-d10	17.52	188	330044	20.00	ng	-0.02
76) Chrysene-d12	21.80	240	323756	20.00	ng	-0.02
87) Perylene-d12	25.17	264	331650	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	200697	78.85	ng	-0.02
7) Phenol-d6	7.29	99	384180	101.23	ng	-0.02
23) Nitrobenzene-d5	9.33	82	242893	70.38	ng	-0.02
42) 2,4,6-Tribromophenol	16.26	330	70338	46.73	ng	-0.02
45) 2-Fluorobiphenyl	13.40	172	647079	71.35	ng	-0.02
79) Terphenyl-d14	20.11	244	1019230	69.32	ng	-0.01
Target Compounds						
10) Phenol	7.32	94	26554	6.459	ng	93
50) Dimethylphthalate	14.21	163	63066	5.840	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031419\
Data File : BG039935.D
Acq On : 14 Mar 2019 21:40
Operator : JU/SJ
Sample : K1897-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-1-2-CONCRETE

Quant Time: Mar 15 08:39:01 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG030419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 04 14:38:15 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.15 min Scan# 861
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40

Instrument :
BNA_G
ClientSampleId :
TP-1-2-CONCRETE




Tot Ion	Ratio	Lower	Upper
152	100		
150	162.9	123.7	185.5
115	60.7	45.9	68.9






#5

2-Fluorophenol
Concen: 78.854 ng
RT: 5.69 min Scan# 443
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40

Tgt Ion	Ratio	Lower	Upper
112	100		
64	71.1	57.8	86.8
63	37.4	29.8	44.6





#7

Phenol-d6

Concen: 101.233 ng

RT: 7.29 min Scan# 716

Delta R.T. -0.02 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40

Instrument :

BNA_G

ClientSampleId :

TP-1-2-CONCRETE





Tot Ion: 99 Resp: 384180

Ion Ratio Lower Upper

99 100

42 20.2 18.2 27.2

71 35.3 28.0 42.0



#10

Phenol

Concen: 6.459 ng

RT: 7.32 min Scan# 720

Delta R.T. -0.02 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40


Tgt Ion: 94 Resp: 26554

Ion Ratio Lower Upper

94 100

65 36.0 11.7 51.7

66 48.3 23.7 63.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.97 min Scan# 1341
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40

Instrument :
BNA_G
ClientSampleId :
TP-1-2-CONCRETE

Tot Ion:136	Resp:	186642
Ion Ratio	Lower	Upper
136	100	
137	9.5	9.1 13.7
54	10.8	9.4 14.2
68	6.2	4.2 6.4




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 70.384 ng
RT: 9.33 min Scan# 1062
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40

Tgt Ion: 82	Resp:	242893
Ion Ratio	Lower	Upper
82	100	
128	43.0	31.3 46.9
54	58.1	50.9 76.3



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.77 min Scan# 1989

Delta R.T. -0.02 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40

Instrument :

BNA_G

ClientSampleId :

TP-1-2-CONCRETE


Tot Ion:164 Resp: 129134

Ion Ratio Lower Upper

164 100

162 101.6 81.6 122.4




160 44.0 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 46.731 ng

RT: 16.26 min Scan# 2242

Delta R.T. -0.02 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40


Tgt Ion:330 Resp: 70338

Ion Ratio Lower Upper

330 100

332 97.3 75.7 113.5



141 43.7 35.6 53.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 71.347 ng
 RT: 13.40 min Scan# 1755
 Delta R.T. -0.02 min
 Lab File: BG039935.D
 Acq: 14 Mar 2019 21:40

Instrument :
 BNA_G
 ClientSampleId :
 TP-1-2-CONCRETE

Tot Ion:172 Resp: 647079
 Ion Ratio Lower Upper
 172 100
 171 37.2 30.8 46.2
 170 24.7 20.2 30.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 Dimethylphthalate
 Concen: 5.840 ng
 RT: 14.21 min Scan# 1894
 Delta R.T. -0.02 min
 Lab File: BG039935.D
 Acq: 14 Mar 2019 21:40

Tgt Ion:163 Resp: 63066
 Ion Ratio Lower Upper
 163 100
 194 3.8 3.6 5.4
 164 11.2 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.52 min Scan# 2456
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40




Instrument :
BNA_G
ClientSampleId :
TP-1-2-CONCRETE


Tot Ion:188 Resp: 330044
Ion Ratio Lower Upper
188 100
94 7.9 6.9 10.3
80 8.9 8.1 12.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.80 min Scan# 3186
Delta R.T. -0.02 min
Lab File: BG039935.D
Acq: 14 Mar 2019 21:40

Tgt Ion:240 Resp: 323756
Ion Ratio Lower Upper
240 100
120 7.8 7.0 10.6
236 26.1 21.0 31.4





#79

Terphenyl-d14

Concen: 69.316 ng

RT: 20.11 min Scan# 2898

Delta R.T. -0.01 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40

Instrument :


BNA_G

ClientSampleId :

TP-1-2-CONCRETE

Tot Ion:244 Resp: 1019230




Ion	Ratio	Lower	Upper
244	100		
212	9.2	7.3	10.9
122	8.8	8.4	12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.17 min Scan# 3759


Delta R.T. -0.03 min

Lab File: BG039935.D

Acq: 14 Mar 2019 21:40

Tgt Ion:264 Resp: 331650

Ion	Ratio	Lower	Upper
264	100		
260	24.9	18.2	27.4
265	20.7	18.5	27.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

