

Data Path : Z:\HPCHEM1\BNA G\DATA\BG031618\
 Data File : BG033205.D
 Acq On : 16 Mar 2018 18:38
 Operator : SJ/JU
 Sample : J1926-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 4522-24

Quant Time: Mar 17 05:37:47 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 14 13:59:34 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.90	152	35139	20.00	ng	0.00
21) Naphthalene-d8	11.78	136	146018	20.00	ng	0.00
38) Acenaphthene-d10	15.51	164	108395	20.00	ng	0.00
63) Phenanthrene-d10	18.25	188	322770	20.00	ng	0.00
75) Chrysene-d12	22.61	240	343335	20.00	ng	0.00
86) Perylene-d12	26.41	264	365108	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.31	112	327202	148.97	ng	0.00
7) Phenol-d6	8.00	99	444966	145.34	ng	-0.01
23) Nitrobenzene-d5	10.10	82	339741	152.55	ng	0.00
41) 2,4,6-Tribromophenol	16.99	330	284974	250.04	ng	0.00
44) 2-Fluorobiphenyl	14.14	172	762670	101.48	ng	0.00
78) Terphenyl-d14	20.77	244	1658076	108.50	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG031618\
Data File : BG033205.D
Acq On : 16 Mar 2018 18:38
Operator : SJ/JU
Sample : J1926-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
4522-24

Quant Time: Mar 17 05:37:47 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG022118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 14 13:59:34 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.90 min Scan# 955
Delta R.T. 0.00 min
Lab File: BG033205.D
Acq: 16 Mar 2018 18:38

Instrument :
BNA_G
ClientSampleId :
4522-24

Tot Ion:152 Resp: 35139
Ion Ratio Lower Upper
152 100
150 138.6 126.6 189.8
115 60.9 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 148.973 ng
RT: 6.31 min Scan# 515
Delta R.T. -0.01 min
Lab File: BG033205.D
Acq: 16 Mar 2018 18:38

Tgt Ion:112 Resp: 327202
Ion Ratio Lower Upper
112 100
64 73.7 56.3 84.5
63 41.6 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 145.344 ng

RT: 8.00 min Scan# 802

Delta R.T. -0.01 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38

Instrument :

BNA_G

ClientSampleId :

4522-24


Tot Ion: 99 Resp: 444966

Ion Ratio Lower Upper




99 100

42 19.8 14.1 21.1

71 41.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.78 min Scan# 1446

Delta R.T. -0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38

Tgt Ion: 136 Resp: 146018


Ion Ratio Lower Upper

136 100



137 10.6 9.2 13.8


54 12.5 10.3 15.5

68 6.2 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 152.545 ng

RT: 10.10 min Scan# 1159

Delta R.T. -0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38

Instrument :

BNA_G

ClientSampleId :

4522-24


Tot Ion: 82 Resp: 339741

Ion Ratio Lower Upper

82 100

128 37.7 29.7 44.5




54 56.2 43.1 64.7



Abundance Ion 82.00 (81.70 to 82.70): BG033205.D (-1157) (-)

Ion 128.00 (127.70 to 128.70): BG033205.D (-1157) (-)

Ion 54.00 (53.70 to 54.70): BG033205.D (-1157) (-)



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.51 min Scan# 2081

Delta R.T. -0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38


Tgt Ion:164 Resp: 108395

Ion Ratio Lower Upper

164 100

162 102.0 78.8 118.2



160 45.7 35.4 53.0




Abundance Ion 164.00 (163.70 to 164.70): BG033205.D (-1991) (-)

Ion 162.00 (161.70 to 162.70): BG033205.D (-1991) (-)

Ion 160.00 (159.70 to 160.70): BG033205.D (-1991) (-)









#41
 2,4,6-Tribromophenol
 Concen: 250.035 ng
 RT: 16.99 min Scan# 2332
 Delta R.T. -0.00 min
 Lab File: BG033205.D
 Acq: 16 Mar 2018 18:38




Instrument :
 BNA_G
 ClientSampleId :
 4522-24


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	37.5	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 101.477 ng
 RT: 14.14 min Scan# 1847
 Delta R.T. -0.00 min
 Lab File: BG033205.D
 Acq: 16 Mar 2018 18:38

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	30.0	45.0
170	25.6	19.5	29.3





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.25 min Scan# 2546

Delta R.T. -0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38

Instrument :

BNA_G

ClientSampled :

4522-24


Tot Ion:188 Resp: 322770

Ion Ratio Lower Upper

188 100

94 7.1 6.9 10.3




80 7.6 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.61 min Scan# 3288

Delta R.T. -0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38


Tgt Ion:240 Resp: 343335

Ion Ratio Lower Upper

240 100

120 7.7 6.8 10.2



236 26.7 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 108.502 ng

RT: 20.77 min Scan# 2975

Delta R.T. 0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38

Instrument :

BNA_G

ClientSampleId :

4522-24


Tot Ion:244 Resp: 1658076

Ion Ratio Lower Upper

244 100

212 9.0 5.8 8.8#




122 7.7 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.41 min Scan# 3936

Delta R.T. 0.00 min

Lab File: BG033205.D

Acq: 16 Mar 2018 18:38


Tgt Ion:264 Resp: 365108

Ion Ratio Lower Upper

264 100

260 24.2 17.4 26.0

265 23.1 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

