

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031820\
 Data File : BG044895.D
 Acq On : 19 Mar 2020 12:59
 Operator : CG/JU
 Sample : L1873-06
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-3

Quant Time: Mar 19 14:53:29 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 16 17:37:15 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	81410	20.00	ng	-0.01
21) Naphthalene-d8	10.85	136	303449	20.00	ng	-0.01
39) Acenaphthene-d10	14.67	164	197028	20.00	ng	-0.01
64) Phenanthrene-d10	17.42	188	455357	20.00	ng	-0.01
76) Chrysene-d12	21.68	240	480624	20.00	ng	-0.02
87) Perylene-d12	24.89	264	535996	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	604120	115.52	ng	0.00
7) Phenol-d6	7.20	99	769591	101.28	ng	0.00
23) Nitrobenzene-d5	9.20	82	611320	88.40	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	384006	148.85	ng	-0.01
45) 2-Fluorobiphenyl	13.30	172	1252263	91.02	ng	0.00
79) Terphenyl-d14	20.03	244	2232336	86.88	ng	0.00
Target Compounds						
10) Phenol	7.22	94	15554	2.068	ng	Qvalue # 65
50) Dimethylphthalate	14.12	163	53759	3.426	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031820\
Data File : BG044895.D
Acq On : 19 Mar 2020 12:59
Operator : CG/JU
Sample : L1873-06
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-3

Quant Time: Mar 19 14:53:29 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 16 17:37:15 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.04 min Scan# 843
 Delta R.T. -0.01 min
 Lab File: BG044895.D
 Acq: 19 Mar 2020 12:59

Instrument :
 BNA_G
 ClientSampleId :
 TP-3

Tot Ion:152 Resp: 81410
 Ion Ratio Lower Upper
 152 100
 150 156.6 128.8 193.2
 115 59.2 52.6 79.0




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
 Concen: 115.518 ng
 RT: 5.61 min Scan# 430
 Delta R.T. 0.00 min
 Lab File: BG044895.D
 Acq: 19 Mar 2020 12:59

Tgt Ion:112 Resp: 604120
 Ion Ratio Lower Upper
 112 100
 64 66.2 53.4 80.2
 63 36.5 29.4 44.2



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 101.284 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.00 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59

Instrument :

BNA_G

ClientSampleId :

TP-3





Tot Ion: 99 Resp: 769591

Ion Ratio Lower Upper

99 100

42 17.1 12.6 19.0

71 35.5 29.0 43.4



#10

Phenol

Concen: 2.068 ng

RT: 7.22 min Scan# 704

Delta R.T. -0.00 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59


Tgt Ion: 94 Resp: 15554


Ion Ratio Lower Upper

94 100

65 40.7 11.0 51.0

66 70.2 20.1 60.1#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.85 min Scan# 1321
Delta R.T. -0.01 min
Lab File: BG044895.D
Acq: 19 Mar 2020 12:59

Instrument :
BNA_G
ClientSampleId :
TP-3

Tot Ion:136	Resp:	303449
Ion Ratio	Lower	Upper
136 100		
137 9.8	9.8	14.6
54 8.6	7.9	11.9
68 6.2	5.4	8.0




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 88.402 ng
RT: 9.20 min Scan# 1040
Delta R.T. -0.00 min
Lab File: BG044895.D
Acq: 19 Mar 2020 12:59

Tgt Ion: 82	Resp: 611320
Ion Ratio	Lower Upper
82 100	
128 40.2	30.6 46.0
54 47.8	37.1 55.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1972

Delta R.T. -0.01 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59

Instrument :

BNA_G

ClientSampleId :

TP-3


Tot Ion:164 Resp: 197028

Ion Ratio Lower Upper

164 100

162 103.5 76.7 115.1




160 46.5 35.0 52.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 148.852 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.01 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59


Tgt Ion:330 Resp: 384006

Ion Ratio Lower Upper

330 100

332 100.0 77.8 116.6



141 37.2 29.5 44.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 91.017 ng
RT: 13.30 min Scan# 1738
Delta R.T. -0.00 min
Lab File: BG044895.D
Acq: 19 Mar 2020 12:59




Instrument :
BNA_G
ClientSampleId :
TP-3


Tot Ion:172 Resp: 1252263
Ion Ratio Lower Upper
172 100
171 37.5 28.7 43.1
170 24.3 19.0 28.6



#50
Dimethylphthalate
Concen: 3.426 ng
RT: 14.12 min Scan# 1878
Delta R.T. -0.01 min
Lab File: BG044895.D
Acq: 19 Mar 2020 12:59

Tgt Ion:163 Resp: 53759
Ion Ratio Lower Upper
163 100
194 4.1 3.7 5.5
164 9.6 9.1 13.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.01 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59

Instrument :

BNA_G

ClientSampleId :

TP-3


Tot Ion:188 Resp: 455357

Ion Ratio Lower Upper

188 100

94 8.0 7.3 10.9




80 8.9 8.0 12.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3165

Delta R.T. -0.02 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59


Tgt Ion:240 Resp: 480624

Ion Ratio Lower Upper

240 100

120 7.5 6.7 10.1



236 26.6 21.5 32.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 86.881 ng

RT: 20.03 min Scan# 2884

Delta R.T. -0.00 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59

Instrument :

BNA_G

ClientSampleId :

TP-3


Tot Ion:244 Resp: 2232336

Ion Ratio Lower Upper

244 100

212 10.0 7.7 11.5

122 9.8 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

2000000

1500000



1000000

500000

0

19.95 20.00 20.05 20.10

Time-->



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.89 min Scan# 3711

Delta R.T. -0.02 min

Lab File: BG044895.D

Acq: 19 Mar 2020 12:59


Tgt Ion:264 Resp: 535996

Ion Ratio Lower Upper

264 100

260 23.7 18.1 27.1

265 21.5 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

250000

200000

150000

100000

50000

0

24.80 24.90 25.00

Time-->

