

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031920\
 Data File : BG044904.D
 Acq On : 19 Mar 2020 19:35
 Operator : CG/JU
 Sample : L1964-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 2000448388

Quant Time: Mar 20 02:13:26 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 16 17:37:15 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	84780	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	318604	20.00	ng	0.00
39) Acenaphthene-d10	14.68	164	209331	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	476847	20.00	ng	0.00
76) Chrysene-d12	21.68	240	464727	20.00	ng	-0.02
87) Perylene-d12	24.89	264	533663	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	589163	108.18	ng	0.00
7) Phenol-d6	7.20	99	731092	92.39	ng	0.00
23) Nitrobenzene-d5	9.20	82	616355	84.89	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	386073	140.86	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	1251685	85.63	ng	0.00
79) Terphenyl-d14	20.03	244	2127022	85.61	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.12	163	63957	3.836	ng	96
84) Bis(2-ethylhexyl)phthalate	21.59	149	54066	2.583	ng	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG031920\
Data File : BG044904.D
Acq On : 19 Mar 2020 19:35
Operator : CG/JU
Sample : L1964-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
2000448388

Quant Time: Mar 20 02:13:26 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG031020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 16 17:37:15 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.04 min Scan# 843
 Delta R.T. -0.01 min
 Lab File: BG044904.D
 Acq: 19 Mar 2020 19:35

Instrument :
 BNA_G
 ClientSampleId :
 2000448388




Tot Ion	Ratio	Lower	Upper
152	100		
150	147.7	128.8	193.2
115	57.3	52.6	79.0




#5

2-Fluorophenol
 Concen: 108.179 ng
 RT: 5.62 min Scan# 430
 Delta R.T. 0.00 min
 Lab File: BG044904.D
 Acq: 19 Mar 2020 19:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	66.3	53.4	80.2
63	38.5	29.4	44.2





#7

Phenol-d6

Concen: 92.392 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.00 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Instrument :

BNA_G

ClientSampleId :

2000448388


Tot Ion: 99 Resp: 731092

Ion Ratio Lower Upper




99 100

42 18.2 12.6 19.0

71 36.5 29.0 43.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1321

Delta R.T. -0.01 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Tgt Ion: 136 Resp: 318604


Ion Ratio Lower Upper

136 100



137 10.7 9.8 14.6


54 8.6 7.9 11.9

68 5.3 5.4 8.0#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 84.891 ng
 RT: 9.20 min Scan# 1040
 Delta R.T. -0.00 min
 Lab File: BG044904.D
 Acq: 19 Mar 2020 19:35




Instrument :
 BNA_G
 ClientSampleId :
 2000448388


Tot Ion	82	Resp	616355
Ion Ratio	Lower	Upper	
82	100		
128	40.3	30.6	46.0
54	48.3	37.1	55.7



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.68 min Scan# 1972
 Delta R.T. -0.01 min
 Lab File: BG044904.D
 Acq: 19 Mar 2020 19:35

Tgt Ion	164	Resp	209331
Ion Ratio	Lower	Upper	
164	100		
162	98.2	76.7	115.1
160	42.5	35.0	52.4





#42

2,4,6-Tribromophenol

Concen: 140.858 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.01 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Instrument :

BNA_G

ClientSampleId :

2000448388


Tot Ion:330 Resp: 386073

Ion Ratio Lower Upper

330 100

332 98.4 77.8 116.6




141 37.3 29.5 44.3



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 85.628 ng

RT: 13.30 min Scan# 1738

Delta R.T. -0.00 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35


Tgt Ion:172 Resp: 1251685

Ion Ratio Lower Upper

172 100

171 36.4 28.7 43.1



170 24.5 19.0 28.6




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.836 ng

RT: 14.12 min Scan# 1878

Delta R.T. -0.01 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Instrument :

BNA_G

ClientSampleId :

2000448388


Tot Ion:163 Resp: 63957

Ion Ratio Lower Upper

163 100

194 5.2 3.7 5.5




164 9.8 9.1 13.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.01 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35


Tgt Ion:188 Resp: 476847

Ion Ratio Lower Upper

188 100

94 8.0 7.3 10.9



80 9.0 8.0 12.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3165

Delta R.T. -0.02 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Instrument :

BNA_G

ClientSampleId :

2000448388


Tot Ion:240 Resp: 464727

Ion Ratio Lower Upper

240 100

120 8.3 6.7 10.1




236 26.8 21.5 32.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 85.614 ng

RT: 20.03 min Scan# 2883

Delta R.T. -0.01 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35


Tgt Ion:244 Resp: 2127022

Ion Ratio Lower Upper

244 100

212 9.8 7.7 11.5



122 9.4 8.6 12.8




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#84

Bis(2-ethylhexyl)phthalate

Concen: 2.583 ng

RT: 21.59 min Scan# 3149

Delta R.T. -0.02 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35

Instrument :

BNA_G

ClientSampleId :

2000448388


Tot Ion:149 Resp: 54066

Ion Ratio Lower Upper

149 100

167 22.9 21.8 32.6




279 5.1 3.8 5.6



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.89 min Scan# 3710

Delta R.T. -0.02 min

Lab File: BG044904.D

Acq: 19 Mar 2020 19:35


Tgt Ion:264 Resp: 533663

Ion Ratio Lower Upper

264 100

260 22.7 18.1 27.1

265 22.3 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

