

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG032018\
 Data File : BG033281.D
 Acq On : 21 Mar 2018 00:50
 Operator : SJ/JU
 Sample : J1755-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OK-01-031618

Quant Time: Mar 21 03:45:16 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 19 16:48:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.89	152	38011	20.00	ng	0.00
21) Naphthalene-d8	11.78	136	158157	20.00	ng	0.00
38) Acenaphthene-d10	15.51	164	121783	20.00	ng	0.00
63) Phenanthrene-d10	18.24	188	336338	20.00	ng	0.00
75) Chrysene-d12	22.60	240	332230	20.00	ng	0.00
86) Perylene-d12	26.39	264	342210	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.31	112	303240	149.59	ng	0.00
7) Phenol-d6	8.00	99	430972	123.74	ng	0.00
23) Nitrobenzene-d5	10.09	82	339288	98.56	ng	0.00
41) 2,4,6-Tribromophenol	16.98	330	265485	145.76	ng	0.00
44) 2-Fluorobiphenyl	14.14	172	798483	94.65	ng	0.00
78) Terphenyl-d14	20.76	244	1579061	101.65	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG032018\
Data File : BG033281.D
Acq On : 21 Mar 2018 00:50
Operator : SJ/JU
Sample : J1755-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OK-01-031618

Quant Time: Mar 21 03:45:16 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 19 16:48:53 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.89 min Scan# 954
Delta R.T. -0.01 min
Lab File: BG033281.D
Acq: 21 Mar 2018 00:50

Instrument :
BNA_G
ClientSampleId :
OK-01-031618

Tot Ion:152 Resp: 38011
Ion Ratio Lower Upper
152 100
150 148.0 126.6 189.8
115 66.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 149.591 ng
RT: 6.31 min Scan# 514
Delta R.T. -0.01 min
Lab File: BG033281.D
Acq: 21 Mar 2018 00:50

Tgt Ion:112 Resp: 303240
Ion Ratio Lower Upper
112 100
64 75.0 56.3 84.5
63 42.3 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 123.735 ng

RT: 8.00 min Scan# 802

Delta R.T. 0.00 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50

Instrument :

BNA_G

ClientSampleId :

OK-01-031618


Tot Ion: 99 Resp: 430972

Ion Ratio Lower Upper




99 100

42 20.4 14.1 21.1

71 41.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.78 min Scan# 1445

Delta R.T. -0.01 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50

Tgt Ion: 136 Resp: 158157


Ion Ratio Lower Upper

136 100



137 10.7 9.2 13.8


54 10.9 10.3 15.5

68 7.0 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 98.562 ng

RT: 10.09 min Scan# 1158

Delta R.T. -0.01 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50

Instrument :

BNA_G

ClientSampleId :

OK-01-031618


Tot Ion: 82 Resp: 339288

Ion Ratio Lower Upper




82 100

128 37.3 29.7 44.5

54 54.9 43.1 64.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.51 min Scan# 2080

Delta R.T. -0.01 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50


Tgt Ion: 164 Resp: 121783

Ion Ratio Lower Upper



164 100


162 104.4 78.8 118.2

160 43.3 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 145.758 ng
 RT: 16.98 min Scan# 2331
 Delta R.T. -0.00 min
 Lab File: BG033281.D
 Acq: 21 Mar 2018 00:50




Instrument :
 BNA_G
 ClientSampleId :
 OK-01-031618


Tot Ion	Ratio	Lower	Upper
330	100		
332	94.0	77.0	115.6
141	34.8	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 94.653 ng
 RT: 14.14 min Scan# 1847
 Delta R.T. -0.00 min
 Lab File: BG033281.D
 Acq: 21 Mar 2018 00:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	30.0	45.0
170	23.2	19.5	29.3









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.24 min Scan# 2545
Delta R.T. -0.00 min
Lab File: BG033281.D
Acq: 21 Mar 2018 00:50




Instrument :
BNA_G
ClientSampleId :
OK-01-031618


Tot Ion	Ratio	Lower	Upper
188	100		
94	6.4	6.9	10.3#
80	7.7	7.7	11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.60 min Scan# 3287
Delta R.T. -0.00 min
Lab File: BG033281.D
Acq: 21 Mar 2018 00:50

Tgt Ion	Ratio	Lower	Upper
240	100		
120	5.3	6.8	10.2#
236	25.8	20.9	31.3





#78

Terphenyl-d14

Concen: 101.646 ng

RT: 20.76 min Scan# 2974

Delta R.T. -0.00 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50

Instrument :

BNA_G

ClientSampleId :

OK-01-031618


Tot Ion:244 Resp: 1579061

Ion Ratio Lower Upper

244 100

212 8.5 5.8 8.8




122 7.1 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.39 min Scan# 3932

Delta R.T. -0.01 min

Lab File: BG033281.D

Acq: 21 Mar 2018 00:50


Tgt Ion:264 Resp: 342210

Ion Ratio Lower Upper

264 100

260 21.8 17.4 26.0

265 21.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

