

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032217\
 Data File : BG026392.D
 Acq On : 23 Mar 2017 1:52
 Operator : SJ/MA
 Sample : I2337-02
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 E2-W7-SSW

Quant Time: Mar 23 03:09:19 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 20 17:43:27 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	141606	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	576093	20.00	ng	0.00
38) Acenaphthene-d10	14.65	164	333007	20.00	ng	0.00
63) Phenanthrene-d10	17.38	188	808095	20.00	ng	-0.01
75) Chrysene-d12	21.62	240	1001180	20.00	ng	-0.01
86) Perylene-d12	24.80	264	961296	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	1204809	151.01	ng	0.00
7) Phenol-d6	7.21	99	1544437	144.19	ng	0.00
23) Nitrobenzene-d5	9.20	82	808546	84.39	ng	0.00
41) 2,4,6-Tribromophenol	16.13	330	623509	163.50	ng	0.00
44) 2-Fluorobiphenyl	13.28	172	2109314	88.83	ng	0.00
78) Terphenyl-d14	19.98	244	2934353	71.18	ng	0.00
Target Compounds						
10) Phenol	7.23	94	61707	5.40	ng	# 74
49) Dimethylphthalate	14.10	163	171579	6.83	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032217\
Data File : BG026392.D
Acq On : 23 Mar 2017 1:52
Operator : SJ/MA
Sample : I2337-02
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
E2-W7-SSW

Quant Time: Mar 23 03:09:19 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 20 17:43:27 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.04 min Scan# 843

Delta R.T. -0.01 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52

Instrument :

BNA_G

ClientSampleId :

E2-W7-SSW


Tot Ion:152 Resp: 141606

Ion Ratio Lower Upper

152 100

150 158.2 114.0 171.0




115 56.6 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 151.01 ng

RT: 5.61 min Scan# 430

Delta R.T. -0.00 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52


Tgt Ion:112 Resp: 1204809

Ion Ratio Lower Upper

112 100

64 55.6 61.8 92.6#



63 26.8 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 144.19 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52

Instrument :

BNA_G

ClientSampleId :

E2-W7-SSW





Tot Ion: 99 Resp: 1544437

Ion Ratio Lower Upper

99 100

42 10.3 20.5 30.7#

71 26.4 37.6 56.4#



#10

Phenol

Concen: 5.40 ng

RT: 7.23 min Scan# 705

Delta R.T. -0.01 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52




Tgt Ion: 94 Resp: 61707


Ion Ratio Lower Upper

94 100

65 25.4 20.6 60.6

66 35.4 35.5 75.5#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.84 min Scan# 1320
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52

Instrument :
BNA_G
ClientSampleId :
E2-W7-SSW

Tot Ion:	136	Resp:	576093
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.9	13.3
54	5.4	9.3	13.9#
68	5.5	5.1	7.7




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 84.39 ng
RT: 9.20 min Scan# 1040
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52

Tgt Ion:	82	Resp:	808546
Ion	Ratio	Lower	Upper
82	100		
128	52.1	26.4	39.6#
54	40.8	49.4	74.2#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC









#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.65 min Scan# 1968
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52




Instrument :
BNA_G
ClientSampleId :
E2-W7-SSW


Tot Ion	Ratio	Lower	Upper
164	100		
162	103.3	85.1	127.7
160	43.8	34.7	52.1



#41
2,4,6-Tribromophenol
Concen: 163.50 ng
RT: 16.13 min Scan# 2220
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	31.4	32.1	48.1#









#44
2-Fluorobiphenyl
Concen: 88.83 ng
RT: 13.28 min Scan# 1734
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52




Instrument :
BNA_G
ClientSampleId :
E2-W7-SSW


Tot Ion:172 Resp: 2109314
Ion Ratio Lower Upper
172 100
171 39.2 32.2 48.2
170 26.3 21.8 32.6



#49
Dimethylphthalate
Concen: 6.83 ng
RT: 14.10 min Scan# 1874
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52

Tgt Ion:163 Resp: 171579
Ion Ratio Lower Upper
163 100
194 4.6 3.8 5.6
164 8.8 9.3 13.9#









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.38 min Scan# 2432
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52




Instrument :
BNA_G
ClientSampled :
E2-W7-SSW


Tot Ion:188 Resp: 808095
Ion Ratio Lower Upper
188 100
94 9.0 5.8 8.8#
80 9.3 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.62 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG026392.D
Acq: 23 Mar 2017 1:52

Tgt Ion:240 Resp: 1001180
Ion Ratio Lower Upper
240 100
120 10.9 5.7 8.5#
236 25.6 22.2 33.4





#78

Terphenyl-d14

Concen: 71.18 ng

RT: 19.98 min Scan# 2875

Delta R.T. -0.01 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52

Instrument :

BNA_G

ClientSampleId :

E2-W7-SSW


Tot Ion:244 Resp: 2934353

Ion Ratio Lower Upper

244 100

212 8.8 10.0 15.0#




122 13.1 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.80 min Scan# 3696

Delta R.T. -0.02 min

Lab File: BG026392.D

Acq: 23 Mar 2017 1:52


Tgt Ion:264 Resp: 961296

Ion Ratio Lower Upper

264 100

260 24.3 21.8 32.8

265 21.9 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

