

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032317\
 Data File : BG026407.D
 Acq On : 23 Mar 2017 17:53
 Operator : SJ/MA
 Sample : I2364-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 WC-COMP-11

Quant Time: Mar 24 01:01:02 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 20 17:43:27 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	139739	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	556917	20.00	ng	0.00
38) Acenaphthene-d10	14.65	164	315791	20.00	ng	0.00
63) Phenanthrene-d10	17.38	188	765323	20.00	ng	0.00
75) Chrysene-d12	21.62	240	992328	20.00	ng	-0.01
86) Perylene-d12	24.80	264	981869	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	995395	126.43	ng	0.00
7) Phenol-d6	7.21	99	1175425	111.21	ng	0.00
23) Nitrobenzene-d5	9.20	82	776793	83.87	ng	0.00
41) 2,4,6-Tribromophenol	16.13	330	594777	164.47	ng	0.00
44) 2-Fluorobiphenyl	13.28	172	2068751	91.87	ng	0.00
78) Terphenyl-d14	19.98	244	3058244	74.85	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032317\
Data File : BG026407.D
Acq On : 23 Mar 2017 17:53
Operator : SJ/MA
Sample : I2364-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
WC-COMP-11

Quant Time: Mar 24 01:01:02 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 20 17:43:27 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.00 min
Lab File: BG026407.D
Acq: 23 Mar 2017 17:53

Instrument :
BNA_G
ClientSampleId :
WC-COMP-11

Tot Ion:152 Resp: 139739
Ion Ratio Lower Upper
152 100
150 151.4 114.0 171.0
115 50.6 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 126.43 ng
RT: 5.62 min Scan# 431
Delta R.T. 0.01 min
Lab File: BG026407.D
Acq: 23 Mar 2017 17:53

Tgt Ion:112 Resp: 995395
Ion Ratio Lower Upper
112 100
64 54.7 61.8 92.6#
63 26.5 37.2 55.8#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 111.21 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.01 min

Lab File: BG026407.D

Acq: 23 Mar 2017 17:53

Instrument :

BNA_G

ClientSampleId :

WC-COMP-11





Tot Ion: 99 Resp: 1175425

Ion Ratio Lower Upper

99 100

42 10.5 20.5 30.7#

71 26.2 37.6 56.4#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.84 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BG026407.D

Acq: 23 Mar 2017 17:53

Tgt Ion: 136 Resp: 556917




Ion Ratio Lower Upper


136 100

137 10.8 8.9 13.3

54 6.4 9.3 13.9#

68 5.9 5.1 7.7









#23
 Nitrobenzene-d5
 Concen: 83.87 ng
 RT: 9.20 min Scan# 1040
 Delta R.T. -0.01 min
 Lab File: BG026407.D
 Acq: 23 Mar 2017 17:53




Instrument :
 BNA_G
 ClientSampleId :
 WC-COMP-11


Tot Ion: 82 Resp: 776793
 Ion Ratio Lower Upper
 82 100
 128 52.6 26.4 39.6#
 54 42.9 49.4 74.2#



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.65 min Scan# 1968
 Delta R.T. -0.01 min
 Lab File: BG026407.D
 Acq: 23 Mar 2017 17:53

Tgt Ion: 164 Resp: 315791
 Ion Ratio Lower Upper
 164 100
 162 101.8 85.1 127.7
 160 46.7 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 164.47 ng
 RT: 16.13 min Scan# 2220
 Delta R.T. -0.01 min
 Lab File: BG026407.D
 Acq: 23 Mar 2017 17:53

Instrument :
 BNA_G
 ClientSampleId :
 WC-COMP-11

Tot Ion:330 Resp: 594777
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.3 115.9
 141 31.0 32.1 48.1#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.87 ng
 RT: 13.28 min Scan# 1734
 Delta R.T. -0.01 min
 Lab File: BG026407.D
 Acq: 23 Mar 2017 17:53

Tgt Ion:172 Resp: 2068751
 Ion Ratio Lower Upper
 172 100
 171 39.1 32.2 48.2
 170 26.3 21.8 32.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.38 min Scan# 2433
Delta R.T. -0.01 min
Lab File: BG026407.D
Acq: 23 Mar 2017 17:53




Instrument :
BNA_G
ClientSampleId :
WC-COMP-11


Tot Ion:188 Resp: 765323
Ion Ratio Lower Upper
188 100
94 8.7 5.8 8.8
80 8.9 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.62 min Scan# 3155
Delta R.T. -0.01 min
Lab File: BG026407.D
Acq: 23 Mar 2017 17:53

Tgt Ion:240 Resp: 992328
Ion Ratio Lower Upper
240 100
120 11.2 5.7 8.5#
236 26.1 22.2 33.4





#78

Terphenyl-d14

Concen: 74.85 ng

RT: 19.98 min Scan# 2875

Delta R.T. -0.01 min

Lab File: BG026407.D

Acq: 23 Mar 2017 17:53

Instrument :

BNA_G

ClientSampleId :

WC-COMP-11


Tot Ion:244 Resp: 3058244

Ion Ratio Lower Upper




244 100

212 9.3 10.0 15.0#

122 14.2 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.80 min Scan# 3696

Delta R.T. -0.02 min

Lab File: BG026407.D

Acq: 23 Mar 2017 17:53


Tgt Ion:264 Resp: 981869

Ion Ratio Lower Upper

264 100

260 23.6 21.8 32.8

265 21.0 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

