

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032317\
 Data File : BG026400.D
 Acq On : 23 Mar 2017 13:16
 Operator : SJ/MA
 Sample : I2356-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 032017-PRRT-E-D-M

Quant Time: Mar 24 00:59:26 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 20 17:43:27 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	134049	20.00	ng	0.00
21) Naphthalene-d8	10.84	136	547634	20.00	ng	0.00
38) Acenaphthene-d10	14.65	164	319288	20.00	ng	-0.01
63) Phenanthrene-d10	17.38	188	781432	20.00	ng	-0.01
75) Chrysene-d12	21.63	240	990245	20.00	ng	-0.01
86) Perylene-d12	24.80	264	953234	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	283481	37.53	ng	0.00
7) Phenol-d6	7.20	99	220979	21.79	ng	0.00
23) Nitrobenzene-d5	9.20	82	725142	79.62	ng	0.00
41) 2,4,6-Tribromophenol	16.13	330	356529	97.51	ng	-0.01
44) 2-Fluorobiphenyl	13.28	172	2123827	93.28	ng	0.00
78) Terphenyl-d14	19.97	244	2722187	66.76	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032317\
Data File : BG026400.D
Acq On : 23 Mar 2017 13:16
Operator : SJ/MA
Sample : I2356-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
032017-PRRT-E-D-M

Quant Time: Mar 24 00:59:26 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG032017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 20 17:43:27 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.04 min Scan# 843

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16

Instrument :

BNA_G

ClientSampleId :

032017-PRRT-E-D-M


Tot Ion:152 Resp: 134049

Ion Ratio Lower Upper

152 100

150 159.9 114.0 171.0




115 51.7 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 37.53 ng

RT: 5.61 min Scan# 430

Delta R.T. 0.00 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16


Tgt Ion:112 Resp: 283481

Ion Ratio Lower Upper

112 100

64 53.0 61.8 92.6#



63 24.2 37.2 55.8#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 21.79 ng

RT: 7.20 min Scan# 700

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16

Instrument :

BNA_G

ClientSampleId :

032017-PRRT-E-D-M


Tot Ion: 99 Resp: 220979

Ion Ratio Lower Upper




99 100

42 9.7 20.5 30.7#

71 23.5 37.6 56.4#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.84 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16

Tgt Ion: 136 Resp: 547634


Ion Ratio Lower Upper

136 100



137 11.0 8.9 13.3


54 5.4 9.3 13.9#

68 5.4 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 79.62 ng
RT: 9.20 min Scan# 1040
Delta R.T. -0.01 min
Lab File: BG026400.D
Acq: 23 Mar 2017 13:16




Instrument :
BNA_G
ClientSampleId :
032017-PRRT-E-D-M


Tot Ion: 82 Resp: 725142
Ion Ratio Lower Upper
82 100
128 53.2 26.4 39.6#
54 40.4 49.4 74.2#



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.65 min Scan# 1967
Delta R.T. -0.01 min
Lab File: BG026400.D
Acq: 23 Mar 2017 13:16

Tgt Ion: 164 Resp: 319288
Ion Ratio Lower Upper
164 100
162 101.8 85.1 127.7
160 46.0 34.7 52.1









#41
 2,4,6-Tribromophenol
 Concen: 97.51 ng
 RT: 16.13 min Scan# 2219
 Delta R.T. -0.01 min
 Lab File: BG026400.D
 Acq: 23 Mar 2017 13:16




Instrument :
 BNA_G
 ClientSampleId :
 032017-PRRT-E-D-M


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.3	115.9
141	30.4	32.1	48.1#



#44
 2-Fluorobiphenyl
 Concen: 93.28 ng
 RT: 13.28 min Scan# 1734
 Delta R.T. -0.01 min
 Lab File: BG026400.D
 Acq: 23 Mar 2017 13:16

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.6	32.2	48.2
170	26.3	21.8	32.6





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.38 min Scan# 2432

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16

Instrument :

BNA_G

ClientSampleId :

032017-PRRT-E-D-M


Tot Ion:188 Resp: 781432

Ion Ratio Lower Upper

188 100

94 9.0 5.8 8.8#




80 9.6 7.5 11.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.63 min Scan# 3155

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16


Tgt Ion:240 Resp: 990245

Ion Ratio Lower Upper

240 100

120 11.2 5.7 8.5#



236 26.0 22.2 33.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 66.76 ng

RT: 19.97 min Scan# 2874

Delta R.T. -0.01 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16

Instrument :

BNA_G

ClientSampleId :

032017-PRRT-E-D-M


Tot Ion:244 Resp: 2722187

Ion Ratio Lower Upper

244 100

212 8.5 10.0 15.0#




122 13.6 8.6 12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.80 min Scan# 3695

Delta R.T. -0.02 min

Lab File: BG026400.D

Acq: 23 Mar 2017 13:16


Tgt Ion:264 Resp: 953234

Ion Ratio Lower Upper

264 100

260 23.0 21.8 32.8

265 22.2 18.2 27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

