

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG032422\
 Data File : BG052808.D
 Acq On : 24 Mar 2022 14:26
 Operator : CG/JU
 Sample : PB143535BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB143535BL

Quant Time: Mar 24 16:50:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG031522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 24 16:48:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.142	152	35214	20.000	ng	0.00
21) Naphthalene-d8	10.956	136	140526	20.000	ng	# 0.00
39) Acenaphthene-d10	14.763	164	105859	20.000	ng	0.00
64) Phenanthrene-d10	17.506	188	263988	20.000	ng	0.00
76) Chrysene-d12	21.789	240	295260	20.000	ng	0.00
86) Perylene-d12	25.102	264	284035	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.699	112	285684	141.285	ng	0.00
7) Phenol-d6	7.291	99	415342	136.248	ng	0.00
23) Nitrobenzene-d5	9.300	82	289808	103.508	ng	0.00
42) 2,4,6-Tribromophenol	16.243	330	213753	150.270	ng	0.00
45) 2-Fluorobiphenyl	13.388	172	663003	92.371	ng	0.00
79) Terphenyl-d14	20.109	244	1444931	87.053	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG032422\
Data File : BG052808.D
Acq On : 24 Mar 2022 14:26
Operator : CG/JU
Sample : PB143535BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB143535BL

Quant Time: Mar 24 16:50:14 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG031522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 24 16:48:57 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.142 min Scan# 809
Delta R.T. -0.004 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26




Instrument :
BNA_G
ClientSampleId :
PB143535BL


Tgt Ion:152 Resp: 35214
Ion Ratio Lower Upper
152 100
150 153.8 114.6 172.0
115 63.3 45.9 68.9



#5
2-Fluorophenol
Concen: 141.285 ng
RT: 5.699 min Scan# 393
Delta R.T. 0.002 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Tgt Ion:112 Resp: 285684
Ion Ratio Lower Upper
112 100
64 70.8 48.0 72.0
63 40.5 26.5 39.7#









#7
Phenol-d6
Concen: 136.248 ng
RT: 7.291 min Scan# 60
Delta R.T. 0.002 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26




Instrument :
BNA_G
ClientSampleId :
PB143535BL


Tgt Ion: 99 Resp: 415342
Ion Ratio Lower Upper
99 100
42 19.6 14.7 22.1
71 41.3 29.2 43.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.956 min Scan# 1288
Delta R.T. -0.004 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Tgt Ion: 136 Resp: 140526
Ion Ratio Lower Upper
136 100
137 9.9 9.4 14.2
54 10.4 6.4 9.6#
68 6.6 5.0 7.6





#23

Nitrobenzene-d5

Concen: 103.508 ng

RT: 9.300 min Scan# 1009

Delta R.T. -0.004 min

Lab File: BG052808.D

Acq: 24 Mar 2022 14:26

Instrument :

BNA_G

ClientSampleId :

PB143535BL





Tgt Ion: 82 Resp: 289808

Ion Ratio Lower Upper

82 100

128 36.1 31.3 46.9

54 52.4 37.8 56.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.763 min Scan# 1936

Delta R.T. -0.004 min

Lab File: BG052808.D

Acq: 24 Mar 2022 14:26




Tgt Ion:164 Resp: 105859


Ion Ratio Lower Upper

164 100

162 101.4 80.0 120.0

160 44.3 38.8 58.2









#42
2,4,6-Tribromophenol
Concen: 150.270 ng
RT: 16.243 min Scan# 2191
Delta R.T. -0.004 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26




Instrument :
BNA_G
ClientSampleId :
PB143535BL


Tgt Ion:330 Resp: 213753
Ion Ratio Lower Upper
330 100
332 96.2 75.8 113.6
141 34.2 24.6 36.8



#45
2-Fluorobiphenyl
Concen: 92.371 ng
RT: 13.388 min Scan# 1702
Delta R.T. -0.004 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Tgt Ion:172 Resp: 663003
Ion Ratio Lower Upper
172 100
171 34.4 28.3 42.5
170 22.7 18.0 27.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.506 min Scan# 24
Delta R.T. 0.002 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26




Instrument :
BNA_G
ClientSampleId :
PB143535BL


Tgt Ion:188 Resp: 263988
Ion Ratio Lower Upper
188 100
94 7.2 5.7 8.5
80 8.9 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.789 min Scan# 3132
Delta R.T. -0.010 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Tgt Ion:240 Resp: 295260
Ion Ratio Lower Upper
240 100
120 7.2 5.4 8.0
236 24.7 19.8 29.6









#79
Terphenyl-d14
Concen: 87.053 ng
RT: 20.109 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Instrument :
BNA_G
ClientSampleId :
PB143535BL

Tgt Ion:244 Resp: 1444931
Ion Ratio Lower Upper
244 100
212 8.1 5.4 8.2
122 7.0 5.8 8.6



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.102 min Scan# 3696
Delta R.T. -0.010 min
Lab File: BG052808.D
Acq: 24 Mar 2022 14:26

Tgt Ion:264 Resp: 284035
Ion Ratio Lower Upper
264 100
260 23.7 18.2 27.2
265 20.3 15.1 22.7

