

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG032515\
 Data File : BG016127.D
 Acq On : 26 Mar 2015 6:39
 Operator : TP/IZ
 Sample : G1611-03
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-37

Quant Time: Mar 26 16:30:01 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG032515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 26 15:24:59 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	58901	20.00	ng	0.00
21) Naphthalene-d8	10.58	136	271533	20.00	ng	0.00
38) Acenaphthene-d10	14.41	164	175128	20.00	ng	0.00
63) Phenanthrene-d10	17.16	188	379675	20.00	ng	0.00
75) Chrysene-d12	21.32	240	385686	20.00	ng	0.00
86) Perylene-d12	23.60	264	371897	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	225082	63.96	ng	0.00
7) Phenol-d6	6.96	99	201405	41.11	ng	0.00
23) Nitrobenzene-d5	8.94	82	362323	82.74	ng	0.00
41) 2,4,6-Tribromophenol	15.91	330	278362	138.42	ng	0.00
44) 2-Fluorobiphenyl	13.04	172	918577	87.80	ng	0.00
78) Terphenyl-d14	19.78	244	1273114	83.13	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG032515\
Data File : BG016127.D
Acq On : 26 Mar 2015 6:39
Operator : TP/IZ
Sample : G1611-03
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-37

Quant Time: Mar 26 16:30:01 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG032515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 26 15:24:59 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.79 min Scan# 869

Delta R.T. -0.00 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39

Instrument :

BNA_G

ClientSampleId :

MW-37


Tgt Ion:152 Resp: 58901

Ion Ratio Lower Upper

152 100

150 155.8 126.1 189.1




115 53.8 43.7 65.5



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 63.96 ng

RT: 5.38 min Scan# 458

Delta R.T. 0.00 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39


Tgt Ion:112 Resp: 225082

Ion Ratio Lower Upper

112 100

64 50.9 42.6 64.0



63 24.0 19.9 29.9




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 41.11 ng

RT: 6.96 min Scan# 727

Delta R.T. -0.00 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39

Instrument :

BNA_G

ClientSampleId :

MW-37


Tgt Ion: 99 Resp: 201405

Ion Ratio Lower Upper




99 100

42 11.3 9.4 14.0

71 23.9 19.9 29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.58 min Scan# 1343

Delta R.T. -0.00 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39

Tgt Ion: 136 Resp: 271533


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.4


54 6.6 5.5 8.3

68 6.9 6.0 9.0



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 82.74 ng
 RT: 8.94 min Scan# 1065
 Delta R.T. -0.00 min
 Lab File: BG016127.D
 Acq: 26 Mar 2015 6:39




Instrument :
 BNA_G
 ClientSampled :
 MW-37


Tgt Ion: 82 Resp: 362323
 Ion Ratio Lower Upper
 82 100
 128 53.5 40.4 60.6
 54 40.2 32.1 48.1



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.41 min Scan# 1996
 Delta R.T. -0.00 min
 Lab File: BG016127.D
 Acq: 26 Mar 2015 6:39

Tgt Ion: 164 Resp: 175128
 Ion Ratio Lower Upper
 164 100
 162 91.5 75.2 112.8
 160 42.4 33.9 50.9









#41
 2,4,6-Tribromophenol
 Concen: 138.42 ng
 RT: 15.91 min Scan# 2250
 Delta R.T. 0.00 min
 Lab File: BG016127.D
 Acq: 26 Mar 2015 6:39




Instrument :
 BNA_G
 ClientSampleId :
 MW-37


Tgt Ion:330 Resp: 278362
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.6 114.8
 141 33.8 26.2 39.4



#44
 2-Fluorobiphenyl
 Concen: 87.80 ng
 RT: 13.04 min Scan# 1762
 Delta R.T. -0.00 min
 Lab File: BG016127.D
 Acq: 26 Mar 2015 6:39

Tgt Ion:172 Resp: 918577
 Ion Ratio Lower Upper
 172 100
 171 38.8 30.3 45.5
 170 24.9 19.8 29.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.16 min Scan# 2463
Delta R.T. -0.00 min
Lab File: BG016127.D
Acq: 26 Mar 2015 6:39




Instrument :
BNA_G
ClientSampleId :
MW-37


Tgt Ion:188 Resp: 379675
Ion Ratio Lower Upper
188 100
94 11.6 9.1 13.7
80 11.8 9.8 14.8



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.32 min Scan# 3172
Delta R.T. -0.00 min
Lab File: BG016127.D
Acq: 26 Mar 2015 6:39

Tgt Ion:240 Resp: 385686
Ion Ratio Lower Upper
240 100
120 15.6 13.0 19.4
236 25.6 20.2 30.2





#78

Terphenyl-d14

Concen: 83.13 ng

RT: 19.78 min Scan# 2909

Delta R.T. -0.00 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39

Instrument :

BNA_G

ClientSampleId :

MW-37


Tgt Ion:244 Resp: 1273114

Ion Ratio Lower Upper

244 100

212 8.1 5.9 8.9




122 16.4 12.2 18.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.60 min Scan# 3560

Delta R.T. -0.01 min

Lab File: BG016127.D

Acq: 26 Mar 2015 6:39


Tgt Ion:264 Resp: 371897

Ion Ratio Lower Upper

264 100

260 23.6 18.4 27.6

265 22.3 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

