

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG032521\
 Data File : BG048504.D
 Acq On : 25 Mar 2021 16:23
 Operator : CG/JU
 Sample : M1682-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SP-MANHOLE

Quant Time: Mar 25 17:49:50 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG031821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 25 02:47:17 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.098	152	47307	20.00	ng	# 0.00
21) Naphthalene-d8	10.924	136	191231	20.00	ng	# 0.00
39) Acenaphthene-d10	14.743	164	130593	20.00	ng	0.00
64) Phenanthrene-d10	17.492	188	285334	20.00	ng	# 0.00
76) Chrysene-d12	21.782	240	285133	20.00	ng	#-0.01
86) Perylene-d12	25.113	264	310644	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.653	112	312625	109.28	ng	0.00
7) Phenol-d6	7.251	99	422961	101.61	ng	0.00
23) Nitrobenzene-d5	9.267	82	313944	65.64	ng	0.00
42) 2,4,6-Tribromophenol	16.229	330	203605	95.87	ng	0.00
45) 2-Fluorobiphenyl	13.362	172	615051	67.75	ng	0.00
79) Terphenyl-d14	20.101	244	933187	59.02	ng	0.00
Target Compounds						
						Qvalue
10) Phenol	7.275	94	11990	2.81	ng	# 51
50) Dimethylphthalate	14.185	163	23121	2.18	ng	97
71) Phenanthrene	17.534	178	41176	2.73	ng	97
75) Fluoranthene	19.543	202	93050	4.64	ng	95
78) Pyrene	19.901	202	87422	4.46	ng	92
81) Benzo(a)anthracene	21.764	228	49947	2.53	ng	97
83) Chrysene	21.829	228	48738	2.57	ng	97
88) Benzo(b)fluoranthene	24.044	252	68908	3.15	ng	98
90) Benzo(a)pyrene	24.948	252	46490	2.33	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG032521\
Data File : BG048504.D
Acq On : 25 Mar 2021 16:23
Operator : CG/JU
Sample : M1682-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE

Quant Time: Mar 25 17:49:50 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG031821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 25 02:47:17 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.098 min Scan# 810
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:152 Resp: 47307
Ion Ratio Lower Upper
152 100
150 154.8 125.0 187.6
115 64.2 41.8 62.6#



#5
2-Fluorophenol
Concen: 109.28 ng
RT: 5.653 min Scan# 394
Delta R.T. 0.007 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:112 Resp: 312625
Ion Ratio Lower Upper
112 100
64 65.4 46.7 70.1
63 39.4 22.8 34.2#









#7
Phenol-d6
Concen: 101.61 ng
RT: 7.251 min Scan# 666
Delta R.T. 0.001 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion: 99 Resp: 422961
Ion Ratio Lower Upper
99 100
42 21.6 12.8 19.2#
71 47.5 24.6 36.8#



#10
Phenol
Concen: 2.81 ng
RT: 7.275 min Scan# 670
Delta R.T. 0.001 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion: 94 Resp: 11990
Ion Ratio Lower Upper
94 100
65 49.3 6.6 46.6#
66 64.4 13.9 53.9#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.924 min Scan# 1291
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:	136	Resp:	191231
Ion Ratio	Lower	Upper	
136	100		
137	10.9	9.1	13.7
54	8.2	6.2	9.4
68	4.6	5.0	7.4



#23
Nitrobenzene-d5
Concen: 65.64 ng
RT: 9.267 min Scan# 1009
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:	82	Resp:	313944
Ion Ratio	Lower	Upper	
82	100		
128	35.9	37.0	55.6
54	51.3	39.0	58.4









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.743 min Scan# 1941
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:164 Resp: 130593
Ion Ratio Lower Upper
164 100
162 102.6 82.3 123.5
160 46.7 35.3 52.9



#42
2,4,6-Tribromophenol
Concen: 95.87 ng
RT: 16.229 min Scan# 2194
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:330 Resp: 203605
Ion Ratio Lower Upper
330 100
332 97.2 76.5 114.7
141 37.6 26.0 39.0









#45
2-Fluorobiphenyl
Concen: 67.75 ng
RT: 13.362 min Scan# 1706
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:172 Resp: 615051
Ion Ratio Lower Upper
172 100
171 37.7 31.3 46.9
170 24.5 20.8 31.2



#50
Dimethylphthalate
Concen: 2.18 ng
RT: 14.185 min Scan# 1846
Delta R.T. -0.011 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:163 Resp: 23121
Ion Ratio Lower Upper
163 100
194 4.4 3.8 5.8
164 9.8 8.8 13.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.492 min Scan# 2409
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:188 Resp: 285334
Ion Ratio Lower Upper
188 100
94 6.2 6.3 9.5#
80 7.1 7.0 10.6



#71
Phenanthrene
Concen: 2.73 ng
RT: 17.534 min Scan# 2416
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:178 Resp: 41176
Ion Ratio Lower Upper
178 100
176 19.2 16.7 25.1
179 16.5 14.0 21.0









#75
Fluoranthene
Concen: 4.64 ng
RT: 19.543 min Scan# 2758
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:	202	Resp:	93050
Ion Ratio	Lower	Upper	
202	100		
101	6.7	0.0	29.7
203	17.3	0.0	39.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.782 min Scan# 3139
Delta R.T. -0.011 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:	240	Resp:	285133
Ion Ratio	Lower	Upper	
240	100		
120	4.6	6.2	9.4#
236	25.0	20.5	30.7









#78
 Pyrene
 Concen: 4.46 ng
 RT: 19.901 min Scan# 2819
 Delta R.T. -0.011 min
 Lab File: BG048504.D
 Acq: 25 Mar 2021 16:23




Instrument :
 BNA_G
 ClientSampleId :
 SP-MANHOLE


Tgt Ion:	202	Resp:	87422
Ion Ratio	Lower	Upper	
202	100		
200	18.9	18.6	27.8
203	16.2	15.3	22.9



#79
 Terphenyl-d14
 Concen: 59.02 ng
 RT: 20.101 min Scan# 2853
 Delta R.T. -0.005 min
 Lab File: BG048504.D
 Acq: 25 Mar 2021 16:23

Tgt Ion:	244	Resp:	933187
Ion Ratio	Lower	Upper	
244	100		
212	8.4	6.7	10.1
122	7.4	7.8	11.6#









#81
Benzo(a)anthracene
Concen: 2.53 ng
RT: 21.764 min Scan# 3136
Delta R.T. -0.005 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23




Instrument :
BNA_G
ClientSampleId :
SP-MANHOLE


Tgt Ion:	228	Resp:	49947
Ion Ratio	Lower	Upper	
228	100		
226	29.9	23.3	34.9
229	19.1	17.4	26.0



#83
Chrysene
Concen: 2.57 ng
RT: 21.829 min Scan# 3147
Delta R.T. -0.011 min
Lab File: BG048504.D
Acq: 25 Mar 2021 16:23

Tgt Ion:	228	Resp:	48738
Ion Ratio	Lower	Upper	
228	100		
226	29.2	25.0	37.4
229	21.2	17.3	25.9









#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.113 min Scan# 3706
 Delta R.T. -0.011 min
 Lab File: BG048504.D
 Acq: 25 Mar 2021 16:23




Instrument :
 BNA_G
 ClientSampleId :
 SP-MANHOLE


Tgt Ion:264	Resp:	310644
Ion Ratio	Lower	Upper
264	100	
260	23.3	18.8 28.2
265	21.2	17.8 26.8



#88
 Benzo(b)fluoranthene
 Concen: 3.15 ng
 RT: 24.044 min Scan# 3524
 Delta R.T. -0.017 min
 Lab File: BG048504.D
 Acq: 25 Mar 2021 16:23

Tgt Ion:252	Resp:	68908
Ion Ratio	Lower	Upper
252	100	
253	22.0	18.7 28.1
125	8.4	6.5 9.7





#90

Benzo(a)pyrene

Concen: 2.33 ng

RT: 24.948 min Scan# 3678

Delta R.T. -0.023 min

Lab File: BG048504.D

Acq: 25 Mar 2021 16:23

Instrument :

BNA_G

ClientSampleId :

SP-MANHOLE

Tgt Ion:252 Resp: 46490

Ion Ratio Lower Upper

252 100

253 21.9 17.9 26.9

125 6.4 7.0 10.4#

