

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG032615\
 Data File : BG016169.D
 Acq On : 27 Mar 2015 9:06
 Operator : TP/IZ
 Sample : G1654-05
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 LIP-12-3-24-15

Quant Time: Mar 27 16:02:13 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG032515.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 26 15:24:59 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	48597	20.00	ng	0.00
21) Naphthalene-d8	10.57	136	223564	20.00	ng	0.00
38) Acenaphthene-d10	14.42	164	138014	20.00	ng	0.00
63) Phenanthrene-d10	17.15	188	298542	20.00	ng	0.00
75) Chrysene-d12	21.32	240	305493	20.00	ng	0.00
86) Perylene-d12	23.61	264	294970	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.38	112	180457	62.15	ng	0.00
7) Phenol-d6	6.96	99	151327	37.44	ng	0.00
23) Nitrobenzene-d5	8.95	82	336503	93.33	ng	0.00
41) 2,4,6-Tribromophenol	15.90	330	252603	159.39	ng	0.00
44) 2-Fluorobiphenyl	13.04	172	838216	101.66	ng	0.00
78) Terphenyl-d14	19.77	244	1183663	97.58	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG032615\
Data File : BG016169.D
Acq On : 27 Mar 2015 9:06
Operator : TP/IZ
Sample : G1654-05
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
LIP-12-3-24-15

Quant Time: Mar 27 16:02:13 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG032515.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 26 15:24:59 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 7.79 min Scan# 868
 Delta R.T. -0.01 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06




Instrument :
 BNA_G
 ClientSampleId :
 LIP-12-3-24-15

Tgt Ion:152 Resp: 48597
 Ion Ratio Lower Upper
 152 100
 150 151.8 126.1 189.1
 115 57.0 43.7 65.5



#5
 2-Fluorophenol
 Concen: 62.15 ng
 RT: 5.38 min Scan# 458
 Delta R.T. 0.01 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06

Tgt Ion:112 Resp: 180457
 Ion Ratio Lower Upper
 112 100
 64 51.9 42.6 64.0
 63 24.7 19.9 29.9





#7

Phenol-d6

Concen: 37.44 ng

RT: 6.96 min Scan# 727

Delta R.T. 0.00 min

Lab File: BG016169.D

Acq: 27 Mar 2015 9:06

Instrument :

BNA_G

ClientSampleId :

LIP-12-3-24-15


Tgt Ion: 99 Resp: 151327

Ion Ratio Lower Upper




99 100

42 11.4 9.4 14.0

71 24.3 19.9 29.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.57 min Scan# 1342

Delta R.T. -0.01 min

Lab File: BG016169.D

Acq: 27 Mar 2015 9:06

Tgt Ion: 136 Resp: 223564


Ion Ratio Lower Upper

136 100



137 10.7 9.0 13.4


54 6.9 5.5 8.3

68 7.4 6.0 9.0



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 93.33 ng
 RT: 8.95 min Scan# 1065
 Delta R.T. 0.00 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06

Instrument :
 BNA_G
 ClientSampleId :
 LIP-12-3-24-15

Tgt Ion: 82 Resp: 336503
 Ion Ratio Lower Upper
 82 100
 128 54.2 40.4 60.6
 54 39.4 32.1 48.1




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 14.42 min Scan# 1996
 Delta R.T. 0.00 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06

Tgt Ion: 164 Resp: 138014
 Ion Ratio Lower Upper
 164 100
 162 96.8 75.2 112.8
 160 42.7 33.9 50.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 159.39 ng
 RT: 15.90 min Scan# 2249
 Delta R.T. 0.00 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06




Instrument :
 BNA_G
 ClientSampleId :
 LIP-12-3-24-15


Tgt Ion:330 Resp: 252603
 Ion Ratio Lower Upper
 330 100
 332 96.1 76.6 114.8
 141 32.0 26.2 39.4



#44
 2-Fluorobiphenyl
 Concen: 101.66 ng
 RT: 13.04 min Scan# 1762
 Delta R.T. 0.00 min
 Lab File: BG016169.D
 Acq: 27 Mar 2015 9:06

Tgt Ion:172 Resp: 838216
 Ion Ratio Lower Upper
 172 100
 171 37.5 30.3 45.5
 170 24.7 19.8 29.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.15 min Scan# 2462
Delta R.T. -0.01 min
Lab File: BG016169.D
Acq: 27 Mar 2015 9:06

Instrument :
BNA_G
ClientSampleId :
LIP-12-3-24-15

Tgt Ion:188 Resp: 298542
Ion Ratio Lower Upper
188 100
94 11.7 9.1 13.7
80 12.5 9.8 14.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.32 min Scan# 3172
Delta R.T. 0.00 min
Lab File: BG016169.D
Acq: 27 Mar 2015 9:06

Tgt Ion:240 Resp: 305493
Ion Ratio Lower Upper
240 100
120 14.7 13.0 19.4
236 24.9 20.2 30.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.58 ng

RT: 19.77 min Scan# 2908

Delta R.T. -0.00 min

Lab File: BG016169.D

Acq: 27 Mar 2015 9:06

Instrument :

BNA_G

ClientSampleId :

LIP-12-3-24-15


Tgt Ion:244 Resp: 1183663

Ion Ratio Lower Upper

244 100

212 7.8 5.9 8.9




122 16.4 12.2 18.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.61 min Scan# 3561

Delta R.T. 0.00 min

Lab File: BG016169.D

Acq: 27 Mar 2015 9:06


Tgt Ion:264 Resp: 294970

Ion Ratio Lower Upper

264 100

260 23.1 18.4 27.6

265 20.6 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

