

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032818\
 Data File : BG033422.D
 Acq On : 29 Mar 2018 15:28
 Operator : SJ/JU
 Sample : J2071-09
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-7-DB

Quant Time: Mar 29 16:28:24 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 28 18:34:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.87	152	37776	20.00	ng	0.00
21) Naphthalene-d8	11.75	136	161603	20.00	ng	0.00
38) Acenaphthene-d10	15.48	164	126590	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	316610	20.00	ng	0.00
75) Chrysene-d12	22.56	240	316254	20.00	ng	0.00
86) Perylene-d12	26.33	264	315200	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.30	112	318114	157.91	ng	0.00
7) Phenol-d6	7.99	99	458301	132.40	ng	0.00
23) Nitrobenzene-d5	10.06	82	345293	98.17	ng	-0.01
41) 2,4,6-Tribromophenol	16.96	330	219714	116.05	ng	0.00
44) 2-Fluorobiphenyl	14.11	172	825887	94.18	ng	0.00
78) Terphenyl-d14	20.73	244	1475968	99.81	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032818\
Data File : BG033422.D
Acq On : 29 Mar 2018 15:28
Operator : SJ/JU
Sample : J2071-09
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-7-DB

Quant Time: Mar 29 16:28:24 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 28 18:34:58 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.87 min Scan# 950
Delta R.T. -0.01 min
Lab File: BG033422.D
Acq: 29 Mar 2018 15:28

Instrument :
BNA_G
ClientSampleId :
TP-7-DB

Tot Ion:152 Resp: 37776
Ion Ratio Lower Upper
152 100
150 135.3 126.6 189.8
115 52.4 53.0 79.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 157.905 ng
RT: 6.30 min Scan# 512
Delta R.T. 0.01 min
Lab File: BG033422.D
Acq: 29 Mar 2018 15:28

Tgt Ion:112 Resp: 318114
Ion Ratio Lower Upper
112 100
64 72.0 56.3 84.5
63 41.2 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 132.400 ng

RT: 7.99 min Scan# 799

Delta R.T. 0.01 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28

Instrument :

BNA_G

ClientSampleId :

TP-7-DB


Tot Ion: 99 Resp: 458301

Ion Ratio Lower Upper




99 100

42 20.7 14.1 21.1

71 42.1 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.75 min Scan# 1440

Delta R.T. -0.01 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28

Tgt Ion: 136 Resp: 161603


Ion Ratio Lower Upper

136 100



137 10.7 9.2 13.8


54 9.3 10.3 15.5#

68 5.3 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 98.168 ng
 RT: 10.06 min Scan# 1153
 Delta R.T. -0.01 min
 Lab File: BG033422.D
 Acq: 29 Mar 2018 15:28




Instrument :
 BNA_G
 ClientSampleId :
 TP-7-DB


Tot Ion	82	Resp	345293
Ion Ratio	Lower	Upper	
82	100		
128	38.0	29.7	44.5
54	54.5	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.48 min Scan# 2075
 Delta R.T. -0.01 min
 Lab File: BG033422.D
 Acq: 29 Mar 2018 15:28

Tgt Ion	164	Resp	126590
Ion Ratio	Lower	Upper	
164	100		
162	97.0	78.8	118.2
160	44.2	35.4	53.0









#41
 2,4,6-Tribromophenol
 Concen: 116.048 ng
 RT: 16.96 min Scan# 2326
 Delta R.T. -0.00 min
 Lab File: BG033422.D
 Acq: 29 Mar 2018 15:28

Instrument :
 BNA_G
 ClientSampleId :
 TP-7-DB

Tot Ion	Ratio	Lower	Upper
330	100		
332	100.7	77.0	115.6
141	36.4	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 94.184 ng
 RT: 14.11 min Scan# 1842
 Delta R.T. -0.00 min
 Lab File: BG033422.D
 Acq: 29 Mar 2018 15:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.7	30.0	45.0
170	26.0	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2540

Delta R.T. -0.00 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28

Instrument :

BNA_G

ClientSampleId :

TP-7-DB


Tot Ion:188 Resp: 316610

Ion Ratio Lower Upper

188 100

94 6.5 6.9 10.3#




80 7.3 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.56 min Scan# 3280

Delta R.T. -0.00 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28


Tgt Ion:240 Resp: 316254

Ion Ratio Lower Upper

240 100

120 6.4 6.8 10.2#



236 26.8 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 99.809 ng

RT: 20.73 min Scan# 2969

Delta R.T. -0.00 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28

Instrument :

BNA_G

ClientSampleId :

TP-7-DB


Tot Ion:244 Resp: 1475968

Ion Ratio Lower Upper

244 100

212 8.6 5.8 8.8




122 7.1 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.33 min Scan# 3921

Delta R.T. -0.01 min

Lab File: BG033422.D

Acq: 29 Mar 2018 15:28


Tgt Ion:264 Resp: 315200

Ion Ratio Lower Upper

264 100

260 22.5 17.4 26.0

265 23.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

