

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032917\  
 Data File : BG026484.D  
 Acq On : 29 Mar 2017 20:04  
 Operator : SJ/MA  
 Sample : I2397-03  
 Misc :  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 G9Y74

Quant Time: Mar 30 02:19:26 2017  
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG032717MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Mar 30 02:19:03 2017  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 8.04  | 152  | 172326   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.84 | 136  | 705279   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.64 | 164  | 411015   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.38 | 188  | 987085   | 20.00 | ng/ul | 0.00     |
| 77) Chrysene-d12          | 21.63 | 240  | 1128900  | 20.00 | ng/ul | 0.00     |
| 85) Perylene-d12          | 24.80 | 264  | 1127377  | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |         |       |       |      |
|--------------------------------|-------|-----|---------|-------|-------|------|
| 3) 1,4-Dioxane-d8              | 3.47  | 96  | 20733   | 5.76  | ng/uL | 0.00 |
| 5) Phenol-d5                   | 7.21  | 99  | 94956   | 7.48  | ng/ul | 0.00 |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.37  | 67  | 248263  | 34.91 | ng/ul | 0.00 |
| 9) 2-Chlorophenol-d4           | 7.58  | 132 | 320260  | 28.15 | ng/ul | 0.00 |
| 13) 4-Methylphenol-d8          | 8.74  | 113 | 185502  | 18.14 | ng/ul | 0.00 |
| 19) Nitrobenzene-d5            | 9.20  | 128 | 188940  | 37.48 | ng/ul | 0.00 |
| 22) 2-Nitrophenol-d4           | 9.92  | 143 | 227782  | 38.56 | ng/ul | 0.00 |
| 26) 2,4-Dichlorophenol-d3      | 10.46 | 165 | 350319  | 32.31 | ng/ul | 0.00 |
| 29) 4-Chloroaniline-d4         | 11.02 | 131 | 574     | 0.05  | ng/ul | 0.05 |
| 43) Dimethylphthalate-d6       | 14.05 | 166 | 1223137 | 38.43 | ng/ul | 0.00 |
| 46) Acenaphthylene-d8          | 14.35 | 160 | 1411881 | 35.61 | ng/ul | 0.00 |
| 51) 4-Nitrophenol-d4           | 14.85 | 143 | 35692   | 5.76  | ng/ul | 0.01 |
| 57) Fluorene-d10               | 15.63 | 176 | 1116927 | 38.63 | ng/ul | 0.00 |
| 62) 4,6-Dinitro-2-methylphenol | 15.75 | 200 | 217398  | 34.25 | ng/ul | 0.00 |
| 70) Anthracene-d10             | 17.48 | 188 | 1708671 | 38.12 | ng/ul | 0.00 |
| 78) Pyrene-d10                 | 19.76 | 212 | 1916382 | 38.06 | ng/ul | 0.00 |
| 89) Benzo(a)pyrene-d12         | 24.59 | 264 | 1915513 | 39.55 | ng/ul | 0.00 |

Target Compounds Ovalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032917\  
Data File : BG026484.D  
Acq On : 29 Mar 2017 20:04  
Operator : SJ/MA  
Sample : I2397-03  
Misc :  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
BNA\_G  
ClientSampleId :  
G9Y74

Quant Time: Mar 30 02:19:26 2017  
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM-EPA-BG032717MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Thu Mar 30 02:19:03 2017  
Response via : Initial Calibration

