

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032918\
 Data File : BG033438.D
 Acq On : 30 Mar 2018 2:28
 Operator : SJ/JU
 Sample : J2100-06
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-5-DB

Quant Time: Mar 30 08:16:21 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 28 18:34:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.87	152	31486	20.00	ng	0.00
21) Naphthalene-d8	11.75	136	135993	20.00	ng	0.00
38) Acenaphthene-d10	15.48	164	115079	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	334101	20.00	ng	0.00
75) Chrysene-d12	22.56	240	350968	20.00	ng	0.00
86) Perylene-d12	26.33	264	383187	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.30	112	268117	159.67	ng	0.00
7) Phenol-d6	7.98	99	385989	133.79	ng	0.00
23) Nitrobenzene-d5	10.06	82	293549	99.17	ng	-0.01
41) 2,4,6-Tribromophenol	16.96	330	272614	158.39	ng	0.00
44) 2-Fluorobiphenyl	14.11	172	748994	93.96	ng	0.00
78) Terphenyl-d14	20.73	244	1601344	97.58	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG032918\
Data File : BG033438.D
Acq On : 30 Mar 2018 2:28
Operator : SJ/JU
Sample : J2100-06
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-5-DB

Quant Time: Mar 30 08:16:21 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 28 18:34:58 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.87 min Scan# 950
Delta R.T. -0.01 min
Lab File: BG033438.D
Acq: 30 Mar 2018 2:28

Instrument :
BNA_G
ClientSampleId :
TP-5-DB

Tot Ion	Ratio	Lower	Upper
152	100		
150	143.7	126.6	189.8
115	61.1	53.0	79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 159.675 ng
RT: 6.30 min Scan# 512
Delta R.T. 0.00 min
Lab File: BG033438.D
Acq: 30 Mar 2018 2:28

Tgt Ion	Ratio	Lower	Upper
112	100		
64	72.1	56.3	84.5
63	40.7	30.1	45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 133.786 ng

RT: 7.98 min Scan# 799

Delta R.T. 0.00 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28

Instrument :

BNA_G

ClientSampleId :

TP-5-DB


Tot Ion: 99 Resp: 385989

Ion Ratio Lower Upper




99 100

42 20.9 14.1 21.1

71 42.5 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.75 min Scan# 1440

Delta R.T. -0.01 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28

Tgt Ion: 136 Resp: 135993


Ion Ratio Lower Upper

136 100



137 10.1 9.2 13.8


54 10.9 10.3 15.5

68 4.4 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 99.173 ng
RT: 10.06 min Scan# 1153
Delta R.T. -0.01 min
Lab File: BG033438.D
Acq: 30 Mar 2018 2:28




Instrument :
BNA_G
ClientSampleId :
TP-5-DB


Tot Ion	82	Resp	293549
Ion Ratio	100	Lower	Upper
128	35.0	29.7	44.5
54	55.3	43.1	64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.48 min Scan# 2075
Delta R.T. -0.01 min
Lab File: BG033438.D
Acq: 30 Mar 2018 2:28

Tgt Ion	164	Resp	115079
Ion Ratio	100	Lower	Upper
162	97.8	78.8	118.2
160	47.5	35.4	53.0






#41
 2,4,6-Tribromophenol
 Concen: 158.391 ng
 RT: 16.96 min Scan# 2327
 Delta R.T. 0.00 min
 Lab File: BG033438.D
 Acq: 30 Mar 2018 2:28

Instrument :
 BNA_G
 ClientSampleId :
 TP-5-DB

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.6	77.0	115.6
141	36.1	25.2	37.8





Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 93.959 ng
 RT: 14.11 min Scan# 1842
 Delta R.T. -0.00 min
 Lab File: BG033438.D
 Acq: 30 Mar 2018 2:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.0	30.0	45.0
170	25.7	19.5	29.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2540

Delta R.T. -0.00 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28

Instrument :

BNA_G

ClientSampled :

TP-5-DB


Tot Ion:188 Resp: 334101

Ion Ratio Lower Upper

188 100

94 5.9 6.9 10.3#




80 7.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.56 min Scan# 3280

Delta R.T. -0.00 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28


Tgt Ion:240 Resp: 350968

Ion Ratio Lower Upper

240 100

120 5.5 6.8 10.2#



236 25.1 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 97.577 ng

RT: 20.73 min Scan# 2969

Delta R.T. -0.00 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28

Instrument :

BNA_G

ClientSampleId :

TP-5-DB


Tot Ion:244 Resp: 1601344

Ion Ratio Lower Upper

244 100

212 9.1 5.8 8.8#




122 7.5 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.33 min Scan# 3921

Delta R.T. -0.01 min

Lab File: BG033438.D

Acq: 30 Mar 2018 2:28


Tgt Ion:264 Resp: 383187

Ion Ratio Lower Upper

264 100

260 23.8 17.4 26.0

265 21.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

