

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG040119\
 Data File : BG040270.D
 Acq On : 1 Apr 2019 18:18
 Operator : JU/SJ
 Sample : PB118456BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB118456BL

Quant Time: Apr 02 02:53:05 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 28 05:47:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	54547	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	239691	20.00	ng	-0.02
39) Acenaphthene-d10	14.69	164	169333	20.00	ng	-0.02
64) Phenanthrene-d10	17.43	188	463725	20.00	ng	-0.02
76) Chrysene-d12	21.71	240	469083	20.00	ng	-0.02
87) Perylene-d12	25.00	264	471486	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	362019	110.33	ng	-0.01
7) Phenol-d6	7.21	99	507851	111.99	ng	-0.02
23) Nitrobenzene-d5	9.23	82	287981	63.86	ng	-0.02
42) 2,4,6-Tribromophenol	16.17	330	214350	117.13	ng	-0.02
45) 2-Fluorobiphenyl	13.30	172	753880	65.97	ng	-0.02
79) Terphenyl-d14	20.03	244	1337157	64.13	ng	-0.02


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG040119\
Data File : BG040270.D
Acq On : 1 Apr 2019 18:18
Operator : JU/SJ
Sample : PB118456BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB118456BL

Quant Time: Apr 02 02:53:05 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG032719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 28 05:47:00 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 845
Delta R.T. -0.02 min
Lab File: BG040270.D
Acq: 1 Apr 2019 18:18

Instrument :
BNA_G
ClientSampleId :
PB118456BL

Tgt Ion:152 Resp: 54547
Ion Ratio Lower Upper
152 100
150 158.0 123.7 185.5
115 55.5 46.9 70.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 110.331 ng
RT: 5.61 min Scan# 429
Delta R.T. -0.01 min
Lab File: BG040270.D
Acq: 1 Apr 2019 18:18

Tgt Ion:112 Resp: 362019
Ion Ratio Lower Upper
112 100
64 67.6 54.2 81.2
63 33.5 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 111.993 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.02 min

Lab File: BG040270.D

Acq: 1 Apr 2019 18:18

Instrument :

BNA_G

ClientSampleId :

PB118456BL


Tgt Ion: 99 Resp: 507851

Ion Ratio Lower Upper

99 100

42 18.4 16.2 24.2

71 30.9 26.8 40.2






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1324

Delta R.T. -0.02 min

Lab File: BG040270.D

Acq: 1 Apr 2019 18:18

Tgt Ion: 136 Resp: 239691


Ion Ratio Lower Upper

136 100

137 12.2 8.9 13.3

54 10.3 9.6 14.4

68 5.8 5.1 7.7





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 63.862 ng
 RT: 9.23 min Scan# 1045
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18




Instrument :
 BNA_G
 ClientSampleId :
 PB118456BL

Tgt Ion: 82 Resp: 287981
 Ion Ratio Lower Upper
 82 100
 128 44.6 35.8 53.8
 54 54.0 46.2 69.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.69 min Scan# 1974
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18

Tgt Ion: 164 Resp: 169333
 Ion Ratio Lower Upper
 164 100
 162 100.1 77.4 116.2
 160 44.1 35.3 52.9








#42
 2,4,6-Tribromophenol
 Concen: 117.128 ng
 RT: 16.17 min Scan# 2227
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18

Instrument :
 BNA_G
 ClientSampleId :
 PB118456BL

Tgt Ion:330 Resp: 214350
 Ion Ratio Lower Upper
 330 100
 332 98.0 76.6 115.0
 141 37.8 32.6 48.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 65.969 ng
 RT: 13.30 min Scan# 1739
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18

Tgt Ion:172 Resp: 753880
 Ion Ratio Lower Upper
 172 100
 171 36.9 30.5 45.7
 170 24.2 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.43 min Scan# 2441
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18




Instrument :
 BNA_G
 ClientSampleId :
 PB118456BL

Tgt Ion:188 Resp: 463725
 Ion Ratio Lower Upper
 188 100
 94 8.8 7.0 10.4
 80 9.9 8.6 13.0



#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.71 min Scan# 3169
 Delta R.T. -0.02 min
 Lab File: BG040270.D
 Acq: 1 Apr 2019 18:18

Tgt Ion:240 Resp: 469083
 Ion Ratio Lower Upper
 240 100
 120 10.1 8.4 12.6
 236 26.2 20.8 31.2





#79

Terphenyl-d14

Concen: 64.128 ng

RT: 20.03 min Scan# 2884

Delta R.T. -0.02 min

Lab File: BG040270.D

Acq: 1 Apr 2019 18:18

Instrument :

BNA_G

ClientSampleId :

PB118456BL


Tgt Ion:244 Resp: 1337157

Ion Ratio Lower Upper

244 100

212 8.5 7.0 10.6




122 11.5 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.00 min Scan# 3730

Delta R.T. -0.03 min

Lab File: BG040270.D

Acq: 1 Apr 2019 18:18


Tgt Ion:264 Resp: 471486

Ion Ratio Lower Upper

264 100

260 23.1 17.9 26.9

265 21.0 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

