

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG040218\
 Data File : BG033499.D
 Acq On : 2 Apr 2018 22:31
 Operator : SJ/JU
 Sample : J2114-10
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 032718-TIDO-E-U-S

Quant Time: Apr 03 04:57:32 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 28 18:34:58 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.87	152	34700	20.00	ng	0.00
21) Naphthalene-d8	11.74	136	148901	20.00	ng	-0.01
38) Acenaphthene-d10	15.48	164	123937	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	331517	20.00	ng	0.00
75) Chrysene-d12	22.55	240	339264	20.00	ng	0.00
86) Perylene-d12	26.31	264	365503	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	6.30	112	98993	53.49	ng	0.00
7) Phenol-d6	7.98	99	100057	31.47	ng	0.00
23) Nitrobenzene-d5	10.06	82	347296	107.16	ng	-0.01
41) 2,4,6-Tribromophenol	16.95	330	190266	102.65	ng	0.00
44) 2-Fluorobiphenyl	14.10	172	872758	101.66	ng	0.00
78) Terphenyl-d14	20.73	244	1567602	98.82	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.90	163	29658	2.750	ng	Qvalue # 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG040218\
Data File : BG033499.D
Acq On : 2 Apr 2018 22:31
Operator : SJ/JU
Sample : J2114-10
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
032718-TIDO-E-U-S

Quant Time: Apr 03 04:57:32 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 28 18:34:58 2018
Response via : Initial Calibration








#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.87 min Scan# 950
Delta R.T. -0.01 min
Lab File: BG033499.D
Acq: 2 Apr 2018 22:31

Instrument :
BNA_G
ClientSampleId :
032718-TIDO-E-U-S




Tot Ion:152 Resp: 34700
Ion Ratio Lower Upper
152 100
150 137.9 126.6 189.8
115 61.0 53.0 79.4



#5

2-Fluorophenol
Concen: 53.494 ng
RT: 6.30 min Scan# 512
Delta R.T. 0.00 min
Lab File: BG033499.D
Acq: 2 Apr 2018 22:31

Tgt Ion:112 Resp: 98993
Ion Ratio Lower Upper
112 100
64 74.5 56.3 84.5
63 39.5 30.1 45.1





#7

Phenol-d6

Concen: 31.468 ng

RT: 7.98 min Scan# 799

Delta R.T. 0.00 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31

Instrument :

BNA_G

ClientSampleId :

032718-TIDO-E-U-S


Tot Ion: 99 Resp: 100057

Ion Ratio Lower Upper



99 100

42 23.6 14.1 21.1#

71 41.1 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.74 min Scan# 1439

Delta R.T. -0.01 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31

Tgt Ion: 136 Resp: 148901


Ion Ratio Lower Upper

136 100



137 10.5 9.2 13.8


54 10.4 10.3 15.5

68 6.4 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 107.160 ng
 RT: 10.06 min Scan# 1153
 Delta R.T. -0.01 min
 Lab File: BG033499.D
 Acq: 2 Apr 2018 22:31




Instrument :
 BNA_G
 ClientSampleId :
 032718-TIDO-E-U-S


Tot Ion: 82 Resp: 347296
 Ion Ratio Lower Upper
 82 100
 128 37.9 29.7 44.5
 54 61.3 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.48 min Scan# 2075
 Delta R.T. -0.01 min
 Lab File: BG033499.D
 Acq: 2 Apr 2018 22:31

Tgt Ion: 164 Resp: 123937
 Ion Ratio Lower Upper
 164 100
 162 95.7 78.8 118.2
 160 45.6 35.4 53.0








#41
 2,4,6-Tribromophenol
 Concen: 102.646 ng
 RT: 16.95 min Scan# 2326
 Delta R.T. -0.00 min
 Lab File: BG033499.D
 Acq: 2 Apr 2018 22:31

Instrument :
 BNA_G
 ClientSampleId :
 032718-TIDO-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.3	77.0	115.6
141	38.4	25.2	37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 101.660 ng
 RT: 14.10 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BG033499.D
 Acq: 2 Apr 2018 22:31

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	30.0	45.0
170	24.4	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 2.750 ng

RT: 14.90 min Scan# 1976

Delta R.T. -0.01 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31

Instrument :

BNA_G

ClientSampleId :

032718-TIDO-E-U-S


Tot Ion:163 Resp: 29658

Ion Ratio Lower Upper

163 100

194 6.2 3.4 5.2#




164 9.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2539

Delta R.T. -0.01 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31


Tgt Ion:188 Resp: 331517

Ion Ratio Lower Upper

188 100

94 6.2 6.9 10.3#



80 8.2 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.55 min Scan# 3279

Delta R.T. -0.01 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31

Instrument :

BNA_G

ClientSampleId :

032718-TIDO-E-U-S


Tot Ion:240 Resp: 339264

Ion Ratio Lower Upper

240 100

120 6.7 6.8 10.2#




236 26.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 98.816 ng

RT: 20.73 min Scan# 2969

Delta R.T. -0.00 min

Lab File: BG033499.D

Acq: 2 Apr 2018 22:31


Tgt Ion:244 Resp: 1567602

Ion Ratio Lower Upper

244 100

212 8.8 5.8 8.8#



122 7.0 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 26.31 min Scan# 3919
Delta R.T. -0.02 min
Lab File: BG033499.D
Acq: 2 Apr 2018 22:31

Instrument :
BNA_G
ClientSampleId :
032718-TIDO-E-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	17.4	26.0
265	21.0	17.7	26.5



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

