

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG040218\
 Data File : BG033509.D
 Acq On : 3 Apr 2018 4:46
 Operator : SJ/JU
 Sample : J2114-04
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 032718-DBRI-F-U-B

Quant Time: Apr 03 07:26:47 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 28 18:34:58 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.86	152	31957	20.00	ng	-0.01
21) Naphthalene-d8	11.74	136	146972	20.00	ng	-0.01
38) Acenaphthene-d10	15.48	164	121768	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	329818	20.00	ng	0.00
75) Chrysene-d12	22.55	240	329484	20.00	ng	0.00
86) Perylene-d12	26.32	264	354943	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.30	112	71010	41.67	ng	0.00
7) Phenol-d6	7.98	99	75442	25.76	ng	0.00
23) Nitrobenzene-d5	10.06	82	300334	93.89	ng	-0.01
41) 2,4,6-Tribromophenol	16.95	330	162043	88.98	ng	0.00
44) 2-Fluorobiphenyl	14.10	172	789511	93.60	ng	0.00
78) Terphenyl-d14	20.73	244	1391560	90.32	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.90	163	24638	2.325	ng	Qvalue # 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG040218\
Data File : BG033509.D
Acq On : 3 Apr 2018 4:46
Operator : SJ/JU
Sample : J2114-04
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
032718-DBRI-F-U-B

Quant Time: Apr 03 07:26:47 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 28 18:34:58 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.86 min Scan# 949
Delta R.T. -0.01 min
Lab File: BG033509.D
Acq: 3 Apr 2018 4:46

Instrument :
BNA_G
ClientSampleId :
032718-DBRI-F-U-B

Tot Ion:152 Resp: 31957
Ion Ratio Lower Upper
152 100
150 159.7 126.6 189.8
115 69.7 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.666 ng
RT: 6.30 min Scan# 512
Delta R.T. 0.00 min
Lab File: BG033509.D
Acq: 3 Apr 2018 4:46

Tgt Ion:112 Resp: 71010
Ion Ratio Lower Upper
112 100
64 73.2 56.3 84.5
63 39.8 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 25.763 ng

RT: 7.98 min Scan# 799

Delta R.T. 0.00 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46

Instrument :

BNA_G

ClientSampleId :

032718-DBRI-F-U-B


Tot Ion: 99 Resp: 75442

Ion Ratio Lower Upper




99 100

42 23.5 14.1 21.1#

71 40.7 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.74 min Scan# 1439

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46

Tgt Ion: 136 Resp: 146972


Ion Ratio Lower Upper

136 100



137 12.6 9.2 13.8


54 10.1 10.3 15.5#

68 5.5 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 93.886 ng

RT: 10.06 min Scan# 1153

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46

Instrument :

BNA_G

ClientSampleId :

032718-DBRI-F-U-B





Tot Ion: 82 Resp: 300334

Ion Ratio Lower Upper

82 100

128 36.5 29.7 44.5

54 56.3 43.1 64.7



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.48 min Scan# 2075

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46




Tgt Ion: 164 Resp: 121768


Ion Ratio Lower Upper

164 100

162 99.9 78.8 118.2

160 47.0 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 88.977 ng
 RT: 16.95 min Scan# 2326
 Delta R.T. -0.00 min
 Lab File: BG033509.D
 Acq: 3 Apr 2018 4:46




Instrument :
 BNA_G
 ClientSampleId :
 032718-DBRI-F-U-B


Tot Ion:330 Resp: 162043
 Ion Ratio Lower Upper
 330 100
 332 95.7 77.0 115.6
 141 38.0 25.2 37.8#



#44
 2-Fluorobiphenyl
 Concen: 93.601 ng
 RT: 14.10 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BG033509.D
 Acq: 3 Apr 2018 4:46

Tgt Ion:172 Resp: 789511
 Ion Ratio Lower Upper
 172 100
 171 37.7 30.0 45.0
 170 25.5 19.5 29.3





#49

Dimethylphthalate

Concen: 2.325 ng

RT: 14.90 min Scan# 1976

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46

Instrument :

BNA_G

ClientSampleId :

032718-DBRI-F-U-B


Tot Ion:163 Resp: 24638

Ion Ratio Lower Upper

163 100

194 2.9 3.4 5.2#




164 7.0 8.2 12.4#



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2540

Delta R.T. -0.00 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46


Tgt Ion:188 Resp: 329818

Ion Ratio Lower Upper

188 100

94 6.9 6.9 10.3



80 7.5 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.55 min Scan# 3279

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46

Instrument :

BNA_G

ClientSampleId :

032718-DBRI-F-U-B


Tot Ion:240 Resp: 329484

Ion Ratio Lower Upper

240 100

120 6.3 6.8 10.2#




236 25.3 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 90.323 ng

RT: 20.73 min Scan# 2968

Delta R.T. -0.01 min

Lab File: BG033509.D

Acq: 3 Apr 2018 4:46


Tgt Ion:244 Resp: 1391560

Ion Ratio Lower Upper

244 100

212 8.6 5.8 8.8



122 7.5 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 26.32 min Scan# 3920
Delta R.T. -0.01 min
Lab File: BG033509.D
Acq: 3 Apr 2018 4:46

Instrument :
BNA_G
ClientSampleId :
032718-DBRI-F-U-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.9	17.4	26.0
265	20.8	17.7	26.5

