

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040418\
 Data File : BG033557.D
 Acq On : 4 Apr 2018 13:19
 Operator : SJ/JU
 Sample : PB107838TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1


Quant Time: Apr 04 18:37:07 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 04 18:35:46 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.87	152	32608	20.00	ng	0.00
21) Naphthalene-d8	11.75	136	149765	20.00	ng	0.00
38) Acenaphthene-d10	15.48	164	118962	20.00	ng	0.00
63) Phenanthrene-d10	18.21	188	328589	20.00	ng	0.00
75) Chrysene-d12	22.56	240	349578	20.00	ng	0.00
86) Perylene-d12	26.33	264	339786	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.29	112	329830	189.67	ng	0.00
7) Phenol-d6	7.98	99	500327	167.45	ng	0.00
23) Nitrobenzene-d5	10.06	82	310167	95.15	ng	0.00
41) 2,4,6-Tribromophenol	16.95	330	245502	137.98	ng	0.00
44) 2-Fluorobiphenyl	14.11	172	797357	96.76	ng	0.00
78) Terphenyl-d14	20.73	244	1569400	96.01	ng	0.00
Target Compounds						
15) Benzyl Alcohol	9.20	79	5212	2.216	ng	# 34
19) n-Nitroso-di-n-propylamine	10.06	70	42499	19.411	ng	# 79
50) 2,6-Dinitrotoluene	15.48	165	15233	7.196	ng	# 18
56) 2,4-Dinitrotoluene	15.48	165	15233	4.887	ng	# 16
66) 4-Bromophenyl-phenylether	16.95	248	17918	4.643	ng	# 1
76) Benzidine	20.73	184	26729	2.820	ng	# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG040418\
Data File : BG033557.D
Acq On : 4 Apr 2018 13:19
Operator : SJ/JU
Sample : PB107838TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Apr 04 18:37:07 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG031918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 04 18:35:46 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.87 min Scan# 950
Delta R.T. 0.00 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.5	126.6	189.8
115	67.2	53.0	79.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 189.668 ng
RT: 6.29 min Scan# 511
Delta R.T. -0.00 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19

Tgt Ion	Ratio	Lower	Upper
112	100		
64	78.1	56.3	84.5
63	42.4	30.1	45.1






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 167.449 ng

RT: 7.98 min Scan# 798


Delta R.T. -0.00 min

Lab File: BG033557.D




Acq: 4 Apr 2018 13:19

Tot Ion: 99 Resp: 500327

Ion	Ratio	Lower	Upper
99	100		
42	20.8	14.1	21.1
71	43.1	26.1	39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#15

Benzyl Alcohol

Concen: 2.216 ng

RT: 9.20 min Scan# 1006


Delta R.T. 0.10 min

Lab File: BG033557.D



Acq: 4 Apr 2018 13:19


Tgt Ion: 79 Resp: 5212

Ion	Ratio	Lower	Upper
79	100		
108	24.1	57.2	85.8#
77	114.0	46.1	69.1#







Abundance Ion 79.00 (78.70 to 79.70): BGC
Ion 108.00 (107.70 to 108.70): BGC
Ion 77.00 (76.70 to 77.70): BGC








#19
n-Nitroso-di-n-propylamine
Concen: 19.411 ng
RT: 10.06 min Scan# 1153
Delta R.T. 0.39 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19


Tot Ion	Ratio	Lower	Upper
70	100		
42	50.0	49.1	73.7
101	0.0	8.5	12.7#
130	0.9	13.4	20.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.75 min Scan# 1440
Delta R.T. -0.00 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19


Tgt Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.2	13.8
54	10.7	10.3	15.5
68	6.8	4.5	6.7#








#23
Nitrobenzene-d5
Concen: 95.151 ng
RT: 10.06 min Scan# 1153
Delta R.T. -0.00 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19

Tot Ion	82	Resp	310167
Ion Ratio	100	Lower	Upper
128	35.4	29.7	44.5
54	56.6	43.1	64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.48 min Scan# 2075
Delta R.T. -0.01 min
Lab File: BG033557.D
Acq: 4 Apr 2018 13:19

Tgt Ion	164	Resp	118962
Ion Ratio	100	Lower	Upper
162	99.6	78.8	118.2
160	43.7	35.4	53.0




Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC








#41
 2,4,6-Tribromophenol
 Concen: 137.983 ng
 RT: 16.95 min Scan# 2326
 Delta R.T. -0.00 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	77.0	115.6
141	37.8	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.761 ng
 RT: 14.11 min Scan# 1842
 Delta R.T. 0.00 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	30.0	45.0
170	24.8	19.5	29.3







Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#50
 2,6-Dinitrotoluene
 Concen: 7.196 ng
 RT: 15.48 min Scan# 2075
 Delta R.T. 0.44 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19


Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	52.7	79.1#
89	0.0	49.2	73.8#



#56
 2,4-Dinitrotoluene
 Concen: 4.887 ng
 RT: 15.48 min Scan# 2075
 Delta R.T. -0.34 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	42.0	63.0#
89	0.0	66.9	100.3#
182	0.0	2.6	3.8#





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.21 min Scan# 2540

Delta R.T. -0.00 min

Lab File: BG033557.D

Acq: 4 Apr 2018 13:19


Tot Ion:188 Resp: 328589

Ion Ratio Lower Upper

188 100

94 7.3 6.9 10.3




80 9.3 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#66

4-Bromophenyl-phenylether

Concen: 4.643 ng

RT: 16.95 min Scan# 2326

Delta R.T. -0.43 min

Lab File: BG033557.D

Acq: 4 Apr 2018 13:19


Tgt Ion:248 Resp: 17918

Ion Ratio Lower Upper

248 100

250 197.2 77.1 115.7#



141 462.8 50.8 76.2#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.56 min Scan# 3280


Delta R.T. -0.00 min

Lab File: BG033557.D

Acq: 4 Apr 2018 13:19

Tot Ion:240 Resp: 349578



Ion	Ratio	Lower	Upper
240	100		
120	7.2	6.8	10.2
236	26.1	20.9	31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#76

Benzidine

Concen: 2.820 ng

RT: 20.73 min Scan# 2969

Delta R.T. 0.36 min

Lab File: BG033557.D

Acq: 4 Apr 2018 13:19



Tgt Ion:184 Resp: 26729


Ion	Ratio	Lower	Upper
184	100		
185	16.2	11.1	16.7
183	8.5	10.6	16.0

Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E









#78
 Terphenyl-d14
 Concen: 96.011 ng
 RT: 20.73 min Scan# 2969
 Delta R.T. -0.00 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19

Tot Ion:244 Resp: 1569400

Ion	Ratio	Lower	Upper
244	100		
212	8.6	5.8	8.8
122	7.6	7.0	10.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 26.33 min Scan# 3922
 Delta R.T. 0.01 min
 Lab File: BG033557.D
 Acq: 4 Apr 2018 13:19

Tgt Ion:264 Resp: 339786

Ion	Ratio	Lower	Upper
264	100		
260	21.7	17.4	26.0
265	21.3	17.7	26.5

